

west virginia department of environmental protection

Office of Oil and Gas 601 57th Street, S.E. Charleston, WV 25304 (304) 926-0450 fax: (304) 926-0452

Harold D. Ward, Cabinet Secretary www.dep.wv.gov

Thursday, October 31, 2024 WELL WORK PLUGGING PERMIT Vertical Plugging

ROSS AND WHARTON GAS COMPANY, INC. 354 MORTON AVE.

BUCKHANNON, WV 26201

Re:

Permit approval for 1 47-041-03117-00-00

This well work permit is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to any additional specific conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas Inspector.

Upon completion of the plugging well work, the above named operator will reclaim the site according to the provisions of WV Code 22-6-30. Please be advised that form WR-38, Affidavit of Plugging and Filling Well, is to be submitted to this office within 90 days of completion of permitted well work, as should form WR-34 Discharge Monitoring Report within 30 days of discharge of pits, if applicable. Failure to abide by all statutory and regulatory provisions governing all duties and operations hereunder may result in suspension or revocation of this permit and, in addition, may result in civil and/or criminal penalties being imposed upon the operators.

Per 35 CSR 4-5.2.g this permit will expire in two (2) years from the issue date unless permitted well work is commenced. If there are any questions, please feel free to contact me at (304) 926-0450.

James A. Martin

Chief

Operator's Well Number: 1

Farm Name: JACOB

U.S. WELL NUMBER: 47-041-03117-00-00

Vertical Plugging
Date Issued: 10/31/2024

PERMIT CONDITIONS

West Virginia Code §22-6-11 allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. Failure to adhere to the specified permit conditions may result in enforcement action.

CONDITIONS

- 1. All pits must be lined with a minimum of 20 mil thickness synthetic liner.
- 2. In the event of an accident or explosion causing loss of life or serious personal injury in or about the well or while working on the well, the well operator or its contractor shall give notice, stating the particulars of the accident or explosion, to the oil and gas inspector and the Chief within twenty-four (24) hours.
- 3. Well work activities shall not constitute a hazard to the safety of persons.
- 4. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing.

1) Date October 8	2024
2) Operator's	
Well No, Martha Jacob #1	
3) API Well No. 47-m	- 63117

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

5)	DICONCION TOTAL		watershed Butchers Fork				
	District Court	House	County Lewis Quadrangle Peterson				
6)	Well Operator Ross & Wharton	Gas Co. Inc.	7) Designated Agent Mike Ross				
	Address P.O. Box 219 Coalton, WV	26257	Address P.O. Box 219				
	Coanton, VVV	2020/	Coalton, WV	26257			
8)	Name Kenneth Greynolds Address 613 Broad Run Ro	ad	9) Plugging Contractor Name N/A Address				
	Jane Lew, WV 2	6378					
5	Free point and recover cas Set cement plug 4800' to TE	sing's & tub) (5234')	oner of plugging this well is as Dular's, 6% Gel between plug'	follows: S CHES OF CHEST QUE			
	Set cement plug 4800' to TE Set cement plug 4800' to TE Set 100' plug 3350' to 3450' Set 100' plug at casing cut Set plug 1100' to 1200' (elev set plug 400' to 500' 8" casi	sing's & tub (5234') Top perfs cal cation plug,	oular's, 6% Gel between plug'	follows: S CHEST CLEAR OF COLUMN CO			
	Set cement plug 4800' to TE Set cement plug 4800' to TE Set 100' plug 3350' to 3450' Set 100' plug at casing cut Set plug 1100' to 1200' (elev set plug 400' to 500' 8" casi set 100' plug to surface	sing's & tub (5234') Top perfs cation plug, ng plug,	oular's, 6% Gel between plug'	S PECEVED OS			
	Set cement plug 4800' to TE Set cement plug 4800' to TE Set 100' plug 3350' to 3450' Set 100' plug at casing cut Set plug 1100' to 1200' (elev set plug 400' to 500' 8" casi set 100' plug to surface	sing's & tub (5234') Top perfs cation plug, ng plug,	oular's, 6% Gel between plug'	S PECEVED OS			
	Set cement plug 4800' to TE Set cement plug 4800' to TE Set 100' plug 3350' to 3450' Set 100' plug at casing cut Set plug 1100' to 1200' (elev set plug 400' to 500' 8" casi	sing's & tub (5234') Top perfs cation plug, ng plug,	oular's, 6% Gel between plug'	S PECEVED OS			
	Set cement plug 4800' to TE Set cement plug 4800' to TE Set 100' plug 3350' to 3450' Set 100' plug at casing cut Set plug 1100' to 1200' (elev set plug 400' to 500' 8" casi set 100' plug to surface	sing's & tub (5234') Top perfs cation plug, ng plug,	oular's, 6% Gel between plug'	S PECEVED OS			
S S S T	Set cement plug 4800' to TE Set cement plug 4800' to TE Set 100' plug 3350' to 3450' Set 100' plug at casing cut Set plug 1100' to 1200' (elevent plug 400' to 500' 8" casing tet 100' plug to surface ag plug's, as necessary, Se	sing's & tub (5234') Top perfs ation plug, ng plug, the monumen	oular's, 6% Gel between plug'	OCT 1 7 2024			

و. 14(هندازبرش) 12:34 (مندازبرش)	21-35	The second		Lie	-	a di giride e	et i le legelege et		Maria de Maria de Carrero III.
						WELL DIERATOR	'S REPORT	4.7	041 0311 7P
(cf.	. K.	L.	E] I:L I NG .	FRAC	TURII	OF STIP	ULATING OR.I	HYSICAL CHARS	
- 42				1 2 3 3 3					3/12
711E	.011		Gas_	X_/	Liq	uid Injection	/ Vast	Disposal	
	e e	"Ges",		4 4 . 77.77		the state of the said of the	Separat better to be an	The state of the s	1 201100
CATAON.	100	ations		make a 1 to	2	The second second second			
	D1:1	rict:	Courtho	use		. County: Le	vis .	Quadrangle:	Peterson 7's
1253	ion Ea	sien.	Ameri	en I	nery	y Corporat	משלגאים נפייום	AGENT Donal	d.C. Silcon
			N_xox				State of the second	P 0	
	• <u>``G</u>	lenvi	11e. "1	<u>7</u> 26	351			GJeñy	ille, WV 26351
S That seeming s	ione.		Y						Practure or stinu
7.5317720	201 (2008)	- 1	- 10		A	Person			
			L. M.		100	n well (specif	(*************************************		
								1944	
and the same of the same	100100	Cant	20		17:11			\sim)
TERRIT ISSI (IP ATPLICE	BIE.	_300TE	ug OP 5	Ry Lune	_ 1	9_81	OIL F GAS I	ESPECTOR FOR 1	A12 VURS
CONTI	UOUS P	ROSEES	SION FRO	מת אכ מסיג	LLIN	G OR	LACTOR	109 Minnich	Street
			. 19					Weston, WV	7.7
- OSICAL	TARGET	· FORMA	TION:	Devoi	nian-	Shale		Depth	P-0
1 *- '				** ** *	47	feet Ro			
1 (a) 1 ()		٠.				ct; salt			
Coal s	ean des	olhs:		0.		Is coal b	ing mined in	the area? No	
Pork v	S COFF	senced	Octob	er 9		(19 <u>'81</u>	and complete	o October 1	3 , 19 81
EASING AND 2	מעדבות	PROSPE							
CASING OR			ificati	0.0		Transce	uneavals .	lerin	
TUBING TYPE	1 822	1	"Weight	1	Used			CEMENT FILL- OR SACKS (Cubic Sees)	7
Zenductor	1		94 16		χ	tick, when I do not it	-0	0-	Kinds
Tresh vater	8 5/8	J-55	20 16	x		454	454	Surface	0
(ea)						1.5 (8.43)		(0)	Stars
<u> </u>		200		3.57					
- rauct 1 on	415	1 .CW	10.5 1	Х	. 4,	5121.9	- 5121.9	.370 sks	Draths set
25	135	H-40	2.5	X		7,7-1	4815	32.	300
	-		1, 1, 2	- F/		R	RCENV	RD	Periorations:
		All to				A SECTION OF THE	100		Top
	1	00				10 10 10 10 10 10 10 10 10 10 10 10 10 1	JAN5 - 198		<u>3416</u> 50
							OIL AND GAS DO WYDE ARTMENT O	ISION	
FLOW DAT									
						comingled.		Tay zone depti	
- Cos:									NA . 36174
	Fint				F . W	rer/o			
	1 3E							4 hours	
The state of the state of						ion ()	*surement) a	ries 24. hou	rs shut Ih
Erions.ps				4 . 1		1000			
Dri ono. pr	25.15.78	tal no			***	ratver oi		ay zone depth	
						Hef/d			Prize
		Time	THE PARTY OF THE PARTY	2 34 2 4 4		en initial in	No. of the last of		Bu1/a
source of the								nours	11/01/2024
*		• • • •		* •	•				

Perforate: 8 - 0.39" holes from 5052 - 5048

First Stage: Frac with 15,000 lbs 80/100 sand, 20,000 lbs 20/40 sand, 20 1%/1000 gals J-266, free from 5052 - 5048

Perforate: 8 1 0.39" holes from 4834 - 4930 - 90 lbs 20/40 sand, 20 lbs/1000 gals J-266, free from 5052 - 500 gals 15% HCl downhole:

Perforate: 8 1 0.39" holes from 4834 - 4930 - 90 lbs 20/40 sand, 20 lbs/1000 gals J-266, free from 5416 - 4088 - 10 free from 3416 - 4088 - 10 free from 3416 - 4088 - 10 free from 5416 - 500 gals 15% HCl

Perforate: 0.39" holes from 3416 - 4088 - 10 free from 5416 - 500 gals 15% HCl


First Stage: Frac with 20,000 lbs 80/100 sand, 30,000 lbs 20/40 sand, 15 lbs/1000 gals J-266, free frac with 20,000 gals 15% HCl

			NY N	为 其他民国的	
	the second	llard or	7.73	Bottom	Including indication of all and salt veter coal, oil ar
FORMATION	Color	Soft	Top Feet	Bot tom.	and salt veter, ceal, oll ar
Clay	प्रवेशसम्बद्धाः	100000000000000000000000000000000000000	2004250	在於時間	PERCENTED LA PARTICIONA DE LA CONTRACTION DEL CONTRACTION DE LA CO
Shale & Red Rock			3425	35	
Sand.	/		35	40	
Red Rock & Shale	[· · · · · · · · · · · · · · · · · · ·	这种意思	40	101	
Sand			101	230	
Red Rock & Shale		第二条 条	230	260	
Sand & Shale	2.74	300	260	280	
	。自然最高的	分类的工具 :	280	293	
Sand			293	380	
sand & Shale			293		
and	The last sale in	234.7	380	388	
and & Shale			38	2012	
and			20	2110	
ime & Shale			2110		Top of E Log @ 2150'
and			2150	2166	
lig Lime			2166	2220	
lig Injun	14,532		2220	2370	
leir Ca			2370	2460	
and & Shale			2460	2812	
ordon	An An		2812	2878	
and & Shale			2878	3026	
ifth Sand	5.5	- C. C.	3026	3042	
and & Shale			3042	4920	
irst Benson			4920	4940	
and & Shale			4940	5030	
	Shirt St.	3	5030	5065	
econd Benson			5065	5234	
and & Shale			5234	3234	
otal Depth			3634		
$\sim N$				**************************************	
· Car	9.26				
	18 18 18 18				
	3: 25 E. C. C. C.				
	高、通用的				
	375		机学从发展	RIGHT I	
5. 电性的系统系统是管理程序	Let a series			75 - 15 - 15 - 15 - 15 - 15 - 15 - 15 -	
		3.4.18	100		
() 一、海上传行与深刻温度	2000年1月1日	位于2017年2月			医阿尔利特氏管 经制度 人名英格兰
	THE WAY				
	55 4 C 10		THE SOLEN	NT 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
and the second s	*** Late 1 . * 19. 7 5 1, 40	. T	the state of the s		Contract and Contract

Eastern American Energy Cornoration

F. H. McCullough, III

Vice-President



WW-4A Revised 6-07 1) Date:

October 8, 2024

2) Operator's Well Number

Martha Jacob #1

3) API Well No.: 47 -

041 - 03117

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF APPLICATION TO PLUG AND ABANDON A WELL

4) Surface Ow	ner(s) to be served:	5)	(a) Coal Operator		
(a) Name	Coastal Forest Resour		Name	N/A	
Address	P.O. Box 1023		Address	//	
	Havanna, FL 32333				
(b) Name			(b) Coal Ow	ner(s) with Declaration	
Address			Name	N/A	Office of Oil and O
			Address	\ <u> </u>	
					OCT + 7 2024
(c) Name			Name	V	
Address			Address		WV Databased in
					— Environment - popul
6) Inspector	Kenneth Greynolds		— (c) Coal Less	see with Declaration	
Address	613 Broad Run Road		Name	N/A	
11441000	Jane Lew, WV 26378		Address		
Telephone	1-681-990-6948		Tidaless		
receptions			-		
However, ye Take notice accompany Protection, the Applica	ou are not required to take a that under Chapter 22-6 of ing documents for a permit with respect to the well at the	ny action at all. The West Virginia Cod to plug and abandon a vice location described on mailed by registered	ic, the undersigned well of well with the Chief of the in the attached Application or certified mail or deliv	perator proposes to file or has filed the Office of Oil and Gas, West Virginia a and depicted on the attached Form Verered by hand to the person(s) named	is Notice and Application and Department of Environmental WW-6. Copies of this Notice,
Notary State My Comm.	RENDA K BUSH Public Official Seal of West Virginia Expires Sep 27, 2025 uckhannon WV 26201	By: Its: Address	President P.O. Box 219 Coalton, WV 26257	Co. Inc.	
	bosono	Telephone	1-304-472-4289		
				···	

Oil and Gas Privacy Notice

The Office of Oil and Gas processes your personal information, such as name, address and phone number, as a part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use of your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficr@wv.gov.

SENDER: COMPLETE THIS SECTION	COMPLETE THIS SECTION ON DELIVERY	ELIVERY
Complete items 1, 2, and 3.	A. Signature	
Print your name and address on the reverse so that we can return the card to you.	×	☐ Agent ☐ Addressee
 Attach this card to the back of the mailpiece, or on the front if space permits. 	B. Received by (Printed Name)	C. Date of Delivery
1. Article Addressed to:	D. Is delivery address different from item 1?	item 1?
Coastal Forest Resources Co.	If YES, enter delivery address below:	elow:
P D 130x 1023		
Havanna FL 32333		
		C Priority Mail Express®
9590 9402 7765 2152 3515 01	Certified Mail® Certified Mail® Certified Mail®	☐ Registered Mail Restricted Delivery Signature Confirmation™
2. Article Number (Transfer from service label).	ivery	Li Signature Confirmation Restricted Delivery

46/41/01 ivery information, visit our website at www.usps.com Postmark Here TIFIED MAIL® RECEIPT Sireet and Apr No. or PO Box No. 34333 | Strata Services & Fees (check box, add fee as appropried for the foreign (hardcopy) | Strata | Order Postal Service" Adult Signature Required
Adult Signature Restricted Delivery \$ stic Mail Only Total Postage and Fees E000 0575 TZOL

\$10.48 0
US POSTAGEM
FIRST-CLASS
026W0002310853
Z00032015
ZIP 26201
OCT 14 2024

2024

Cette feuille permet de créer deux bandes d'affranchissement. This sheet good for two postage tapes.

Peel/Detacher

Peel/Detac 4

Operator's Well Number

47-041-03117 Martha Jacob #1

INSTRUCTIONS TO SURFACE OWNERS NAMED ON PAGE WW4-A

The well operator named on page WW-4A is applying for a permit from the State to plug and abandon a well. (Note: If the surface tract is owned by more than three persons, then these materials were served on you because your name appeared on the Sheriff's tax ticket on the land or because you actually occupy the surface tract. In either case, you may be the only owner who will actually receive these materials.) See Chapter 22 of the West Virginia Code. Well work permits are valid for 24 months. If you do not own any interest in the surface tract, please forward these materials to the true owner immediately if you know who it is. Also, please notify the well operator and the Office of Oil and Gas.

NOTE: YOU ARE NOT REQUIRED TO FILE ANY COMMENT.
WHERE TO FILE COMMENTS AND OBTAIN ADDITIONAL INFORMATION:

Chief, Office of Oil and Gas
Department of Environmental Protection
601 57th St. SE
Charleston, WV 25304
(304) 926-0450

OCT 1 7 2024

Time Limits and methods for filing comments. The law requires these materials to be served on or before the date the operator files his Application. You have FIVE (5) DAYS after the filing date to file your comments. Comments must be filed in person or received in the mail by the Chief's office by the time stated above. You may call the Chief's office to be sure of the date. Check with your postmaster to ensure adequate delivery time or to arrange special expedited handling. If you have been contacted by the well operator and you have signed a "voluntary statement of no objection" to the planned work described in these materials, then the permit may be issued at any time.

Comments must be in writing. Your comments must include your name, address and telephone number, the well operator's name and well number and the approximate location of the proposed well site including district and county from the application. You may add other documents, such as sketches, maps or photographs to support your comments.

The Chief has the power to deny or condition a well work permit based on comments on the following grounds:

- 1) The proposed well work will constitute a hazard to the safety of persons.
- 2) The soil erosion and sediment control plan is not adequate or effective;
- 3) Damage would occur to publicly owned lands or resources;
- 4) The proposed well work fails to protect fresh water sources or supplies;
- 5) The applicant has committed a substantial violation of a previous permit or a substantial violation of one or more of the rules promulgated under Chapter 22, and has failed to abate or seek review of the violation..."

If you want a copy of the permit as it is issued or a copy of the order denying the permit, you should request a copy from the Chief.

VOLUNTARY STATEMENT OF NO OBJECTION

I hereby state that I have read the instructions to surface owners and that I have received copies of a Notice and Application For A Permit To Plug And Abandon on Forms WW-4A and WW-4B, and a survey plat.

I further state that I have no objection to a permit being issued on the FOR EXECUTION BY A NATURAL PRETC.	ose materials.	nned wo		BY A CORPORATION,
Signature	Date	_ Name By		
dignature		Its		Date
			Signature	Date

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

FLUIDS/ CUTTINGS DISPOSAL & RECLAMATION PLAN

Operator Name Ross & Wharton Gas Co. Inc. OP Code 306580	
Watershed (HUC 10) Butchers Fork Quadrangle Peterson	
Do you anticipate using more than 5,000 bbls of water to complete the proposed well work? Yes No	ONTAINE
n so, please describe anticipated pit waste:	Old-bitter,
Will a synthetic liner be used in the pit? Yes No If so, what ml.?	Q-WM
Proposed Disposal Method For Treated Pit Wastes:	
Land Application (if selected provide a completed form WW-9-GPP) Underground Injection (UIC Permit Number Reuse (at API Number Off Site Disposal (Supply form WW-9 for disposal location) Other (Explain	
Will closed loop systembe used? If so, describe:	0
Drilling medium anticipated for this well (vertical and horizontal)? Air, freshwater, oil based, etc.	1133
-If oil based, what type? Synthetic, petroleum, etc	124
Additives to be used in drilling medium?	OF.
Drill cuttings disposal method? Leave in pit, landfill, removed offsite, etc	
-If left in pit and plan to solidify what medium will be used? (cement, lime, sawdust)	
-Landfill or offsite name/permit number?	
Permittee shall provide written notice to the Office of Oil and Gas of any load of drill cuttings or associated waste rejected at ar West Virginia solid waste facility. The notice shall be provided within 24 hours of rejection and the permittee shall also disclos where it was properly disposed. I certify that I understand and agree to the terms and conditions of the GENERAL WATER POLLUTION PERMIT is on April 1, 2016, by the Office of Oil and Gas of the West Virginia Department of Environmental Protection. I understand the	e ssued
provisions of the permit are enforceable by law. Violations of any term or condition of the general permit and/or other applicable	e law
or regulation can lead to enforcement action. I certify under penalty of law that I have personally examined and am familiar with the information submitted o	n this
application form and all attachments thereto and that, based on my inquiry of those individuals immediately responsible for obtathe information, I believe that the information is true, accurate, and complete. I am aware that there are significant penaltic submitting false information, including the possibility of line or imprisonment.	ining
Company Official Signature The Posts	
Company Official (Typed Name) Mike Ross	
Company Official Title President	
Subscribed and swom before me this 9th day of October , 20 24 Notary Public	
My commission expires September 27, 2025	, ma,

	eatment: Acres Disturbed 1	Preveg etati	опрН 6.5
Lime Z	Tons/acre or to correct to	pH 6.5	
Fertilizer type 10		<u></u>	
Fertilizer amount_	500	_lbs/acre	
Mulch_ Hay	T ₀	ons/acre	
	S	Seed Mixtures	
	emporary	Per	manent
Seed Type	lbs/acre	Seed Type	lbs/acre
Fescue	30	Fescue	30
Contractor's Mix		Contractor's Mix	
Maps(s) of road, location, pin rovided). If water from the p L, W), and area in acres, of	the land application area.	ication (unless engineered plans inc water volume, include dimensions (luding this info have been L, W, D) of the pit, and din
L, W), and area in acres, of the thickness of the thickne	the land application area. ved 7.5' topographic sheet.	mater volume, include dimensions (luding this info have been L, W, D) of the pit, and din
Maps(s) of road, location, pin provided). If water from the p L, W), and area in acres, of a Photocopied section of involved Ken lan Approved by:	the land application area. ved 7.5' topographic sheet. Inneth Greynolds Office Networks (Springer Spr. Ch. Flancks). Geographic Springer	ennels Geynnins	L, W, D) of the pit, and din
Maps(s) of road, location, pin provided). If water from the p L, W), and area in acres, of a Photocopied section of involved Ken lan Approved by:	the land application area. ved 7.5' topographic sheet. Inneth Greynolds Office Networks (Springer Spr. Ch. Flancks). Geographic Springer	mater volume, include dimensions (L, W, D) of the pit, and din
Maps(s) of road, location, pin provided). If water from the p L, W), and area in acres, of a Photocopied section of involved Ken lan Approved by:	the land application area. ved 7.5' topographic sheet. Inneth Greynolds Office Networks (Springer Spr. Ch. Flancks). Geographic Springer	ennels Geynnins	L, W, D) of the pit, and din
Maps(s) of road, location, pin provided). If water from the p L, W), and area in acres, of a Photocopied section of involved Ken lan Approved by:	the land application area. ved 7.5' topographic sheet. Inneth Greynolds Office New Kennells (Springer Spr. Ch. Fennells (Springer)	ennels Geynnins	L, W, D) of the pit, and din
Maps(s) of road, location, pin provided). If water from the p L, W), and area in acres, of a Photocopied section of involved Ken lan Approved by:	the land application area. ved 7.5' topographic sheet. Inneth Greynolds Office New Kennells (Springer Spr. Ch. Fennells (Springer)	ennels Geynnins	CCJ 1 7 202
Maps(s) of road, location, pin provided). If water from the p L, W), and area in acres, of a Photocopied section of involved Ken lan Approved by:	the land application area. ved 7.5' topographic sheet. Inneth Greynolds Office New Kennells (Springer Spr. Ch. Fennells (Springer)	ennels Geynnins	CCJ 1 7 202
Maps(s) of road, location, pin provided). If water from the p L, W), and area in acres, of a Photocopied section of involved Ken lan Approved by:	the land application area. ved 7.5' topographic sheet. Inneth Greynolds Office New Kennells (Springer Spr. Ch. Fennells (Springer)	ennels Geynnins	CCJ 1 7 202
Maps(s) of road, location, pin provided). If water from the p L, W), and area in acres, of a Photocopied section of involved Ken lan Approved by:	the land application area. ved 7.5' topographic sheet. Inneth Greynolds Office New Kennells (Springer Spr. Ch. Fennells (Springer)	ennels Geynnins	CCJ 1 7 202
Maps(s) of road, location, pin provided). If water from the p L, W), and area in acres, of a Photocopied section of involved Ken lan Approved by:	the land application area. ved 7.5' topographic sheet. Inneth Greynolds Phich Kantelli 6 Greynolds Sprin (On a Kantelli 6 Greynold	ennels Geynnins	Office Pit, and din

WW-9- GPP Rev. 5/16

	Page	of 2
API Number 47	- 041	_ 03117
Operator's Well N	lo. Martha	Jacob #1

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS GROUNDWATER PROTECTION PLAN

Operator Name: Ross & Wharton Gas Co. Inc.	
Watershed (HUC 10): Butchers Fork	Quad: Peterson
Farm Name:	
 List the procedures used for the treatment and discharge of fl groundwater. 	uids. Include a list of all operations that could contaminate th
N/A	
2. Describe procedures and equipment used to protect groundwa	terquality from the list of potential contaminant sources above
N/A	
 List the closest water body, distance to closest water body, discharge area. 	and distance from closest Well Head Protection Area to the
Butchers Fork	Office of CL Club Cas
	OCT 1 7 2024
	English 1
. Summarize all activities at your facility that are already regula	ted for groundwater protection.
N/A	
INVA	


5. Discuss any existing groundwater quality data for your facility or an adjacent property.

N/A	
	•
Provide a statement that no waste material will be us	ed for deicing or fill material on the property.
lo material will be used	
Describe the groundwater protection instruction and provide direction on how to prevent groundwater con	I training to be provided to the employees. Job procedures shall attanination.
/A	
	Office File
	OCT 1 7 2024
	Env. 2024
Provide provisions and frequency for inspections of al	II CPP elements and equipment
A	
•	
nature: Tieffe Ross	
· October a soul	

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

D'OT-

STATE OF





West Virginia Department of Environmental Protection Office of Oil and Gas

WELL LOCATION FORM: GPS

_{API:} 47-041-03117	WELL NO.: 1
FARM NAME: Martha Jacob	
RESPONSIBLE PARTY NAME: Mike Ross	
COUNTY: Lewis	ISTRICT: Courthouse
QUADRANGLE: Peterson	
SURFACE OWNER: Coastal Forest Resource Co.	
ROYALTY OWNER:	
UTM GPS NORTHING: 4312510.4	
UTM GPS EASTING: 532651.8	GPS ELEVATION: 1171'
The Responsible Party named above has chosen to submit GPS coordinates in lieu of preparing a new well location plat for a plugging permit or assigned API number on the above well. The Office of Oil and Gas will not accept GPS coordinates that do not meet the following requirements: 1. Datum: NAD 1983, Zone: 17 North, Coordinate Units: meters, Altitude: height above mean sea level (MSL) – meters. 2. Accuracy to Datum – 3.05 meters 3. Data Collection Method: Survey grade GPS: Post Processed Differential	
Real-Time Differential	
Mapping Grade GPS: Post Processed Differential Real-Time Differential	
4. Letter size copy of the topography map showing the well location.	
I the undersigned, hereby certify this data is correct to the best of my knowledge and belief and shows all the information required by law and the regulations issued and prescribed by the Office of Oil and Gas.	
Tille Rose Presiden	t october 9, 2024
Signature Title	