

New Location  
 Drill Deeper  
 Abandonment X 4009

Company PITTSBURGH & W.V.A. GAS CO.  
 Address CLARKSBURG W.VA.  
 Farm ISARC ANGLIN  
 Tract \_\_\_\_\_ Acres 79 Lease No. 12232  
 Well (Farm) No. 1 E 2 Serial No. 4009  
 Elevation (Spirit Level) AS SHOWN  
 Quadrangle WESTON S.W. 14  
 County LEWIS District HACKERS CK.  
 Engineer Kenneth B. Moore  
 Engineer's Registration No. \_\_\_\_\_  
 File No. VOLD20 P82 Drawing No. \_\_\_\_\_  
 Date FEB 27, 1948 Scale 1"=300'

STATE OF WEST VIRGINIA  
 DEPARTMENT OF MINES  
 OIL AND GAS DIVISION  
 CHARLESTON

WELL LOCATION MAP  
 FILE NO. LEW-389-A # 4009

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500. latitude and longitude lines being represented by border lines as shown  
 - Denotes one inch spaces on border line of original tracing



STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION

467

WELL RECORD

Oil or Gas Well **"GAS"**  
(KIND)

Permit No. 389-A


Company Pittsburgh & West Va Gas Company.  
Address Clarksburg, West Va.  
Farm Isaac N. Anglin Acres 79  
Location (waters) Weston S/W. 1-4  
Well No. 1009 Elev. 1087'  
District Hackers Creek County Lewis  
The surface of tract is owned in fee by Chas. R. Linger  
R.D.#5 Address Weston, West Va.,  
Mineral rights are owned by Nancy Anglin et al.  
R.D.#2 Address Moatsville, W.Va.  
Drilling commenced December 21st, 1911  
Drilling completed January 25th, 1912  
Date Shot \_\_\_\_\_ From \_\_\_\_\_ To \_\_\_\_\_  
With \_\_\_\_\_  
Open Flow \_\_\_\_\_ /10ths Water in \_\_\_\_\_ Inch  
\_\_\_\_\_ /10ths Merc. in \_\_\_\_\_ Inch  
Volume \_\_\_\_\_ Cu. Ft.  
Rock Pressure \_\_\_\_\_ lbs. \_\_\_\_\_ hrs.  
Oil \_\_\_\_\_ bbls., 1st 24 hrs.  
Fresh water \_\_\_\_\_ feet \_\_\_\_\_ feet  
Salt water \_\_\_\_\_ feet \_\_\_\_\_ feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			Kind of Packer
16			
13			
10	139'	139'	Size of
8 1/2	890'	890'	
6 1/2	1331'	1331'	Depth set
5 3/16			
3			Perf. top
2			Perf. bottom
Liners Used			Perf. top
			Perf. bottom

CASING CEMENTED \_\_\_\_\_ SIZE \_\_\_\_\_ No. Ft. \_\_\_\_\_ Date \_\_\_\_\_

COAL WAS ENCOUNTERED AT \_\_\_\_\_ FEET \_\_\_\_\_ INCHES  
\_\_\_\_\_ FEET \_\_\_\_\_ INCHES \_\_\_\_\_ FEET \_\_\_\_\_ INCHES  
\_\_\_\_\_ FEET \_\_\_\_\_ INCHES \_\_\_\_\_ FEET \_\_\_\_\_ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Red Rock & Slate		Soft	0	260	Water	70'	
Sand		Soft	260	280			
Slate			280	310			
Sand		Hard	310	310			
Slate		Soft	310	370			
Sand		Hard	370	400			
Slate&Shells		Hard&Soft	400	440			
Sand		Hard	440	500			
Slate	Black	"	500	510			
Sand		"	510	565	Water	560'	
Slate	Black	Soft	565	580			
Line		Hard	580	595			
Slate	Black	Soft	595	600			
Line		Hard	600	618			
Slate	Black	Soft	618	635			
Sand		Hard	635	690			
Slate&Shells			690	720			
Sandy Line		Soft	720	760			
Slate Line			760	830			
Line&Sand		Hard	830	880			
Slate		Soft	880	895			
Sand			895	935			
Slate		Black	935	1015			
Sand		Soft	1015	1045	Gas	1030'	
Slate&Shells		Light	1045	1075			
Red Rock		Soft	1075	1235			
Maxon Sand			1235	1350	Water	1270'	
Slate		Black	1350	1360			
Big Line			1360	1410			
Big Injun			1410	1455			
Red Rock			1455	1460			
Big Injun			1460	1545			
Slate&Shells		Dark	1545	1800			
Sand	White	Hard	1800	1815			
Slate&Shells	"		1815	1900			
Sand			1900	1945	Gas	1902'	
Red Rock		Hard	1945	1948			
Sand		"	1948	2115			
Slate&Shells			2115	2187			



Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
5th, Sand Slate	Black	Soft "	2187 2204	2204 2218 2218	Gas	2187-2204'	
Total Depth.....							

Date **February 17th.**, 19 **48**

**PITTSBURGH & WEST VA GAS COMPANY.**

APPROVED \_\_\_\_\_, Owner

By *W. M. [Signature]*  
(Title)