

COAL OWNED BY \_\_\_\_\_

- NEW LOCATION.....
- DRILL DEEPER.....
- ABANDONMENT.....

COMPANY CUMBERLAND & ALLEGHENY GAS CO.

ADDRESS 800 UNION TRUST BLDG. PESH. PA.

FARM JAMES B. LOVETT

TRACT PART OF 93 ACRES 27 3/4 LEASE No. A-258

WELL (FARM) No. 1 SERIAL No. 24

ELEVATION (SPIRIT LEVEL) 1200'

QUADRANGLE Weston

COUNTY LEWIS DISTRICT FREEMAN'S CR.

ENGINEER Robert M. Nail (J.E.)

ENGINEER'S REGISTRATION No. 361-E

FILE No. \_\_\_\_\_ DRAWING No. Y-15-797

DATE 6-30-58 SCALE 1" = 800'

STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION  
CHARLESTON

WELL LOCATION MAP  
File No. LEW-691-A

+ DENOTES LOCATION OF WELL ON UNITED STATES TOPOGRAPHIC MAPS. SCALE 1 TO 62,500. LATITUDE AND LONGITUDE LINES BEING REPRESENTED BY BORDER LINES AS SHOWN.

— DENOTES ONE INCH SPACES ON BORDER LINE OF ORIGINAL TRACING.



776

STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION

Quadrangle Weston

WELL RECORD

Permit No. Lev-6918


Oil or Gas Well GAS  
(KIND)

Company Cumberland and Allegheny Gas Company  
Address 800 Union Trust Building, Pgh. 19, Pa.  
Farm James B. Lovett Acres 93  
Location (waters) \_\_\_\_\_  
Well No. 24 Elev. 1200'  
District Freemans Creek County Lewis  
The surface of tract is owned in fee by \_\_\_\_\_  
Address \_\_\_\_\_  
Mineral rights are owned by \_\_\_\_\_  
Address \_\_\_\_\_  
Drilling commenced January 16, 1909  
Drilling completed February 25, 1909  
Date Shot \_\_\_\_\_ From \_\_\_\_\_ To \_\_\_\_\_  
With \_\_\_\_\_  
Open Flow \_\_\_\_\_ /10ths Water in \_\_\_\_\_ Inch  
\_\_\_\_\_ /10ths Merc. in \_\_\_\_\_ Inch  
Volume \_\_\_\_\_ Cu. Ft.  
Rock Pressure \_\_\_\_\_ lbs. \_\_\_\_\_ hrs.  
Oil \_\_\_\_\_ bbls., 1st 24 hrs.  
Fresh water \_\_\_\_\_ feet \_\_\_\_\_ feet  
Salt water \_\_\_\_\_ feet \_\_\_\_\_ feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			
16			Kind of Packer
18 "	13	13	
10 "	168	Pulled	Size of
8 1/4 "	866	Pulled	
6 5/8 "	1375	1375	Depth set
5 3/16			
3			Perf. top
2			Perf. bottom
Liners Used			Perf. top
			Perf. bottom

CASING CEMENTED \_\_\_\_\_ SIZE \_\_\_\_\_ No. Ft. \_\_\_\_\_ Date \_\_\_\_\_

COAL WAS ENCOUNTERED AT \_\_\_\_\_ FEET \_\_\_\_\_ INCHES  
\_\_\_\_\_ FEET \_\_\_\_\_ INCHES FEET \_\_\_\_\_ INCHES  
\_\_\_\_\_ FEET \_\_\_\_\_ INCHES FEET \_\_\_\_\_ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks	
Little Dunkard			360	380				
Big Dunkard			410	625				
1st Salt Sand			640	855				
2nd Salt Sand			875	1108				
Maxon			1244	1349				
Big Lime			1349	1399				
Big Injun			1399	1545				
Squaw			1556	1565				
50 Foot			1940	1995				
Gordon			2068	2094				
Fifth			2190	2200				
Bayard			2283	2289				
Total depth				2303				

Original production not shown on record  
Well cleaned out and drilled through  
Bayard Sand June 29, 1929. At this  
time it developed 19,000 cf from the  
Fifth Sand and 4,120 cf. from the  
Bayard Sand.

Well not tubed

DEC 20 1958

