

|                             |                        |                             |
|-----------------------------|------------------------|-----------------------------|
| Company                     | LURAY LAND, INC.       |                             |
| Address                     | POINT PLEASANT, W. VA. |                             |
| Farm                        | MORAN - BENNETT        |                             |
| Tract                       | Acres 99               | Lease No. _____             |
| Well (Farm) No.             | 1                      | Serial No. 2740             |
| Elevation (Spirit Level)    | 1264'                  |                             |
| Quadrangle                  | BURNSVILLE             |                             |
| County                      | LEWIS                  | District COLLINS SETTLEMENT |
| Engineer                    | H. P. SUTER            |                             |
| Engineer's Registration No. | 1805                   |                             |
| File No.                    | _____                  | Drawing No. _____           |
| Date                        | 3 DEC. 1959            |                             |
| Scale                       | 1" = 40 POLES          |                             |

STATE OF WEST VIRGINIA  
 DEPARTMENT OF MINES  
 OIL AND GAS DIVISION  
 CHARLESTON

**WELL LOCATION MAP**  
 FILE NO. LEW-713-A

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.

- Denotes one inch spaces on border line of original tracing.



818

STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION

Quadrangle Burnsville

Permit No. 713A

WELL RECORD

Oil or Gas Well Gas  
(KIND)


Company Hope Natural Gas Company  
 Address Clarksburg, West Virginia  
 Farm Moran-Bennett Acres 39  
 Location (waters) \_\_\_\_\_  
 Well No. 2740 Elev. 1264'  
 District Collins Settlement County ~~Lincoln~~ Lewis  
 The surface of tract is owned in fee by \_\_\_\_\_  
 Address \_\_\_\_\_  
 Mineral rights are owned by \_\_\_\_\_  
 Address \_\_\_\_\_  
 Drilling commenced Sept. 5, 1912  
 Drilling completed Nov. 26, 1912  
 Date Shot \_\_\_\_\_ From \_\_\_\_\_ To \_\_\_\_\_  
 With \_\_\_\_\_  
 Open Flow \_\_\_\_\_ /10ths Water in \_\_\_\_\_ Inch  
 \_\_\_\_\_ /10ths Merc. in \_\_\_\_\_ Inch  
 Volume \_\_\_\_\_ Cu. Ft.  
 Rock Pressure \_\_\_\_\_ lbs. \_\_\_\_\_ hrs.  
 Oil \_\_\_\_\_ bbls., 1st 24 hrs.  
 WELL ACIDIZED \_\_\_\_\_  
 WELL FRACTURED \_\_\_\_\_

| Casing and Tubing     | Used in Drilling | Left in Well | Packers        |
|-----------------------|------------------|--------------|----------------|
| Size                  |                  |              | Kind of Packer |
| 16                    |                  |              |                |
| 18                    |                  |              |                |
| 10                    | 176'             | 176'         | Size of        |
| 8 1/4                 | 938'             | 928'         |                |
| 6 5/8                 | 1980'            | 1880' 105'   | Depth set      |
| <del>xxxx</del> 6-5/8 | 1797'            | 1797'        |                |
| <del>xxxx</del> 2     | 2504' 3"         | Pulled       | Perf. top      |
| 2                     |                  |              | Perf. bottom   |
| Liners Used           |                  |              | Perf. top      |
|                       |                  |              | Perf. bottom   |

CASING CEMENTED \_\_\_\_\_ SIZE \_\_\_\_\_ No. Ft. \_\_\_\_\_ Date \_\_\_\_\_  
 COAL WAS ENCOUNTERED AT \_\_\_\_\_ FEET \_\_\_\_\_ INCHES  
 \_\_\_\_\_ FEET \_\_\_\_\_ INCHES FEET \_\_\_\_\_ INCHES  
 \_\_\_\_\_ FEET \_\_\_\_\_ INCHES FEET \_\_\_\_\_ INCHES

RESULT AFTER TREATMENT \_\_\_\_\_  
 ROCK PRESSURE AFTER TREATMENT \_\_\_\_\_  
 Fresh Water \_\_\_\_\_ Feet Salt Water \_\_\_\_\_ Feet

| Formation    | Color | Hard or Soft | Top  | Bottom | Oil, Gas or Water | Depth | Remarks |
|--------------|-------|--------------|------|--------|-------------------|-------|---------|
| Dunkard Sand |       |              | 630  | 820    |                   |       |         |
| Salt Sand    |       |              | 1020 | 1422   | Gas at 1365       |       |         |
| Maxon Sand   |       |              | 1700 | 1763   | Gas at 1715-22    |       |         |
| Injun Sand   |       |              | 1980 | 2097   |                   |       |         |
| Berea Sand   |       |              | 2180 | 2200   |                   |       |         |
| Stray Sand   |       |              | 2479 | 2493   |                   |       |         |
| Gordon Sand  |       |              | 2505 | 2512   |                   |       |         |
| Shells       |       |              |      |        | Gas at 2610       |       |         |
| Total Depth  |       |              | 3002 |        |                   |       |         |
| Filled to    |       |              | 1782 |        |                   |       |         |



JUN 29 1960

