



Company LURAY LAND, INC.  
 Address POINT PLEASANT, WEST VA.  
 Farm SPRIGG D. CAMDEN  
 Tract            Acres 1600 Lease No.             
 Well (Farm) No. 1 Serial No. 8237  
 Elevation (Spirit Level) 1260'  
 Quadrangle VADIS SE  
 County LEWIS District FREEMANS CRK.  
 Engineer H. P. SUTER  
 Engineer's Registration No. 1805  
 File No.            Drawing No.             
 Date 10 DEC. 1959 Scale 1" = 40 POLES

STATE OF WEST VIRGINIA  
 DEPARTMENT OF MINES  
 OIL AND GAS DIVISION  
 CHARLESTON

**WELL LOCATION MAP**  
 FILE NO. LEW-737-A

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.

- Denotes one inch spaces on border line of original tracing.



810

STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION

Quadrangle Wd's

Permit No. 737-A

WELL RECORD

Oil or Gas Well \_\_\_\_\_ (KIND)

Company Hope Natural Gas Company  
 Address Clarksburg, W. Va.  
 Farm S. D. Camden Acres 1600  
 Location (waters) \_\_\_\_\_  
 Well No. 8237 Elev. 1253  
 District Freemans Creek County Lewis  
 The surface of tract is owned in fee by \_\_\_\_\_  
 Address \_\_\_\_\_  
 Mineral rights are owned by \_\_\_\_\_  
 Address \_\_\_\_\_  
 Drilling commenced Oct. 1, 1920  
 Drilling completed Nov. 9, 1920  
 Date Shot 10-8-21 From 5th To \_\_\_\_\_  
 With \_\_\_\_\_  
 Open Flow \_\_\_\_\_ /10ths Water in \_\_\_\_\_ Inch  
 \_\_\_\_\_ /10ths Merc. in \_\_\_\_\_ Inch  
 Volume \_\_\_\_\_ Cu. Ft.  
 Rock Pressure \_\_\_\_\_ lbs. \_\_\_\_\_ hrs.  
 Oil \_\_\_\_\_ bbls., 1st 24 hrs.  
 WELL ACIDIZED \_\_\_\_\_  
 WELL FRACTURED \_\_\_\_\_

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			Kind of Packer
16			
13			
10			Size of
8 1/4	536	Pulled	
6 5/8	S. L. 1103'6"	1103'6"	Depth set
5 3/16	1800'10"	1800'10"	
3 1/2	1273'4"	Pulled	Perf. top
2	2509'1"	Pulled	Perf. bottom
Liners Used	2 2506'	Pulled	Perf. top
			Perf. bottom

CASING CEMENTED \_\_\_\_\_ SIZE \_\_\_\_\_ No. Ft. \_\_\_\_\_ Date \_\_\_\_\_

COAL WAS ENCOUNTERED AT \_\_\_\_\_ FEET \_\_\_\_\_ INCHES  
 \_\_\_\_\_ FEET \_\_\_\_\_ INCHES FEET \_\_\_\_\_ INCHES  
 \_\_\_\_\_ FEET \_\_\_\_\_ INCHES FEET \_\_\_\_\_ INCHES

RESULT AFTER TREATMENT \_\_\_\_\_

ROCK PRESSURE AFTER TREATMENT \_\_\_\_\_

Fresh Water \_\_\_\_\_ Feet Salt Water \_\_\_\_\_ Feet

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth	Remarks
Dunkard Sand			530	735	Water at 250		
Salt Sand			860	1279	Gas at 1274	Oil at 1274	
Maxon Sand			1410	1480			
Big Lime			1594	1658			
Injun Sand			1658	1800	Oil at 1649	Gas at 1628	
Gantz Sand			1940	2028			
Fifty Foot Sand			2085	2100			
Stray Sand			2200	2220			
Gordon Sand			2220	2292			
Fifth Sand			2454	2464	Gas at 2457		
Total Depth			<del>12025x</del>	1305			
Deeper			2494				
Filled				1708			

JUN 29 1960



