



New Location...   
 Drill Deeper.....   
 Abandonment.....

Formerly Hope Natural Gas Co. Well No 7527

Company	LURAY LAND, INC.	
Address	POINT PLEASANT, WEST VA.	
Farm	E. C. FISHER	
Tract	Acres 16	Lease No. _____
Well (Farm) No.	1	Serial No. 7527
Elevation (Spirit Level)	1139'	
Quadrangle	VADIS	
County	LEWIS	District COURT HOUSE
Engineer	H. P. SUTER	
Engineer's Registration No.	1805	
File No.	Drawing No. _____	
Date	9 DEC. 1959	Scale 1" = 800'

STATE OF WEST VIRGINIA  
 DEPARTMENT OF MINES  
 OIL AND GAS DIVISION  
 CHARLESTON

**WELL LOCATION MAP**  
 FILE NO. LEW-739-A

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.

- Denotes one inch spaces on border line of original tracing.



82

STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION

Quadrangle Volio  
Permit No. 799-A

WELL RECORD

Oil or Gas Well  (KIND)

Company Hope Natural Gas Company  
 Address Clarksburg, West Virginia  
 Farm E. C. Fisher Acres 16  
 Location (waters) \_\_\_\_\_  
 Well No. 7527 Elev. 1139'  
 District Court House County Lewis  
 The surface of tract is owned in fee by \_\_\_\_\_  
 Address \_\_\_\_\_  
 Mineral rights are owned by \_\_\_\_\_  
 Address \_\_\_\_\_  
 Drilling commenced July 18, 1914  
 Drilling completed Aug. 15, 1914  
 Date Shot 2-1-46 From 5th To \_\_\_\_\_  
 With \_\_\_\_\_  
 Open Flow \_\_\_\_\_ /10ths Water in \_\_\_\_\_ Inch  
 \_\_\_\_\_ /10ths Merc. in \_\_\_\_\_ Inch  
 Volume \_\_\_\_\_ Cu. Ft.  
 Rock Pressure \_\_\_\_\_ lbs. \_\_\_\_\_ hrs.  
 Oil \_\_\_\_\_ bbls., 1st 24 hrs.  
 WELL ACIDIZED \_\_\_\_\_  
 WELL FRACTURED \_\_\_\_\_

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			Kind of Packer
16			
13		63 1/2"	
10	135	For	Size of
8 1/4	844	pulled	
6 3/8	1824'8"	1824'8"	Depth set
5 3/16	2347	2347	
3 1/2	2601'6"	Pulled	Perf. top
2			Perf. bottom
Liners Used			Perf. top
			Perf. bottom

CASING CEMENTED \_\_\_\_\_ SIZE \_\_\_\_\_ No. Ft. \_\_\_\_\_ Date \_\_\_\_\_  
 COAL WAS ENCOUNTERED AT \_\_\_\_\_ FEET \_\_\_\_\_ INCHES  
 \_\_\_\_\_ FEET \_\_\_\_\_ INCHES FEET \_\_\_\_\_ INCHES  
 \_\_\_\_\_ FEET \_\_\_\_\_ INCHES FEET \_\_\_\_\_ INCHES

RESULT AFTER TREATMENT \_\_\_\_\_  
 ROCK PRESSURE AFTER TREATMENT \_\_\_\_\_  
 Fresh Water \_\_\_\_\_ Feet Salt Water \_\_\_\_\_ Feet

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth	Remarks
Pittsburgh Coal			63	75	Water at 35		
Dunkard Sand			595	820			
Salt Sand			900	1280			
Injun Sand			1814	1952			
Berea Sand			2050	2087			
Gantz Sand			2110	2200			
Fifth Foot Sand			2230	2260			
Thirty Foot Sand			2298	2310			
Stray Sand			2342	2351			
Gordon Sand			2358	2428	Gas at 2363		
Fourth Sand			2468	2475			
Fifth Sand			2576	2593	Gas at 2578		
Total Depth			2603				
Pocket			2696'				

MAY 1960  
 RECEIVED  
 WEST VIRGINIA  
 DEPT. OF MINES  
 JUN 29 1960

