

### west virginia department of environmental protection

Office of Oil and Gas 601 57th Street, S.E. Charleston, WV 25304 (304) 926-0450 fax: (304) 926-0452

Harold D. Ward, Cabinet Secretary www.dep.wv.gov

Friday, October 6, 2023 WELL WORK PLUGGING PERMIT Vertical Plugging

DIVERSIFIED PRODUCTION LLC 101 MCQUISTON DRIVE

**JACKSON CENTER, PA 16133** 

Re: Permit approval for 1

47-043-00302-00-00

This well work permit is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to any additional specific conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas Inspector.

Upon completion of the plugging well work, the above named operator will reclaim the site according to the provisions of WV Code 22-6-30. Please be advised that form WR-38, Affidavit of Plugging and Filling Well, is to be submitted to this office within 90 days of completion of permitted well work, as should form WR-34 Discharge Monitoring Report within 30 days of discharge of pits, if applicable. Failure to abide by all statutory and regulatory provisions governing all duties and operations hereunder may result in suspension or revocation of this permit and, in addition, may result in civil and/or criminal penalties being imposed upon the operators.

Per 35 CSR 4-5.2.g this permit will expire in two (2) years from the issue date unless permitted well work is commenced. If there are any questions, please feel free to contact me at (304) 926-0450.

James A. Martin

Chief

Operator's Well Number:

Farm Name: COOPER, CINDERELLA

U.S. WELL NUMBER: 47-043-00302-00-00

Vertical Plugging

Date Issued: 10/6/2023

### **PERMIT CONDITIONS**

West Virginia Code §22-6-11 allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. <u>Failure to adhere to the specified permit conditions may result in enforcement action.</u>

### **CONDITIONS**

- 1. All pits must be lined with a minimum of 20 mil thickness synthetic liner.
- 2. In the event of an accident or explosion causing loss of life or serious personal injury in or about the well or while working on the well, the well operator or its contractor shall give notice, stating the particulars of the accident or explosion, to the oil and gas inspector and the Chief within twenty-four (24) hours.
- 3. Well work activities shall not constitute a hazard to the safety of persons.
- 4. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing.

1) Date July	27	,	20 23
2)Operator			
Well No.	COOP	ER CINDE	ERELLA 1
3) API Well	No.	47- 043	- 00302

## STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

4) Well Type: Oil/ Gas/ Liqu	id injection/ Waste disposal/ nderground storage) Deep/ Shallow/
5) Location: Elevation880'	Watershed Parsner Creek
District Jefferson	County_Lincoln Quadrangle_Hager 7.5'
6) Well Operator Diversified Production, LLC	7) Designated Agent Chris Veazey
Address 414 Summers Street	Address P.O. Box 381087
Charleston, WV 25301	Birmingham, AL 35238
3) Oil and Gas Inspector to be notified Name Brian Warden	9) Plugging Contractor Name Next LVL Energy (Diversified Owned)
Address 49 Elk Creek Rd	Address 104 Helliport Loop Rd
Delbarton, WV 25670	Bridgeport, WV 25330
See Attached	THECENVED Office of Oil and Gas SEP 2 1 2023  www Department of Environmental Protection
Notification must be given to the district of work can commence.	oil and gas inspector 24 hours before permitted
Work order approved by inspector	Sm, th Date 9-19-23

### STATE OF WEST VIRGINIA DEPARTMENT OF MINES OIL AND GAS DIVISION

### WELL BECORD

7011/1/p

Permit No. III	v-202		AA Indeed of	RECORE		Oil or Ga	s WellGAB
		Company st Va.		Casing and Tubing	Used in Drilling	Left in Vell	Packera
		Cooper		<del></del>	<del></del>		
Location (waters	) Mud	river	Medar timagrapi traspri timigration relit	Sizo			and the second
				1			Kind of Packer Comb. Wall & anghor
		County				*******************	- 1-28 - 5/8" - 1
		i fee by Address		10,	341'2"	341'2'	side R Bottom
				651	1560!		Depth set
************************		A.F. MOTO	1Lir WVA.	6 3/16	************************		
Drilling commence	ed	lay 14,1940	****************	8			Perf. top
		ug <b>. 20,</b> 194			3540181		Perf. bottom
		Depth of sh					Perf. top
		r in		######################################			Perf. bottom
Volume10	10 W 1	л 2" /.5.	//				lo. FtDate
				***************************************			FEETINCHES
Fresh water	600	feet					PEETINCHES
Salt water	850						FEETINCHES
		Hard or			Oil. Ges	Depth	
Formation	Color	Soft	Тор	Bettom	Oil, Gas or Water	1 Found	Remarks
Soil		Soft	0	20	Á	8536317	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~
Sand Slate		Har <b>d</b> Soft	20	35	A A A A A A A A A A A A A A A A A A A		
Sand		Hard	35 65	65 85		A 195	12/
Slate		Soft	86	120	23		(3)
Sand		Hard	120	150	(E) 4	<b>的</b>	
Slate Sand		Soft Hard	150 250	230 320	(E)		
Slate		Soft	320	340	V	\$\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	<u> </u>
Sand		Hord	340	370		RECE Office of O	IVED
Slate Sand		Soft Hard	370 425	425 500		Office of U	11 200
Slate		Soft	500	560		SEP 2	1 1023
Lime		Hard	550	640		SEL 7	1 5053
Slate & \$	hell	Hard & Sof Hard	t 640   780	780   810	•	WV Dept	artment of
Slate		Soft	810	850		Environmen	tal Protection
Salt Sand	ļ	Hard	850	1115			
Slate Sand		Soft	1115 1125	1125		ì	
Slate		Hard Soft	1150	1150 1160			
Sand		Hard	1160	1190			
Slate Sand		Boft Hard	1200	1200 1260			
Slate		Soft	1260	1300			
Lime		Hard	1300	1325			1
Naz. Sand Red Rock	•	Hard.	1325	1393			
Idme		Hard Hard	1393 1400	1400 1425		]	
Slate & \$		Hard & Sof	ե 1425	1510			
.Iditle Id Pencil Ca		Hard Softi	1510 1546	1546 1550		ļ	<b>,</b>
Big Lime		Hard.	1550	1736			
Red Rock	.9	Harri	1735	1765			
Injun San Shell	Q.	Hard Ha/d	1765	1810			
Slate & \$	hell	Hard & Sof	1838	1838 1872		}	
Big Shell		Hard	1872	1935		1	
Slate & Sl Shell	hells	Hard & Sof		2146			
Slate	•	Hard Soft	2146 2158	2158 2227			
Br. Shale		Hard	2227	2257			10/06/2

10/06/2023

Formation .	Color	Hard or Soft	Top	Bottom	. Oil, Gas or Water	Depth Found	Remarks
Berea Grit Slate & She Shells Slate & She Gray Shale Br. Shale Br. Shale	ells ell	Hard Hard & Soi Hard & Soi Hard Hard Hard Hard	2237 t 2261 2460	3261 2460 2475# 2800 2950 2950 298 3270 3621			
			1				
e The This is the equi					} }		
: 12					•		<i>'</i>
A		100	, ,				
					[		
1: }					İ		<b>,</b>
					Ì	-	
			• .	11			<u>!</u>
quec							
			÷			•	
gri be ∴t			•			RECEIVED	
			ŕ		o o	RECEIVED	Gas
:				:		CED O 1 00	[_
			.'			SEP <b>2 1</b> 20	l .
			•		<u></u>	VV Departmen ronmental Pro	oi Oi
But to	i •		;		Env	ronmental Pro	ection
			2.0	26.5	•		,
			:: ::	;; · · · · · · · · · · · · · · · · · ·			,
in the			• • •	·	,	-	
		100	`, ,,	• • • • • • • • • • • • • • • • • • • •			
1				: **,	.		
	• •		,	•		:	, 16 3, 4
***						•	
' }	£ 1			•	٠,		
					į		
			•	,	,		The Contract
		.	ŕ		·		
	".	·	,				i i i i i i i i i i i i i i i i i i i
							Treatment
GV:			· · · · · · · · · · · · · · · · · · ·	1			
						115 N	
	·					·	
				· · ·	Vista .	37.71	
		]			· }	• • • •	
15 "	· · · · · · · · · · · · · · · · · · ·			•	.		
i				.		٠. ا	
		· · · · · · · · · · · · · · · · · · ·		.			
1		·	[	.			
1				; • ,	}		••
		<u> </u>					

APPROVED By By 10/06/2023

### **Plugging Prognosis**

API #: 4704300302 West Virginia, Lincoln Co.

### **Casing Schedule:**

8-1/4" @ 341' (cement info unknown) 6-5/8" @ 1560' (6-5/8"x8-1/4" L&R BH Packer) 2" @ 3540' (Wall and anchor 2"x6-5/8") TD @ 3621'

Completion: Perfs @ 2939' - 3621'

Fresh Water: 600' Salt Water: 850'

Gas Shows: None Reported
Oil Shows: None Reported
Coal: None Reported
Elevation: 880'

Office RECEIVED of Oil and Gas
SEP 2 1 2023
WV Department of Environmental Protection

- 1. Notify Inspector Brian Warden @ (304) 205-3229, 48 hrs prior to commencing operations.
- 2. Check and record pressures on csg/tbg.
- 3. Check TD, release packer, pull 2" tbg
- Run in to depth @ 3621'. Kill well as needed with 6% bentonite gel and fill rat hole. Pump at least 10 bbls gel. Pump 782' C1A/Class L cement plug from 3621' to 2839' (Completion plug). Tag TOC. Top off as needed.
- 5. TOOH w/ tbg to 2839'. Pump 6% bentonite gel from 2839' to 1610'.
- 6. Attempt to release packer and pull csg. If csg won't pull, pump 100' Class L cement plug across casing shoe, 1610'-1510'.
- 7. Run wireline CBL to check TOC or free point. Free point 6-5/8" csg. Cut and TOOH. Set 100' C1A/Class L cement plug across csg cut. 50' in/out of cut. Do not omit any plugs listed below. Perforate as needed.
- 8. TOOH w/ tbg to 930'. Pump 130' C1A/Class L cement plug from 930' to 800' (salt water and elevation plug).
- 9. TOOH w/ tbg to 800'. Pump 6% bentonite gel from 800' to 650'.
- 10. TOOH w/ tbg to 650'. Pump 100' C1A/Class L cement plug from 650' to 550' (freshwater plug).
- 11. TOOH w/tbg to 550'. Pump 6% bentonite gel from 550' to 391'.
- 12. TOOH w/ tbg to 391'. Pump 100' C1A/Class L cement plug from 391' to 291' (8-1/4" csg shoe plug).
- 13. TOOH w/ tbg to 291'. Pump 6% bentonite gel from 291' to 100'.
- 14. Run wireline CBL to check TOC or free point. Free point 8-1/4" csg. Cut and TOOH. Set 100' C1A/Class L cement plug across csg cut. 50' in/out of cut. Do not omit any plugs listed below. Perforate as needed.
- 15. TOOH w/ tbg to 100'. Pump 100' C1A/Class L cement plug from 100' to Surface (surface plug).
- 16. Reclaim location and well road to WV DEP specifications and erect P&A well monument.

WW-4A		1) Dat	e: 7/2	7/2023	
Revised 6-07		•		Number COOPER	R CINDERELLA 1
		3) API	Well No.: 47	043	- 00302
	STATE	OF WEST VIRGI	AIV		
DF	EPARTMENT OF ENVIRONMEN				GAS
A) = -	NOTICE OF APPLICATION		<u>D ABANDOI</u>	<u> </u>	Office of Oil and Gas
,	ner(s) to be served: 5) Barry & Connie Parsons	(a) Coal Operator			SEP 2 1 2023
(a) Name Address		Name Address	-		<u>~ 1 2023</u>
Address	14 Virginia Street			— €r	WV Department of
(b) Name	West Hamlin, West Virginia 255				VV Department of
Address		Name	ner(s) with De Sallie M. Ce	ciaration	
Address		Address	73 Shorelin		
		Audress			Caralina 20000
(c) Name		Name		*** ***********************************	Carolina 29928
Address		Name Address		***	rances Jewell Hubbard
Address		Address		Ellen St. NE	
a) *				<u>e, New Mexico</u>	87112
6) Inspector	Brian Warden	· '	see with Decla	iration	
Address	49 Elk Creek Rd	Name			
	Delbarton, WV 25670	Address			
Telephone	(304) 205-3229	<del></del>			
(1) The swell i (2) The p The reason However, ye Take notice accompanyi Protection, the Applica	RSONS NAMED ABOVE: You application to Plug and Abandon a Well on Hits and the plugging work order; and plat (surveyor's map) showing the well located you received these documents is that you have rigou are not required to take any action at all.  I that under Chapter 22-6 of the West Virginia Coding documents for a permit to plug and abandon a with respect to the well at the location described on tion, and the plat have been mailed by registered imstances) on or before the day of mailing or delive	Form WW-4B, which a on on Form WW-6. this regarding the application, the undersigned well of well with the Chief of the in the attached Application or certified mail or delivers.	iets out the parti tion which are sum perator proposes to Office of Oil and G 1 and depicted on the	nes involved in the value in the value in the instruction file or has filed this Nata, West Virginia Depose attached Form WW	work and describes the stions on the reverses side.
	Well Operator By: Its: Address Telephone	Diversified Produ Chris Veazey Permitting Super 414 Summers Str Charleston, WV 2 304-590-7707	visor	/ <i>J</i>	
Subscribed and s	sworn before me this $274b$	woo July	2023		OFFICIAL SEAL NOTARY PUBLIC STATE OF WEST VIRGINIA Sandra L. Mosser

Oil and Gas Privacy Notice

My Commission Expires

The Office of Oil and Gas processes your personal information, such as name, address and phone number, as a part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use of your personal information, please contact DEP's Chief Privacy Officer at depprivacyoffier@wv.gov. 10/06/2023

Notary P

7/27/23, 11:59 AM

# https://my.simplecertifiedmail.com/Reprint.aspx COCOO-CHO-LH IJW

Diversified Gas & Oil Corporation Permitting Department 414 SUMMERS STREET 2ND, FLOOR CHARLESTON WV 25301



լ\ո|տվբեռկանումը Որերանի հայարեր հայարեր հայարար BARRY & CONNIE PARSONS 14 VIRGINIA ST WEST HAMLIN WV 25571 API 47-043-00322

Diversified Gas & Oil Corporation Permitting Department 414 SUMMERS STREET 2ND, FLOOR CHARLESTON WV 25301

0901000000052

C4000004 Retail 5.0 OZFIAT

easypost

US POSTAGE AND FEES PAID

2023-07-27 25301

USPS CERTIFIED MAIL\*\*

րույլ ընդարագահանի արդարանի արդարանի արդարար

HEIRS OF JAMES E MORRIS C/O FRANCES JEWELL HUBBARD 1008 MARY ELLEN ST NE ALBUQUERQUE NM 87112

10/06/2023

# API 47-643-00302

Diversified Gas & Oil Corporation Permitting Department 414 SUMMERS STREET 2ND. FLOOR CHARLESTON WV 25301



090100000052

edsypost

US POSTAGE AND FEES PAID

2023-07-27 25301



7/27/2023

James Martin Office of Oil and Gas 601 57<sup>th</sup> Street, SE Charleston, WV 25304 (304)926-0450

Mr. Martin,

Due to our cement provider, LaFarge Holcem, discontinuing the manufacturing of Class A cement, DGOC will be utilizing Class L cement to plug the following well:

API Number \_\_\_\_\_\_COOPER CINDERELLA 1 Well Name \_\_\_\_\_

Attached is the approved variance order for use of Class L cement.

Sincerely,

Chris Veazey

**Permitting Supervisor** 

304-590-7707

RECEIVED Office of Oil and Gas

SEP 2 1 2023

WV Department of Environmental Protection



### west virginia department of environmental protection

Office of Oil and Gas 601 57th Street, SE Charleston, WV 25304 Phone (304) 926-0450 Harold D. Ward, Cabinet Secretary dep.wv.gov

# BEFORE THE OFFICE OF OIL AND GAS DEPARTMENT OF ENVIRONMENTAL PROTECTION STATE OF WEST VIRGINIA

IN THE MATTER OF A VARIANCE FROM	)	
LEGISLATIVE RULE 35CSR4	)	ORDER NO. 2022-13
SECTION 14.1. AND LEGISLATIVE RULE	)	
35CSR8 SECTION 20.1,	)	RECEIVED
RELATING TO THE CEMENTING	)	Office of Oil and Gas
OF OIL AND GAS WELLS	)	SEP 2 1 2023
		WV Department of

### REPORT OF THE OFFICE

In response to industry requests, the West Virginia Department of Environmental Protection, Office of Oil and Gas has reviewed the proposed use of American Petroleum Institute (API) Class L cement to be used in place of API Class A cement for well plugging.

### FINDINGS OF FACT

- On July 28, 2022, Diversified Gas & Oil Co. (DGO) submitted a variance request from Legislative Rule 35CSR4 for the use of API Class L cement in place of API Class A cement, relating to the plugging of conventional wells.
- Laboratory analysis submitted by DGO on July 28, 2022, indicates API Class L cement is comparable to API Class A cement and thereby satisfies the requirements of the West Virginia Code.
- 3. Contemporaneously, the Chief of the Office of Oil and Gas also chose to consider a variance to Legislative Rule 35CSR8 Section 20.1., for the use of API Class L cement in place of API Class A cement, relating to the plugging of horizontal wells.

4. On August 18, 2022, the Office of Oil and Gas provided public notice of acceptance of public comments on the variance consideration. During the 20-day public comment period, no comments were received.

### CONCLUSIONS OF LAW

Pursuant to Article 6 and Article 6A, Chapter 22 of the Code of West Virginia, the Office of Oil and Gas has jurisdiction over the subject matter, and the persons interested therein, and jurisdiction to promulgate the hereinafter prescribed Order.

Pursuant to Legislative Rule 35CSR4, Section 18 and Legislative Rule 35CSR8, Section 14, the Chief of the Office of Oil and Gas may grant a variance from any requirement of these rules.

### ORDER

It is ordered that the Class L cement product approved and monogramed by API is approved for use in place of API Class A cement for well plugging subject to the provisions of RECEIVED Legislative Rule 35CSR4 and Legislative Rule 35CSR8.

Office of Chi and Cass

SEP 2 1 2023

Dated this, the 13th day of September, 2022.

WV Department of Environmental Protection

### IN THE NAME OF THE STATE OF WEST VIRGINIA

OFFICE OF OIL AND GAS DEPARTMENT OF ENVIRONMENTAL PROTECTION OF THE STATE OF WEST VIRGINIA

James Martin, Chief
Office of Oil and Gas

API Number	47 - (	043	00302
Operator's Wa			DERELLA 1

# STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS FILUIDS/ CUTTINGS DISPOSAL & RECLAMATION PLAN

Operator Name: Diversified Production, LLC	OP Code	494524121	<del></del>
Watershed (HUC 10)Parsner Creek	QuadrangleHager 7.5'	<u></u>	
Do you anticipate using more than 5,000 bbls of water to comp	Will a pit be used?	Yes No	<u>√</u> ]
If so, please describe anticipated pit waste:	fluid and cement returns.		
[ /]	No If so, what ml.?_	20	_
Proposed Disposal Method For Treated Pit Wastes:			
Land Application (if selected provide a  * Underground Injection (UIC Permit N  Reuse (at API Number  Off Site Disposal (Supply form WW-9  Other (Explain	umber 2D03902327 002		)
<u> </u>		Office of O	
Will closed loop systembe used? If so, describe: N/A		O/ O/	and Gas
Drilling medium anticipated for this well (vertical and horizontal)	? Air, freshwater, oil based, e	tc. N/A SEP 2 1	2023
-If oil based, what type? Synthetic, petroleum, etc. N/A		WV Departm Environmental P	<del>lent or</del>
Additives to be used in drilling medium?N/A		a/ p	rotection
Drill cuttings disposal method? Leave in pit, landfill, removed off	site, etc. <u>N/A</u>		
-If left in pit and plan to solidify what medium will be us	ed? (cement, lime, sawdust) <u>l</u>	N/A	
-Landfill or offsite name/permit number? N/A			
Permittee shall provide written notice to the Office of Oil and Gas West Virginia solid waste facility. The notice shall be provided with where it was properly disposed.			
I certify that I understand and agree to the terms and come on April I, 2016, by the Office of Oil and Cas of the West Virgin provisions of the permit are enforceable by law. Violations of any or regulation can lead to enforcement action.  I certify under penalty of law that I have personally exapplication form and all attachments thereto and that, based on my the information, I believe that the information is true, accurate, submitting false information, including the possibility of fine-or in	ia Department of Environmen term or condition of the gener amined and am familiar wit inquiry of those individuals in and complete. I am aware the	ital Protection. I und ral permit and/or othe the information summediately responsit	derstand that the er applicable law abmitted on this ble for o btaining
Company Official Signature	07/27/23	··	, - \
Company Official (Typed Name) Chris Veazey			
Company Official Title Permitting Supervisor			The state of the s
Subscribed and swom before me this 27th day of Ju	Notar	23 y Pub si	OFFICIAL SEAL MOTARY PUBLIC TATE OF WEST VIRGINIA Sandra L. Messer

	ment. Acres Disturbed	1 +/- 1 ac. Preveg etatio	при
Lime3	Tons/acre or to co	prrect to pH6.5	
Fertilizer type 10-	20-20 or Equivalent		Office RECEIVE of Oil an SEP 2
Fertilizer amount_	TBD	Ibs/acre	SEP 2 -
Mulch 2	÷	Tons/acre	SEP 2 1 202 Environmental Protect
		Seed Mixtures	rotec
Te	emporary	I	Permanent
Seed Type	lbs/acre	Seed Type	lbs/acre
Red Fescue	40	Red Fescue	15
Alsike	5	Alside Clover	5
Annual Rye	15		
	pit will be land applied the land application as		
Maps(s) of road, location, pi provided). If water from the (L, W), and area in acres, of	pit will be land applied the land application at wed 7.5' topographics	d, provide water volume, include dimensio rea. heet.	ns (L, W, D) of the pit, and dime
Maps(s) of road, location, pi provided). If water from the (L, W), and area in acres, of Photocopied section of invol	pit will be land applied the land application at least 7.5' topographics	d, provide water volume, include dimensio rea. heet.	ns (L, W, D) of the pit, and dime
Maps(s) of road, location, piperovided). If water from the L, W), and area in acres, of Photocopied section of invol	pit will be land applied the land application at least 7.5' topographics	d, provide water volume, include dimensio rea.  heet.	ns (L, W, D) of the pit, and dime
Maps(s) of road, location, piprovided). If water from the (L, W), and area in acres, of Photocopied section of invol	pit will be land applied the land application at least 7.5' topographics	d, provide water volume, include dimensio rea.  heet.	ns (L, W, D) of the pit, and dime
Maps(s) of road, location, piprovided). If water from the (L, W), and area in acres, of Photocopied section of invol	pit will be land applied the land application at least 7.5' topographics	d, provide water volume, include dimensio rea.  heet.	ns (L, W, D) of the pit, and dime
Maps(s) of road, location, piprovided). If water from the (L, W), and area in acres, of Photocopied section of invol	pit will be land applied the land application at least 7.5' topographics	d, provide water volume, include dimensio rea.  heet.	ns (L, W, D) of the pit, and dime
Maps(s) of road, location, piprovided). If water from the (L, W), and area in acres, of Photocopied section of invol	pit will be land applied the land application at least 7.5' topographics	d, provide water volume, include dimensio rea.  heet.	ns (L, W, D) of the pit, and dime
Maps(s) of road, location, piprovided). If water from the (L, W), and area in acres, of Photocopied section of invol	pit will be land applied the land application at least 7.5' topographics	d, provide water volume, include dimensio rea.  heet.	ns (L, W, D) of the pit, and dime
Maps(s) of road, location, piprovided). If water from the (L, W), and area in acres, of Photocopied section of involved Approved by:	pit will be land applied the land application and application and level 7.5' topographics	d, provide water volume, include dimensio rea.  heet.	ns (L, W, D) of the pit, and dim






### West Virginia Department of Environmental Protection Office of Oil and Gas

### WELL LOCATION FORM: GPS

<sub>API:</sub> 4704300302	WELL NO.: COOPER CINDERELLA 1
FARM NAME: Cooper Cinerella	
RESPONSIBLE PARTY NAME: Diversified	Production, LLC
COUNTY: Lincoln	DISTRICT: Jefferson
QUADRANGLE: Hager 7.5'	Office of Oil and Gas
surface owner: Barry & Connie	Parsons SEP 2 1 Gas
ROYALTY OWNER: A.F. MOM'S	~ 1 2023
UTM GPS NORTHING: 4225823.86	Environmental Protection
UTM GPS EASTING: 407221.99	_GPS ELEVATION: 880'
The Responsible Party named above has chosen to preparing a new well location plat for a plugging pabove well. The Office of Oil and Gas will not acc the following requirements:	permit or assigned API number on the
<ol> <li>Datum: NAD 1983, Zone: 17 North, Cheight above mean sea level (MSL) - r</li> <li>Accuracy to Datum - 3.05 meters</li> <li>Data Collection Method:</li> <li>Survey grade GPS: Post Processed Difference</li> </ol>	meters.
Real-Time Different	al
Mapping Grade GPS X: Post Processed Di	fferential X
Real-Time Differen	ential
	et to the best of my knowledge and
	′ ′ 10/06/2023





### NOTICE OF PROPOSED LOCATION OF OIL AND GAS WELL (REQUIRED BY BECTION 2, CHAPTER 22, CODE 1931)

### WEST VIRGINIA DEPARTMENT OF MINES

OIL AND GAS SECTION

TO THE DEPARTMENT OF MINES, Charleston, W. Va.		
A.F.Morris, (coal not operated)	Prooks Gas Company	
COAL OPERATOR OR COAL OWNER	RAME OF WELL OPERATOR  7 R.H.Adkins,	
Hamlin, West Virginia.	Pomlin West Windows	
ADDRESS	Hamlin, West Virginia.	
COAL OPERATOR OR COAL OWNER	, 193,,	
tost official on tost owner	PROPOSED LOCATION	
4*************************************	Jefferson Distriction Of (	Elven
, Adof kas	Ce of (	Oil and Gas
A.F. Korris	Lincoln Countern	
OMEN OF MINERAL SIGNIS	Lincoln Count&EP 2	1 2023
Hamlin, West Virginia.	Well No. 1 92 ad Environments Cinderella Cooper	
ADDRESS	Environmente	I Protection
	Cinderella Cooper Farm	: oracitON
Gentlemen:		:
The undersigned well operator is entitled to dri	ll upon the above named farm or tract of land for	•
all and the first of a state at a second		į
oil and gas, having fee title thereto, (or as the case me	iy bo) under grant or lease dated	·
. 1939	A.F.Korris to	i
made by	to	•
R.H. Adkins	and manufed on the	•
	day	
of, is	the office of the County Clerk for said County in	
	one and order of the said order of	•
Book, page	,	:
The enclosed plat was prepared by a competent en	gineer and shows the proposed location of a well	
to be drilled for oil and gas by the undersigned well op and County above named, determined by survey and cou	erator on the farm and in the Magisterial District	
ind marks.		!
The undersigned well operator is informed and be of coal beneath said farm or tract of land on which said	lieves there are no coal operators operating beds	i
aries of the same, who have madded their workings and	the literation of the control of the last angular and the control of the control	1
con obcurous or con owners (it sult) above named as a	addressees.	
uesire to make to such bronosed joedian, or which they i	f any) are notified that any objections they may	i
the arithic of a well by sold beodosed location will couse	R difference condition in an about their manager.	:
conl mines, must be received by, or filed with the Departm a copy of this notice and accompanying plat by said Dep	infilment Said enel operators one funibes select	1
that tothis for asc in making silch onicetions still be	furnished to them by the Dependence of Mine-	. •
promptly on request and that all such objections must sol ground or grounds on which such objections are based	l forth on clofinitales an in manageable,til at	
insect togethou should be moved to overcome come.	-	•
(The next paragraph is to be completed only in	Department's copy.)	į.
Copies of this notice and the enclosed plat were r	nailed by registered mail, or delivered to the above	i
named coal operators or coal owners at their above sho or on the same day with the mailing or delivery of thi	wn respective addressday before,	
	s copy to the Department of Mines at Charleston,	
Very trul	y yours, .	
	Brooks Gas Company.	
MAY 1940 😭	WELL OPERATOR	1
E DEDICIONAL ACTION (C)	% R.H.Adkins	•
DPANIEN I LEXS E Address	STREET	
Well Operator	Hamlin,	•
MAY 1940 WAST WICELL DEPARTMENT IN LETTS  Address Of Well Operator	CITY OR TOWN	٠.
47.237	West Virginia.	

\*Section 3 . . . . . If no such objections be filed, or be found by the department of mines, within said period of ten days from the receipt of said notice and plat by the department of mines, to said proposed location, the department shall forthwith issue to the well operator a drilling permit reciting the filing of such plat, that no objections have been made by the coal operators to the location, or found thereto by the department, and that the same is approved and the well operator authorized to proceed to drill at said location. (Tempora

the second second	<u>.,,                                    </u>	
1.0 API well number:	47-643-3-02-116	
(If not evailable, trave blank, 14-digital)	Li iii	( - T
2.0 Type of determination being sought:	TO THE PART OF PARENT OF PARENT	
(Use the codes found on the front	a agranual vanishable areas beautiff Stripper 6	ic ]
of this form!)	it (1) Section of NGPA Category Code	OI
<del></del>	<u> </u>	
3.0 Depth of the despett completion	ां 🕝 🐔	15.
location: (Only needed if sections 103 or 107 in 2.0 above.) 1 1/2 or 1 1/2 or	n sar ao nao ami <u>mpetal ara nao ao a</u>	2
or 107 in 2.0 above, 17 75% a 16 20 31%	MARKET P. TUMBUN FOR SETERMINA FIGURE THE MAKE	ш
4.0 Name, address and code number of		
4.0 Name, address and code number of	BROOKS GAS CO	( <del>,</del>
applicant: (35 letters per line	Name [1] Syller	
maximum. If code number not available, leave blank,)		-9 <u>3</u> C
Atril)	1012 First Huntington Bldg.	
Jul.	· · · · · · · · · · · · · · · · · · ·	
	and the second s	
	City State Zip Code	
5.0 Location of this well: [Complete (a)		
or this is the tree for the same in the contrast of the contra	I MUD DIVER	
(a) Počránsková kodle <sup>1</sup> (2017) (2011) je 19	win Field Name के La gar दिश्व शिक्त मिल तर एक मा कर देवा अप महाने	
(36 letters maximum for field	of a LANOCOLINION of water dam margely blow out	
*	- Countries build appropriate companies of the breaming manager in	
(b) For QCS wellen ! I must be over all	с иссын бер well are! <mark>(не инжечия - Ссек</mark> рви <mark>я иник арраприат</mark> е пеньы фи	13
the street of the street back	di la seconda de la companie de la c	
	and and the NATP and the model that the sale place and process the Block Nympet or many and	
teaching to a negligible with the no		
	Date of Lines: While I make: While I make a street of Linese:	•
the Garage of the second of a single file	कि वह महत्वात, प्राह्मवृत्तामपुष्ट पूर्वी, भी तह्नुस्व अंतरक क्रिकेट कार्ववरण । अर्थ वर्णानी	
•	1996 614 IST Martin Day 101 My rate you are 9:085 Ledie Number 1 120 190	
	Own.	(Gru
(c) Name and identification number		01 30
of this welf: 135 letters and digits	COOPER#11.26PA1140-56	" ANY
(,mumi=4m	COOL 5-11-11-11-11-11-11-11-11-11-11-11-11-11	<b>1 2</b> .
		<del>- 1 20023</del>
ful Managara A A A A A A A		
(d) Il code 4 or 5 in 2 Gabove, name	ment of the tree for the section of the	-050
of the reservoir: (35 letters	SOI SOUTH TO SOUTH THE SOU	MONE OF
of the reservoir: (36 lessess	1 SOI STATE OF THE PROPERTY OF	THICH OF
of the reservoir: (35 letters maximum.)	70	Protection
of the reservoir: (35 letters maximum.)  6.0 (a) Name and code nymper of the		Protection
of the reservoir: (35 letters maximum.)  6.0 (a) Name and code nymper of the purchaser: (35 letters and digits		Trobally
6.0 (a) Name and code number of the purchaser: 135 letters and digits maximum. If code number not	70	7 3 6
of the reservoir: (35 letters maximum.)  6.0 (a) Name and code number of the purchaser: (35 letters and digits maximum. If code number not available, leave blank.)		7 3 6
6.0 (a) Name and code number of the purchaser: 135 letters and digits maximum. If code number not	PENNZOIL COMPANEY 014 Buyer	7 3 5 Code
of the reservoir: (35 letters maximum.)  6.0 (a) Name and code number of the purchaser: (35 letters and digits maximum. If code number not available, leave blank.)	PENNZOIL COMPANEY 014 Buyer	7 3 5 Code
of the reservoir: (35 letters maximum.)  6.0 (a) Name and code number of the purchaser: (35 letters and digits maximum. If code number not available, leave blank.)	PENNZOIL COMPANEY 014 Buyer	7 3 5 Code
of the reservoir: (35 letters maximum.)  6.0 (a) Name and code number of the purchaser: (35 letters and digits maximum. If code number not available, leave blank.)  (b) Date of the contract;	PENNZOIE COMPANEY 014 Buyer  1.0.2039	7 3 5 Code
of the reservoir: (35 letters maximum.)  6.0 (a) Name and code number of the purchaser: (35 letters and digits maximum. If code number not available, leave blank.)  (b) Date of the contract;	101 2:0:3:91 801 801 801 801 801 801 801 801 801 80	7 3 6 Code
of the reservoir: (35 letters maximum.)  6.0 (a) Name and code number of the purchaser: (35 letters and digits maximum. If code number not available, leave blank.)  (b) Date of the contract;	## 101 2013191 ECT   Mo. Day Yr. 121	7 3 6 Code
of the reservoir: (35 letters maximum.)  6.0 (a) Name and code number of the purchaser: (35 letters and digits maximum. If code number not available, leave blank.)  (b) Date of the contract;	2.6 MACL.	230 Corte
of the reservoir: (35 letters maximum.)  6.0 (a) Name and code number of the purchaser: (35 letters and digits maximum. If code number not available, leave blank.)  (b) Date of the contract;	201	2 3 6 Corie
of the reservoir: (35 letters maximum.)  6.0 (a) Name and code number of the purchaser: (35 letters and digits maximum. If code number not available, leave blank.)  (b) Date of the contract;	101   101	2 3 6 Corie
of the reservoir: (35 letters maximum.)  6.0 (a) Name and code number of the purchaser: (35 letters and digits maximum. If code number not available, leave blank.)  (b) Date of the contract;	101   101	2 3 5 Corte
of the reservoir: (35 letters maximum.)  6.0 (a) Name and code number of the purchaser: (35 letters and digits maximum. If code number not available, leave blank.)  (b) Date of the contract;	101   101	7 3 6 Code
of the reservoir: (35 letters maximum.)  6.0 (a) Name and code number of the purchaser: (35 letters and digits maximum. If code number not available, leave blank.)  (b) Date of the contract;	101   101	7 3 6 Code
of the reservoir: (35 letters maximum.)  6.0 (a) Name and code number of the purchaser: (35 letters and digits maximum. If code number not available, leave blank.)  (b) Date of the confract; in 11 mills.  (c) Estimated annual production:	101   101	7 3 6 Code
of the reservoir: (35 letters maximum.)  6.0 (a) Name and code number of the purchaser: (35 letters and digits maximum. If code number not available, leave blank.)  (b) Date of the contract;	101   101	7 3 6 Code
of the reservoir: (35 letters maximum.)  6.0 (a) Name and code number of the purchaser: (35 letters and digits maximum. If code number not available, leave blank.)  (b) Date of the contract;	101   101	7 3 6 Code
of the reservoir: (35 letters maximum.)  6.0 (a) Name and code number of the purchaser: (35 letters and digits maximum. If code number not available, leave blank.)  (b) Date of the contract;		2 3 6 Corfe
of the reservoir: (35 letters maximum.)  6.0 (a) Name and code number of the purchaser: (35 letters and digits maximum. If code number not available, leave blank.)  (b) Date of the contract;		7 3 6 Code
of the reservoir: (35 letters maximum.)  6.0 (a) Name and code number of the purchaser: (35 letters and digits maximum. If code number not available, leave blank.): ''  (b) Date of the confract;		2 3 6 Corfe
of the reservoir: (35 letters maximum.)  6.0 (a) Name and code number of the purchaser: (35 letters and digits maximum. If code number not available, leave blank.)  (b) Date of the contract; in 12 million (15 million)  7.0 Contract price: (As of filing date. Complete to 3 decimal places.)  8.0 Maximum lewful rate: (As of filing date. Complete to 3		2 3 6 Corfe
of the reservoir: (35 letters maximum.)  6.0 (a) Name and code number of the purchaser: (35 letters and digits maximum. If code number not available, leave blank.)  (b) Date of the contract;	101   101	2 3 6 Corfe
of the reservoir: (35 letters maximum.)  6.0 (a) Name and code number of the purchaser: (35 letters and digits maximum. If code number not available, leave blank.)  (b) Date of the contract;		2 3 6 Corfe
of the reservoir: (35 letters maximum.)  6.0 (a) Name and code number of the purchaser: (35 letters and digits maximum. If code number not available, leave blank.)  (b) Date of the contract; (a) 11 miles (As of filing date. Complete to 3 decimal places.)  8.0 Maximum favilul rate: (As of filing date. Complete to 3 decimal places.)  9.0 Person responsible for this application: ————————————————————————————————————	101   101	2 3 6 Corfe
of the reservoir: (35 letters maximum.)  6.0 (a) Name and code number of the purchaser: (35 letters and digits maximum. If code number not available, leave blank.)  (b) Date of the contract; (a) 11 miles (As of filing date. Complete to 3 decimal places.)  8.0 Maximum favilul rate: (As of filing date. Complete to 3 decimal places.)  9.0 Person responsible for this application: ————————————————————————————————————	101   101	2 3 6 Corfe
of the reservoir: (35 letters maximum.)  6.0 (a) Name and code nymper of the purchaser: (35 letters and digits maximum. If code number not available, leave blank.)  (b) Date of the contract;	101   101	2 3 5 Code
of the reservoir: (35 tetters maximum.)  6.0 (a) Name and code nymper of the purchaser: (35 tetters and digits maximum. If code number not available, leave blank.)  (b) Date of the contract;	Company Compan	2 3 5 Code
of the reservoir: (35 letters maximum.)  6.0 (a) Name and code nymper of the purchaser: (35 letters and digits maximum. If code number not available, leave blank.): (a) (b) Date of the contract; (a) (c) Estimated annual production: (b) (c) Estimated annual production: (c) (d) (d) (d) (d) (d) (d) (d) (d) (d) (d	DIF NN ZOIL COMPANY   DIF Buyer   Soil   Dif Buyer	2 3 5 Code
of the reservoir: (35 letters maximum.)  6.0 (a) Name and code nymper of the purchaser: (35 letters and digits maximum. If code number not available, leave blank.): (a) (b) Date of the contract; (a) (c) Estimated annual production: (b) (c) Estimated annual production: (c) (d) (d) (d) (d) (d) (d) (d) (d) (d) (d	Company Compan	2 3 5 Code

/ Participants:	DATE:	FEB 1 1980	BUYER-SELLER CODE:
well ores	102: Bessylo	6a5 Co.	002293
FIRST PURC	ASER: PENDOIL	Company	014730
OTHER:			
	•	- Qualifies as Setten 18. attigre	
	nt of Minos, Oil & Gas Division MINATION FILE NUMBER	n i · · · · · · · · · · · · · · · · · ·	ריבו בייני
790625	-108-043-0302		
	Numbor on all Communications electrination of this Well		Office of Oil and Gas
			SEP 2 1 2023
• -	CRECK EACH ITEM AS	COMPLETE OR NOTE WHAT IS MISSING	Environmental Protection
ITEM NO.	. ,	•	, 100
•		ted - Line No.	
2 IV-1 - A	gent_ <i>E.B. Cur</i>	eeg	
3 IV-2 - W	ell Permit	<u> </u>	
4 ·IV-6 - W	cll Plat	·	
5 IV-35- W	ell Record ,Uril	ling Deepening	
6 IV-36- <sub>,</sub> C	as-Oil Test: Gar Only_	Was Oil Produced?Rat	10
7 IV-39- A	nnual Production /	years	
8 IV-40- 9	O day Production 90	Days off Line;	
9 1V-48- A	pplication for Certific		
10 - 17 IV F	orm Ø51 - 52 - 53 - 54	- 55 - 56 - 57 - 58. Complete	Affidavit Signed
18 - 28 Othe	r: Survey loga	Geological ChartsStruc	ture Map
•	1:4000 Hap	Well Tabulations Gas Analys	: es
	Commercedi 5-14-4 Completed: 8-3>-	16 Deepened	:
		19-3621	
	uction Formation:	hale.	
Final	OPEN FLOW:	NIA	
· · · · · · · · · · · · · · · · · · ·	**************************************	300/hs.	
(6) Othor	- Cas Tout:		<b>X</b>
(7) Avg.	Daily Gas from Annual 1	Prod 25 un: 23 953/365 = 6.2 M	E: An Oil
(8) Avr.	Daily Gas from 90-day	endir, :/1-120 days 552 3/90=6	IME NO
	Pressure:	- 1/21	from Daily Report
	A /	Comp)-tron Report	
• •		te enhanced recovery being done:	Us
	[fidavit signed?	Notarized?	
		parceer confirm the submitted info	Was Vas
Additional Info		Does computer program confirmi	// LIUBI / C./
		Does casputer program confirm	10/06/2023


<ML.

Record No. 44212

			State of West Virg		<del>\</del>		
		Division	of Environments Nitro, WV 2514		Exercise o		
This is to ackr	nowledge the	it the well: API			Cinco of Oil diffy Cala	7	
District	Unio	n )	Spar (11)	a. didic	AUG 25 1938	7	
Well No	1		Farm name	Cummins	En intermediation		
Is hereby transferred from: 48 400						_	
The transferor		Company: Brooks Gas Company					
Code # 8305		Address	P. O. Box 54589	Oklahoma City	, OK 73154-1589		
To:							
The transferee		Company:	Company: Brady Resources, Inc.				
Code # 6760		Address Rt. 2, Box 452 Salt Rock, NV 25559					
Transfer appro addressed in t otherwise set for	he thirty day	circular that w	vill be issued after	matter not resolv r review of your a	ed in this document opplication for transfer,	vill be or as	
well into compliant transferee	ance by prod has registere	ucing or plugglr	ng within 120 days	of approval of the a	ansferee agrees to brir pplication. Yes on file with the Gillise Office of Oil and	No.	
	Actus in						
Designated age Address:	int (name)	Crystal B			SEP <b>2 1</b> 20		
	, lana kanadadd	Rt. 2, Bo		ck, WV 25559	WV Department	_ot ection	
The transferee has bonded the said well by ( check one ):							
Securities Cash Surety band Letter of credit X							
Identified by:	لحسا	<b></b>					
Amount:				Effective date :	12/08/97	7	
A	50,000.00	!lational Ban	k	Effective date:	12/08/97	4	
Amount:	50,000.00	!lational Ban		ld. No:	12/08/97		
Amount:	50,000.00		Transferor: Bro	ld. No: ooks Gas Company	12/08/97		
Amount:	550,000.00 Y: United		Transferor: Bro	ld. No: ooks Gas Company	12/08/97		
Amount:	550,000.00 y: United		Transferor: Bro By: Wast Clore Horace K. Ca Ils: Agent	ld.No: poks Gas Company d			
Amount:  Issuing authorit  Iss	550,000.00 y: United		Transferor: Bro By: Wast Clore Horace K. Ca Ils: Agent	ld.No: poks Gas Company d	12/08/97 19_98		
Amount:  Issuing authorit  Iss	550,000.00 y: United		Transferor: Bro By: Wark Close Horace K. Ca Ils: Agent Jun day	Id. No:  poks Gas Company  Ilivert  of August		]	
Amount:  Issuing authorit  Iss	550,000.00 y: United	before me this	Transferor: Bro By: Wark Close Horace K. Ca Ils: Agent Jun day	Id. No:  poks Gas Company  Ilivert  of August	19 <u>98</u>		
Amount:  Issuing authorit  Iss	550,000.00 y: United	before me this Luly 30, 200 T	Transferor: Bro By: Wast Close Horace K. Ca Ils: Agent Jun day	Id. No:  ooks Gas Company livert  ool August Phyllis Leming	19_98		
Amount: Issuing authorit Issuing authorit Talent Support Notary Publicac My Comission &	United  United	before me this duly 30, 200	Transferor: Bro  By: Wark Close Horace K. Ca  Ils: Agent  Ol Transfereo: Bro  By: Cuptal  Ils: Cop So	Id. No:  Doks Gas Company  Ilvert  Of August  Phyllis Leming  Idv Resources, In	19 <u>98</u>		
Amount:  Issuing authorit  Taken, subscrib	United  United	before me this duly 30, 200	Transferor: Bro  By: Wark Close Horace K. Ca  Ils: Agent  Ol Transfereo: Bro  By: Cuptal  Ils: Cop So	Id. No:  Looks Gas Company  Livert  Of August  Phyllis Leming  Ldy Resources, Ir	19 <u>98</u>		
Amount:  Issuing authorit  Taken, subscrib  Notary Public  Taken, subscrib	United  White description of the second seco	before me this duly 30, 200	Transferor: Brown By: Wart Clore Horace K. Calls: Agent  July day  Transfereo: Brown By: Cuptage  July day	Id. No:  Doks Gas Company  Ilvert  Of August  Phyllis Leming  Idv Resources, Ir  St  Of August	19 <u>98</u>		
Amount:  Issuing authorit  Taken, subscrib	United  White description of the second seco	before me this duly 30, 200	Transferor: Bro  By: Wark Close Horace K. Ca  Ils: Agent  Ol Transfereo: Bro  By: Cuptal  Ils: Cop So	Id. No:  Doks Gas Company  Ilvert  Of August  Phyllis Leming  Idv Resources, Ir  St  Of August	19 <u>98</u>		



### P. O. BOX 84889 • TELEPHONE (408) 848-2222 OKLAHOMA CITY, OKLA. 79154



HORAGE K. CALVERT President

August 18, 1998

State of West Virginia Division of Environmental Protection Nitro, WV 25143

Re: Form OP-77 (11-97)

Gentlemen:

Enclosed please find three of the above forms for Brooks Gas Company and one for E. B. Curry, Agent for Sweetland, Burns & Reynolds, which we are submitting for your approval. It is my understanding that we will receive a circular shortly after September 15, 1998 advising the status of the transfers of the wells for these two companies.

Feel free to contact the undersigned if you have any question or need further information.

Yours truly,

THE CALVERT COMPANY

Jugue 1

RECEIVED
Office of Oil amd Gas

SEP 2 1 2023

WV Department of Environmental Protection

/pl Enclosures:

Form OP-77 (11-97) - Brooks Gas Company and E. B. Curry, Agent for Sweetland, Burns & Reynolds

Office of Commercial

SEP 2 1 2023

Ò

\_\_O

WV Department of Environmental Protection

10/06/2023

API No. 4704300302
Farm Name Cooper Cinderella
Well No. COOPER CINDERELLA 1

### INSTRUCTIONS TO COAL OPERATORS OWNERS AND LESSEE

The well operator named on the obverse side of WW-4 (B) is about to abandon the well described in the enclosed materials and will commence the work of plugging and abandoning said well on the date the inspector is notified. Which date shall not be less then five days after the day on which this notice and application so mailed is received, or in due course should be received by the Department of Environmental Protection Office of Oil & Gas.

This notice and application is given to you in order that your respective representatives may be present at the plugging and filling of said well. You are further notified that whether you are represented or not the operator will proceed to plug and fill said well in the manner required by Section 24, Article 6, Chapter 22 of the Code and given in detail on obverse side of this application.

### SURFACE OWNER WAIVER

Operator's Well Number

**COOPER CINDERELLA 1** 

### INSTRUCTIONS TO SURFACE OWNERS NAMED ON PAGE WW4-A

The well operator named on page WW-4A is applying for a permit from the State to plug and abandon a well. (Note: If the surface tract is owned by more than three persons, then these materials were served on you because your name appeared on the Sheriff's tax ticket on the land or because you actually occupy the surface tract. In either case, you may be the only owner who will actually receive these materials.) See Chapter 22 of the West Virginia Code. Well work permits are valid for 24 months. If you do not own any interest in the surface tract, please forward these materials to the true owner immediately if you know who it is. Also, please notify the well operator and the Office of Oil and Gas.

NOTE: YOU ARE NOT REQUIRED TO FILE ANY COMMENT.
WHERE TO FILE COMMENTS AND OBTAIN ADDITIONAL INFORMATION:

Chief, Office of Oil and Gas
Department of Environmental Protection
601 57th St. SE
Charleston, WV 25304
(304) 926-0450

Office of Oil and Gas
SEP 2 1 2023

WV Department of Environmental Protection

Time Limits and methods for filing comments. The law requires these materials to be served on or before the date the operator files his Application. You have FIVE (5) DAYS after the filing date to file your comments. Comments must be filed in person or received in the mail by the Chief's office by the time stated above. You may call the Chief's office to be sure of the date. Check with your postmaster to ensure adequate delivery time or to arrange special expedited handling. If you have been contacted by the well operator and you have signed a "voluntary statement of no objection" to the planned work described in these materials, then the permit may be issued at any time.

Comments must be in writing. Your comments must include your name, address and telephone number, the well operator's name and well number and the approximate location of the proposed well site including district and county from the application. You may add other documents, such as sketches, maps or photographs to support your comments.

The Chief has the power to deny or condition a well work permit based on comments on the following grounds:

- 1) The proposed well work will constitute a hazard to the safety of persons.
- 2) The soil erosion and sediment control plan is not adequate or effective;
- 3) Damage would occur to publicly owned lands or resources;
- 4) The proposed well work fails to protect fresh water sources or supplies;
- 5) The applicant has committed a substantial violation of a previous permit or a substantial violation of one or more of the rules promulgated under Chapter 22, and has failed to abate or seek review of the violation."

If you want a copy of the permit as it is issued or a copy of the order denying the permit, you should request a copy from the Chief.

### **VOLUNTARY STATEMENT OF NO OBJECTION**

I hereby state that I have read the instructions to surface owners and that I have received copies of a Notice and Application For A Permit To Plug And Abandon on Forms WW-4A and WW-4B, and a survey plat.

I further state that I have no objection to the pobjection to a permit being issued on those materials. FOR EXECUTION BY A NATURAL PERSON ETC.			planned work described in these materials, and I have FOR EXECUTION BY A CORPORATIO		
	Date	Name			
Signature		Ву			
		Its	Date		
			101001000		

Signature

10/06/2023

11/10/2016

### PLUGGING PERMIT CHECKLIST 4704300302

RECEIVED
Office of Oil and des

SEP 2 1 2023

WV Department of Environmental Protestists

Plugging	Permit
∏ w	/W-4B /W-4B signed by inspector /W-4A
1 1	JRFACE OWNER WAIVER or PROOF THAT APPLICATION WAS SENT BY REGISTERED OR CERITFIED IAIL
⊢В\	OAL OWNER/COAL OPERATOR/COAL LESSEE WAIVERS or PROOF THAT APPLICATION WAS SENT Y REGISTERED OR CERTIFIED MAIL VW-9 PAGE 1 (NOTARIZED)
	/W-9 PAGE 2 with attached drawing of road, location, pit and proposed area for land application
RE	ECENT MYLAR PLAT OR WW-7 /ELL RECORDS/COMPLETION REPORT
	OPOGRAPHIC MAP OF WELL, SHOWING PIT IF PIT IS USED IUST HAVE VALID BOND IN OPERATOR'S NAME
⊥ cı	HECK FOR \$100 IF PIT IS USED



### Kennedy, James P < james.p.kennedy@wv.gov>

### plugging permits issued 4704300302 04700307

1 message

Kennedy, James P < james.p.kennedy@wv.gov>

Fri, Oct 6, 2023 at 10:21 AM

To: Jeffrey L Smith <jeffrey.l.smith@wv.gov>, Chris Veazey <CVeazey@dgoc.com>, Austin Sutler <asutler@nextlvlenergy.com>, Phyllis Copley <pcopley@dgoc.com>, guybrowning@lincolncountywv.org

To whom it may concern, plugging permits have been issued for 4704300302 04300307.

James Kennedy

WVDEP OOG

2 attachments



**4704300307.pdf** 1303K



**4704300302.pdf** 1348K