

west virginia department of environmental protection

Office of Oil and Gas 601 57th Street, S.E. Charleston, WV 25304 (304) 926-0450 fax: (304) 926-0452

Harold D. Ward, Cabinet Secretary www.dep.wv.gov

Friday, October 6, 2023 WELL WORK PLUGGING PERMIT Vertical Plugging

DIVERSIFIED PRODUCTION LLC 101 MCQUISTON DRIVE

JACKSON CENTER, PA 16133

Re:

Permit approval for 1 47-043-00307-00-00

This well work permit is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to any additional specific conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas Inspector.

Upon completion of the plugging well work, the above named operator will reclaim the site according to the provisions of WV Code 22-6-30. Please be advised that form WR-38, Affidavit of Plugging and Filling Well, is to be submitted to this office within 90 days of completion of permitted well work, as should form WR-34 Discharge Monitoring Report within 30 days of discharge of pits, if applicable. Failure to abide by all statutory and regulatory provisions governing all duties and operations hereunder may result in suspension or revocation of this permit and, in addition, may result in civil and/or criminal penalties being imposed upon the operators.

Per 35 CSR 4-5.2.g this permit will expire in two (2) years from the issue date unless permitted well work is commenced. If there are any questions, please feel free to contact me at (304) 926-0450.

James A. Martin

Chief

Operator's Well Number:

Farm Name: BOSTON, ADKINS & WO

U.S. WELL NUMBER: 47-043-00307-00-00

Date Issued: 10/6/2023

Vertical Plugging

PERMIT CONDITIONS

West Virginia Code §22-6-11 allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. Failure to adhere to the specified permit conditions may result in enforcement action.

CONDITIONS

- 1. All pits must be lined with a minimum of 20 mil thickness synthetic liner.
- 2. In the event of an accident or explosion causing loss of life or serious personal injury in or about the well or while working on the well, the well operator or its contractor shall give notice, stating the particulars of the accident or explosion, to the oil and gas inspector and the Chief within twenty-four (24) hours.
- 3. Well work activities shall not constitute a hazard to the safety of persons.
- 4. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing.

1) Date July 27	, 2023
2) Operator's	
Well No. BOSTO	N ADKINS WOOSTEN 1
3) APT Well No.	47- 043 - 00307

DEPARTMENT OF ENVIRONMENT OF ENVIRON	RECEIVED Office of Oil and Ga SEP 2 1 2023 ALT TO PLUG AND ABANDON d injection / Waste disposal / derground storage) Deep / Shallow
5) Location: Elevation925	Watershed Parsner Creek
District Jefferson	County Lincoln Quadrangle Hager 7.5'
6) Well Operator Diversified Production, LLC Address 414 Summers Street Charleston, WV 25301	7) Designated Agent Chris Veazey Address P.O. Box 381087 Birmingham, AL 35238
B) Oil and Gas Inspector to be notified Name Brian Warden	9) Plugging Contractor Name_Next LVL Energy (Diversified Owned)
Address 49 Elk Creek Rd	Address 104 Helliport Loop Rd
Delbarton, WV 25670	Bridgeport, WV 25330
10) Work Order: The work order for the mann	er of plugging this well is as follows:

Notification must be given to the district oil and gas inspector 24 hours before permitted work can commence.

Work order approved by inspector Jacky 5milh Date 9-19.23

Rock Pressure 300

Fresh water

Call water ..

None

260

988

STATE OF WEST VIRGINIA DEPARTMENT OF MINES OIL AND GAS DIVISION

WELL RECORD

· ;; Oil or Gas Well.... Company Brooks Gas Co. Casing and Tublug Used in Drilling Left in Well Hamlin, ". Va, Packers Address Form Roston Adkins Size Location (waters) Hud River. Elev. 975 Kind of Packer, T&R District Jefferson County Lincoln B.H.Casing 121 8" 121 811 OSTON The surface of tract is owned in fee by... Size of.... 2991 2991 ACK id & Address FA 15RMO 1651' 1652 (Depth set 1651 £. 6 8/16. Drilling comment . _____9/16/40_ Perf. top. Drilling completed___12/17/40 37021 32021 Perf. bottom... Date shot 12-16-40 Depth of shot 3020-3702 Liners Used. Perf. tep.. Open Flow /10ths Water in Perf. l ottom. /10ths Mere, in..... __£50<u>_000</u>_ CASING CEMENTED ...

COAL WAS ENCOUNTERED AT ...

___FEET____INCHES_

..INCHES...

FEET.

FEET...

FEET....

INCHES

INCHES

JNCHES

......Cu, Ft.

.....bbls., 1st 24 hrs.

hrs.

.Fornation	Color	Hard or Bolt	Тор	Boltom	Oll, Gan or Water	Depth Found	Remarks
ed Clay		Soft	0	12		191517 1811	70%
and		Hard	12	25		Estr.	િલ્ _{ડિએ}
late		Soft	25	140		(£3)	Pi
and		Hard	140	144		Den une	Ener 29
late		Soft	144	170		13 VEETAL	1 7
and		Hard	170	267		23	(ω)
lato		Soft	267	287		E INGILIN	ြို့
and		Hard	287	645		E.C. 919	
late		Soft	645	748		8/11	-13/2 x
and		Hard	748	795		<u> </u>	121-
late		Soft	795	880			
ime Shell		Hand	880	912			RECEIVED
lato		Soft	912	960		1	Office of Cland (
alt Sand		Hard	960	1250			
late		Soft	1250			ļ	SEP 2 1 2023
and .		flard	1270	1270			OFL T LEGES
late		Soft	1295	1295]	*****
and		Hard		1314			WV Department
lato		Soft	1314	1330		. 9	ovironmental Prote
ime Shell		Hard	1330	1385			
iate			1385	1399			
		Soft	7288	1417			
ax. Sand		Hard Soft	1417	1465)	
late & Shel	٠	Hard & Sort	1465	1500			
ed Rock	<u>.</u>	1		1655		į.	
	-1	Soft	1535	1550 (
late & Shea	Ţ	Hard & Soft		1663		!	•
and Lttle Idmo		Hard	1563	1593			
encil Ceve		Hard	1593	1632	İ	į	
		Soft	1632	1637			
g Idme		Hard	1637	1810			
		Soft	1810	1840		 	
ijun Sand ato		Hard	1840	1905			
		Soft	1905	1955			•
g Shell		Hard	1955	2028	i		
ate & Shel	7.	Hard & Soft		2283		1	
Shale		Soft	2263	2317 23423	í	1	
rea Sand		Hard	2317	89 8 83	1	į	
ate & Shel	L	Hard & Sort	2342	3033 :0			
. Shale		Soft	3033	3081	ļ		
ny Shale		Soft	3081.	3390	1	1	
. Shale	1946 . 2. 4	Soft	3390	3702	Depth		

(Over)

Formation	Color	Hard or Soft	Тор	Boltom	Oll, Gas or Water	Depth Found	Remarks
Pormation ·	Hard or Soft	Top I to the top top to the top	Bottom The Market State	Oil, Gas or Water	Office	RECEIVED of Oil and Gas	
No. W.	·		#14-			WV D	2 1 2023
••• • • • • • • • • • • • • • • • •						; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ;	ntal Protection
	130 130 130 130 130 130 130 130 130 130		""	· · · · · · · · · · · · · · · · · · ·			mo Balaka Muli Muli Ma
Androne Elizabeth	2 m 12 m	. :	e de la companya de La companya de la co			\$ \$4. 	
	F 3.3.			* * * * * *	Mary Tra		
1000 000 000 000 000 000 000 000 000 00			argues Single				
An egg		ants or the		in the second se		re: UV	

APPROVED Brooks Gas Company 1941

By Critis Tana 8, 1941

APPROVED Brooks Gas Company 10/06/2023

Plugging Prognosis

API #: 4704300307

West Virginia, Lincoln Co.

Casing Schedule:

10" @ 13' 8-1/4" @ 299' (cement info unknown) 6-5/8" @ 1651' (6-5/8"x8-1/4" L&R BH Packer) 2" @ 3702' (Wall and anchor 2"x6-5/8") TD @ 3702'

Completion: Perfs @ 3020' - 3702'

Fresh Water: 260' Salt Water: 988'

Gas Shows: None Reported Oil Shows: None Reported Coal: None Reported Elevation: 925' RECEIVED
Office of Oil and Gas

SEP 2 1 2023

wv Department of Environmental Protection

- 1. Notify Inspector Brian Warden @ (304) 205-3229, 48 hrs prior to commencing operations.
- 2. Check and record pressures on csg/tbg.
- 3. Check TD, release packer, pull 2" tbg
- 4. Run in to depth @ 3702'. Kill well as needed with 6% bentonite gel and fill rat hole. Pump at least 10 bbls gel. Pump 782' C1A/Class L cement plug from 3702' to 2920' (Completion plug). Tag TOC. Top off as needed.
- 5. TOOH w/ tbg to 2920'. Pump 6% bentonite gel from 2920' to 1701'.
- 6. Attempt to release packer and pull csg. if csg won't pull, pump 100' Class L cement plug across casing shoe, 1701'-1601'.
- 7. Run wireline CBL to check TOC or free point. Free point 6-5/8" csg. Cut and TOOH. Set 100' C1A/Class L cement plug across csg cut. 50' in/out of cut. Do not omit any plugs listed below. Perforate as needed.
- 8. TOOH w/ tbg to 1038'. Pump 163' C1A/Class L cement plug from 1038' to 875' (salt water and elevation plug).
- TOOH w/ tbg to 875'. Pump 6% bentonite gel from 875' to 349'.
- 10. TOOH w/ tbg to 349'. Pump 100' C1A/Class L cement plug from 349' to 210' (8-1/4" csg shoe and freshwater plug).
- 11. TOOH w/ tbg to 210'. Pump 6% bentonite gel from 210' to 100'.
- 12. Run wireline CBL to check TOC or free point. Free point 8-1/4" csg. Cut and TOOH. Set 100' C1A/Class L cement plug across csg cut. 50' in/out of cut. Do not omit any plugs listed below. Perforate as needed.
- 13. TOOH w/ tbg to 100'. Pump 100' C1A/Class L cement plug from 100' to Surface (surface plug).
- 14. Reclaim location and well road to WV DEP specifications and erect P&A well monument.

WW-4A	
Revised	6-07

1) Date:	7/27/2023	
2) Operator's	Well Number BOSTON ADKINS WOOSTEN 1	_
	us and a second	-

043

3) API Well No.: 47 -

00307

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS of Oil and Gas NOTICE OF APPLICATION TO PLUG AND ABANDON A WELL

SEP 2 1 2023 4) Surface Owner(s) to be served: 5) (a) Coal Operator Cecil William Adkins - Leon Adkins - Vola Marcella Gartin (a) Name Name WV Department of Environmental Protection Address Address 54 Bills Branch Logan, West Virginia 25601 (b) Coal Owner(s) with Declaration (b) Name Address Name Pocahontas Land Corporation Address P. O. Box 1517 Bluefield, West Virginia 24701 (c) Name Name Address Address 6) Inspector (c) Coal Lessee with Declaration Brian Warden Address Name 49 Elk Creek Rd Address Delbarton, WV 25670 Telephone (304) 205-3229

TO THE PERSONS NAMED ABOVE: You should have received this Form and the following documents:

- (1) The application to Plug and Abandon a Well on Form WW-4B, which sets out the parties involved in the work and describes the well its and the plugging work order; and
- (2) The plat (surveyor's map) showing the well location on Form WW-6.

The reason you received these documents is that you have rights regarding the application which are summarized in the instructions on the reverses side. However, you are not required to take any action at all.

Take notice that under Chapter 22-6 of the West Virginia Code, the undersigned well operator proposes to file or has filed this Notice and Application and accompanying documents for a permit to plug and abandon a well with the Chief of the Office of Oil and Gas, West Virginia Department of Environmental Protection, with respect to the well at the location described on the attached Application and depicted on the attached Form WW-6. Copies of this Notice, the Application, and the plat have been mailed by registered or certified mail or delivered by hand to the person(s) named above (or by publication in certain circumstances) on or before the day of mailing or delivery to the Chief.

Well Operator	Diversified Production, LLC
By:	Chris Veazey
Its:	Permitting Supervisor
Address	414 Summers Street
•	Charleston, WV 25301
Telephone	304-590-7707
·	304-590-7707 OFFICIAL GENTLE

Subscribed and sworn before me this 27

day of July

Notary P

OFFICIAL SEAL
NOTARY PUBLIC
STATE OF WEST VIRGINIA
Sandra L. Measer
2417 Julian Rd. Julian, WV 26529
Commission France

My Commission Expires

Oil and Gas Privacy Notice

The Office of Oil and Gas processes your personal information, such as name, address and phone number, as a part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use of your personal information, please contact DEP's Chief Privacy Officer at depprivacyoffier@wv.gov.

1/1

Diversified Gas & Oil Corporation Permitting Department 414 SUMMERS STREET 2ND. FLOOR CHARLESTON WV 25301 USPS CERTIFIED MAIL."

0901000000025

US POSTAGE AND FEES PAID

2023-07-27 25301

C4000004 Retail 5.0 OZFLAT

կլիում գորերարդիր հիրակին այրերություններություններ

CECIL ADKINS LEON ADKINS VOLA MARELLA GARTIN 54 BILLS BRANCH LOGAN WV 25601

https://my.eimplecentifiedmail.com/PrintLabel.aspx

17-47-043-00307

Diversified Gas & Oil Corporation Permitting Department 414 SUMMERS STREET 2ND, FLOOR CHARLESTON WV 25301 USPS CERTIFIED MAIL THE BOAT 1361 0544 0134 7833 18

09010000000049

5.0 OZFLAT

25301 C4000004 Retail

US POSTAGE AND FEES PAID

72-70-6202

ilknishinshashashashinshashinshashinshash POCAHONTAS LAND CORPORATION PO BOX 1517 BLUEFIELD WV 24701

Simple Certified Mail

10/06/2023



Date:	7/27/2023

James Martin Office of Oil and Gas 601 57th Street, SE Charleston, WV 25304 (304)926-0450 RECEIVED
Office of Oil and Gas

SEP 2 1 2023

WV Department of Environmental Protection

Mr. Martin,

Due to our cement provider, LaFarge Holcem, discontinuing the manufacturing of Class A cement, DGOC will be utilizing Class L cement to plug the following well:

API Number	47	04	130)0	30)7	
API NUMBE							

BOSTON ADKINS WOOSTEN 1
Well Name_____

Attached is the approved variance order for use of Class L cement.

Sincerely,

Chris Veazey

Permitting Supervisor

304-590-7707



west virginia department of environmental protection

Office of Oil and Gas 601 57th Street, SE Charleston, WV 25304 Phone (304) 926-0450 Harold D. Ward, Cabinet Secretary dep.wv.gov

BEFORE THE OFFICE OF OIL AND GAS DEPARTMENT OF ENVIRONMENTAL PROTECTION STATE OF WEST VIRGINIA

IN THE MATTER OF A VARIANCE FROM)		
LEGISLATIVE RULE 35CSR4)	ORDER NO.	2022-13 PEOPLY SE
SECTION 14.1. AND LEGISLATIVE RULE)		RECEIVED Office of Oil and Gas
35CSR8 SECTION 20.1,)		_
RELATING TO THE CEMENTING	j		SEP 2 1 2023
OF OIL AND GAS WELLS)		WV Department of Environmental Protection

REPORT OF THE OFFICE

In response to industry requests, the West Virginia Department of Environmental Protection, Office of Oil and Gas has reviewed the proposed use of American Petroleum Institute (API) Class L cement to be used in place of API Class A cement for well plugging.

FINDINGS OF FACT

- On July 28, 2022, Diversified Gas & Oil Co. (DGO) submitted a variance request from Legislative Rule 35CSR4 for the use of API Class L cement in place of API Class A cement, relating to the plugging of conventional wells.
- Laboratory analysis submitted by DGO on July 28, 2022, indicates API Class L cement is comparable to API Class A cement and thereby satisfies the requirements of the West Virginia Code.
- 3. Contemporaneously, the Chief of the Office of Oil and Gas also chose to consider a variance to Legislative Rule 35CSR8 Section 20.1., for the use of API Class L cement in place of API Class A cement, relating to the plugging of horizontal wells.

Promoting a healthy environment.

4. On August 18, 2022, the Office of Oil and Gas provided public notice of acceptance of public comments on the variance consideration. During the 20-day public comment period, no comments were received.

CONCLUSIONS OF LAW

Pursuant to Article 6 and Article 6A, Chapter 22 of the Code of West Virginia, the Office of Oil and Gas has jurisdiction over the subject matter, and the persons interested therein, and jurisdiction to promulgate the hereinafter prescribed Order.

Pursuant to Legislative Rule 35CSR4, Section 18 and Legislative Rule 35CSR8, Section 14, the Chief of the Office of Oil and Gas may grant a variance from any requirement of these rules.

RECEIVED
Office of Oil and Gas

ORDER

SEP 2 1 2023

It is ordered that the Class L cement product approved and monogramed by API is approved for use in place of API Class A cement for well plugging subject to the proversion Legislative Rule 35CSR4 and Legislative Rule 35CSR8.

Dated this, the 13th day of September, 2022.

IN THE NAME OF THE STATE OF WEST VIRGINIA

OFFICE OF OIL AND GAS
DEPARTMENT OF ENVIRONMENTAL PROTECTION
OF THE STATE OF WEST VIRGINIA

Office of Oil and Gas

My commission expires

API Number 47 -	043	_ 00307
Operator's Well N		

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS FLUIDS/ CUTTINGS DISPOSAL & RECLAMATION PLAN

Operator Name: Diversified Production, LLC	OP Code	494524121		
Watershed (HUC 10)Parsner Creek	QuadrangleHager 7.5'			<u></u>
Do you anticipate using more than 5,000 bbls of water to	complete the proposed well work?	Yes	_ No. √	
lacksquare	Will a pit be used?	Yes	No	_
If so, please describe anticipated pit waste:	ction fluid and cement returns.			-
Will a synthetic liner be used in the pit? Yes	No lf so, what ml.?_	20	RECEIV	ÆD
Proposed Disposal Method For Treated Pit Wastes:			Office of Oil	and Gas
Land Application (if selected prov	ide a completed form WW-9-GPP)		SEP 2 1	2023
* Underground Injection (UIC Perm Reuse (at API Number			WV_Departr	_)
Off Site Disposal (Supply form W Other (Explain			Environmental	Protection
Will closed loop systembe used? If so, describe: N/A		****		
Drilling medium anticipated for this well (vertical and horizo	ntal)? Air, freshwater, oil based, e	tc. N/A		
-If oil based, what type? Synthetic, petroleum, etcl	N/A	<u> </u>		
Additives to be used in drilling medium?N/A				правиления
Drill cuttings disposal method? Leave in pit, landfill, remove	d offsite, etc. <u>N/A</u>		nina	
-If left in pit and plan to solidify what medium will be	oe used? (cement, lime, sawdust <u>)</u> l	N/A		
-Landfill or offsite name/permit number? N/A				_
Permittee shall provide written notice to the Office of Oil and West Virginia solid waste facility. The notice shall be provide where it was properly disposed.	Gas of any load of drill cuttings of within 24 hours of rejection and	the permittee	shall also disc	t any lose
I certify that I understand and agree to the terms and on April 1, 2016, by the Office of Oil and Gas of the West V provisions of the permit are enforceable by law. Violations o or regulation can lead to enforcement action. I certify under penalty of law that I have persona application form and all attachments thereto and that, based of the information, I believe that the information is true, accurs submitting false information, including the possibility of fine Company Official Signature	Firginia Department of Environmer fany term or condition of the gene Ily examined and am familiar wit n my inquiry of those individuals i rate, and complete. I am aware the	ntal Protection ral permit and the information numediately of	n. I understand I/orother applic ation submitted esponsible for o	i that the able law I on this btaining
Company Official (Typed Name) Chris Veazey				
Company Official Title Permitting Supervisor				
Subscribed and sworp before me this 27th day of	July , 2	0 <u>23</u> y Public		OFFICIAL SEAL NOTARY PUBLIC STATE OF WEST VIRGINIA

	ment: Acres Disturbed +/- 1 a	Preveg etation pH	
Lime3	Tons/acre or to correct to	pH6.5	
Fertilizer type 10-	20-20 or Equivalent		
Fertilizer amount_	TBD	_lbs/acre	
Mulch2	1	Tons/acre	RECEIVED Office of Oil and G
		Seed Mixtures	SEP 2 1 2023
T	emporary	Perma	WV Department of
Seed Type	lbs/acre	Seed Type	Environmental Protec
Red Fescue	40	Red Fescue	15
	5	Alside Clover	5
Alsike		Allowed Gloves	
Attach: Maps(s) of road, location, provided). If water from the	pit will be land applied, proven fithe land application area.	application (unless engineered plans include dimensions (L,	ding this info have been W, D) of the pit, and dimensions
Attach: Maps(s) of road, location, porovided). If water from the L, W), and area in acres, of	it and proposed area for land a pit will be land applied, prove the land application area.	ide water volume, include dimensions (L,	W, D) of the pit, and dimensions
Attach: Maps(s) of road, location, porovided). If water from the L, W), and area in acres, of Photocopied section of invo	it and proposed area for land a pit will be land applied, prove the land application area.	ide water volume, include dimensions (L,	ding this info have been W, D) of the pit, and dimensions
Attach: Maps(s) of road, location, porovided). If water from the L, W), and area in acres, of Photocopied section of invo	it and proposed area for land a pit will be land applied, prove the land application area.	ide water volume, include dimensions (L,	W, D) of the pit, and dimensions
Attach: Maps(s) of road, location, porovided). If water from the L, W), and area in acres, of Photocopied section of invo	it and proposed area for land a pit will be land applied, prove the land application area.	ide water volume, include dimensions (L,	W, D) of the pit, and dimensions
Attach: Maps(s) of road, location, porovided). If water from the L, W), and area in acres, of Photocopied section of invo	it and proposed area for land a pit will be land applied, prove the land application area.	ide water volume, include dimensions (L,	W, D) of the pit, and dimensions
Attach: Maps(s) of road, location, porovided). If water from the L, W), and area in acres, of Photocopied section of invo	it and proposed area for land a pit will be land applied, prove the land application area.	ide water volume, include dimensions (L,	W, D) of the pit, and dimensions
Attach: Maps(s) of road, location, porovided). If water from the L, W), and area in acres, of Photocopied section of invo	it and proposed area for land a pit will be land applied, prove the land application area.	ide water volume, include dimensions (L,	W, D) of the pit, and dimensions
Attach: Maps(s) of road, location, porovided). If water from the L, W), and area in acres, of Photocopied section of invo	it and proposed area for land a pit will be land applied, prove the land application area.	ide water volume, include dimensions (L,	W, D) of the pit, and dimensions
provided). If water from the (L, W), and area in acres, of	it and proposed area for land a pit will be land applied, prove the land application area.	ide water volume, include dimensions (L,	W, D) of the pit, and dimensions





West Virginia Department of Environmental Protection General G


WELL LUCATION	N FORM: GPS	Denartment
API: 4704300307	WELL NO.: WELL NO.:	mental Protection
FARM NAME: Boston Adkins Wo	osten	
RESPONSIBLE PARTY NAME: Diversifie		
COUNTY: Lincoln	DISTRICT: Jefferson	
QUADRANGLE: <u>Hager 7.5'</u>		
SURFACE OWNER: Cecil William Adkins	- Leon Adkins - Vola Marcella Gartin	
ROYALTY OWNER:		.
UTM GPS NORTHING: 4226572.52		
UTM GPS EASTING: 407626.78	GPS ELEVATION: 925'	
The Responsible Party named above has chosen preparing a new well location plat for a pluggir above well. The Office of Oil and Gas will not a the following requirements:	ng permit or assigned API number on the	
 Datum: NAD 1983, Zone: 17 North height above mean sea level (MSL) Accuracy to Datum – 3.05 meters Data Collection Method: Survey grade GPS: Post Processed Di 		
Real-Time Difference	ential	
Mapping Grade GPS X: Post Processed	Differential X	
Real-Time Dif	ferential	
4. Letter size copy of the topography I the undersigned, hereby certify this data is con	•	

belief and shows all the information required by law and the regulations issued and

Chris Veazey - Permitting Supervisor

prescribed by the Office of Oil and Gas.

10/06/2023



State of West Virginia Division of Environmental Protection

			NILLO AAA 501	43				
This is to acknowledge that the well: API no. 043-0307					F. E. C. C. C.	7		
District	Jefferso	n		ود المال				
Weil No	1	Farm name Cooper			AUG 25 1993			
is hereby tran	by transferred from: US 4 00							
The transferor		Company:	Brooks Gas					
Code # 8305		Address P. O. Box 54589 Oklahoma City, OK 73154-						
To:								
The transferee		Company: Brady Resources, Inc.						
Code # 6760		Address	Rt. 2, Box	452 Salt Roc	k, WV 25559			
addressed in t	the thirty day	onsibility for a circular that w nent with the C	ill be issued afte	matter not res r review of you	olved in this docu r application for tra	ment will be ansfer, or as		
well into compl	iance by prod	ucing or pluggin	ng within 120 days	of approval of the orm OP-1, which	e transferee agrees as application	Yes No.		
Designated age	ent (name)	Crystal Bi	rady	9	SEP 2 1 2023			
Address:		Rt. 2, 80		ck, NV 25655	V Department of			
The transferee	has bonded t	he said well by	(check one):		Protection			
Secu	ıritles	Cash	Surety	bond Le	tter of credit X			
identified by:								
Amount:	ount: \$50,000.00 Effective date: 12/08/97							
Issuing authorit	y: United	National Banl	k	ld. No:				
Transferor: Broaks Gas Company								
antifficer.	le.		By: The Character Horace K. U	alvert				
Taken subject	Soul 1	n belore me this	•	y of <u>August</u> llis Leming	19 <u>_98</u>			
My Comission	Expire	luly 30, 2001	Transleree: Bra	dy Resources.	Inc.			
AHO!	By: Quality Bully							
Wall was	Ils: Coy2 Sut-							
Taken, subscribed and sworn, before me this /7 day of August 19 98								
Notary Public / / / / / /								
My Comission I	Explree	ا	1. 18.10		•	Š		

NOTICE OF PROPOSED LOCATION OF OIL AND GAS WELL (REQUIRED BY BECTION 2, CHAPTER 22, CODE 1921)

WEST VIRGINIA DEPARTMENT OF MINES

OIL AND GAS	SECTION
TO THE DEPARTMENT OF MINES, Charleston, W. Va.	
A.F. Horris, et.al. (coal not operat	ted) Brooks Gas Company
Hamlin, W. Va.	Hamlin, W. Va.
*ODRESS	COMPLETE ADDRESS
	July 29th, 1940 , 193
COAL OPERATOR OR COAL OWNER	PROPOSED LOCATION
	T-50
ADDRES	Jefferson District
	Lincaln
A.F. KOTTIS, 6t, 81.	Lincoln County
Hamlin, W. Va.	Well No. 1 &Z *00 '
ADDRESS	
	Boston & Wootson Adking
Gentlemen:	·
The undersigned well operator is entitled to dril	Il upon the above named farm or tract of land for
oil and gas, having fee title thereto, (or as the case ma	RECEIVED :
mada liv	A.Y. Worris, et.al. Office of Oil and Cas
Brooks Gas Company	and recorded on the SEP 1 2023
	WV Headtment et
of ,, in	the office of the County Clerk for saidEntinental Pretection
Book page page and the page and	sincer and change the present beaution of a smill
to be drilled for oil and gas by the undersigned well op-	
and County above named, determined by survey and cou- land marks.	rses and distances from two permanent points, or
	lieves there are no coal operators operating beds
of coal beneath said farm or tract of land on which said	I well is located, or within 500 feet of the bound-
aries of the same, who have mapped their workings au coal operators or coal owners (if any) above named as a	
	f any) are notified that any objections they may
desire to make to such proposed location, or which they the drilling of a well at said proposed location will cause	
coal mines, must be received by, or filed with the Departm	ent of Mines within tene days from the receipt of
a copy of this notice and accompanying plat by said Dethat forms for use in making such objections will be	pariment. Said coal operators are further notified
promptly on request and that all such objections must set	t forth as definitely as is reasonably possible the
ground or grounds on which such objections are based posed location should be moved to overcome same.	and indicate the direction and distance the pro-
(The next paragraph is to be completed only in	Department's copy.)
	mailed by registered mail, or delivered to the above
named coal operators or coal owners at their above sho	wn respective addressday before,
or on the same day with the mailing or delivery of the West Virginia.	is copy to the Department of Mines at Charleston,
Very tru	ly yours,
311120	Brooks Gas Company
	WELL OPENTOR
	% E.B.Curry
Address)	732 RTG
Well Operator	Hemlin
155 (D) (C) Inter observed.)	CITY ON YOWN

*Section 3 If no such objections be filed, or be found by the department of mines, within said period of ten days from the receipt of said notice and plat by the department of mines, to said proposed location, the department shall forthwith issue to the well operator a deliling permit reciting the filing of such plat, that no objections have been made by the coal operators to the location, or found thereto by the department, and that the same is approved and the well operator authorized to proceed to drill at said location. THE STATE OF



West Virginia.

WELL	OPERATOR:_BROOK	13 Gas compo	any	002693
FIRST	PURCHASER: Penn	zoil Compan	<u> </u>	014730
OTHER				· · · · · · · · · · · · · · · · · · ·
		Qualific	as Section 18th p	
	opatiment of Minos, Oil & DETERMINATION FILE NU			fair de
7900	625-103-043-0	0307		•
	ve File Number on all Com ng to Delermination of this			·
-	CRECK EACH	ITEM AS COMPLETE OR	NOTE WHAT IS M	ISSING .
ITEM NO.	. •		•	
1 FE	RC-121 Ttems n	ot completed - Line I	No	
2 IV	-1 - Agent <i>E. C</i>	3. CURRU	•	•
	-2 - Well Permit	/		
			/	
•	-6 - Well Plat	1		· · · · · · · · · · · · · · · · · · ·
· ·	-35- Well Record	·Drilling /	Deeper	•
		Gas OnlyWas Oil	l Produced?	Ratio
	-39- Annual Productio	- A A		
8 7.7	-40- 90 day Production	on 90 Da	ys off Line:	
	·			
9 IV	-48- Application for	Certification. Comp	olete?	Affidavit
9 IV	-48- Application for	Certification. Comp		
	-48- Application for	53 - 54 - 55 - 56		ste Signed
10 - 17	-48- Application for IV Form #51 - 52 -	53 - 54 - 55 - 56 Logs Geologi Well Tabulat 9-/6-40	5; - 58. Comple	Structure Map Structure Map Analyses RECEIVED Office of Oil and Gas
10 - 17 18 - 28	-48- Application for IV Form #51 - 52 - Other: Survey 1:4000 Map	53 - 54 - 55 - 56 Logs Geologi Well Tabulat 9-/6-40	5; - 58. Completions Cas	Structure Map Structure Map Analyses RECEIVED Office of Oil and Gas
10 - 17 18 - 28 (5) (5)	-48- Application for IV Form #51 - 52 - Other: Survey 1:4000 Map Mate Commenced: Date Completed: Production Depth:	Logs Geologi Well Tabulat 9-/6-/0 2-/7-/6	5; - 58. Completical Charts ions Gas Deepened	Structure Map Structure Map Office of Oil and Gas SEP 2 1 2023
10 - 17 18 - 28 (5) (5) (5)	12 Form #51 - 52 - Other: Survey 1:4000 Map Note Commenced: Date Completed: Production Depth: Production Formatic Final OPEN Flow:	53 - 54 - 55 (56) Logs Geology Well Tabulat 9-16-40 16-37-48 on: Big Line	5; - 58. Completical Charts ions Gas Deepened	Structure Map Structure Map Analyses RECEIVED Office of Oil and Gas
10 - 17 18 - 28 (5) (5) (5) (5)	1V Form #51 - 52 - Other: Survey 1:4000 Map Note Commenced: Date Completed: Production Depth: Production Formatic Final OPEN Flow: After FRAC	1637-18/6 and Mell Tabulat 1637-18/6 on: Big Lime	5; - 58. Completical Charts ions Gas Deepened	Structure Map Structure Map Office of Oil and Gas SEP 2 1 2023
10 - 17 18 - 28 (5) (5) (5) (5) (5)	1V Form #51 - 52 - Other: Survey 1:4000 Map Note Commenced: Date Completed: Production Depth: Production Formatic Final OPEN FLOW: After FRAC	1637-18/6 and Mell Tabulat 1637-18/6 on: Big Lime	5; - 58. Completical Charts ions Gas Deepened	Structure Map Structure Map Office of Oil and Gas SEP 2 1 2023
10 - 17 18 - 28 (5) (5) (5) (5) (5) (6)	1V Form #51 - 52 - Other: Survey 1:4000 Map Note Commenced: Date Completed: Production Depth: Production Formatic Final OPEN FLOW: After R.P. Initial	1637-18/6 on: Big Lime 250 MCF	5; - 58. Completed Charts Completed Case Deepened	Structure Map Structure Map Analyses RECEIVED Office of Oil and Gas SEP 2 1 2023 WV Department of Environmental Protection
10 - 17 18 - 28 (5) (5) (5) (5) (5) (6) (7)	1V Form #51 - 52 - Other: Survey 1:4000 Map Note Commenced: Date Completed: Production Depth: Production Formatic Final OPEN FLOW: After FRAC Station R.P. Initial Other Gas Test: Avg. Daily Gas from	1637-18/6 1637-18/6 1637-18/6 250 MCF 250 MCF	5; - 58. Completical Charts ions Cas Deepened	Structure Map Structure Map Analyses RECEIVED Office of Oil and Gas SEP 2 1 2023 WV Department of Environmental Protection
10 - 17 18 - 28 (5) (5) (5) (5) (5) (6) (7) (8)	1V Form #51 - 52 - Other: Survey 1:4000 Map Pode Commenced: Date Completed: Production Depth: Production Formatic Final OPEN Flow: After FRAC Commenced: Atter FRAC Commenced: Avg. Daily Gas from Avg. Daily Gas from	1637-18/6 on: Big Lime 250 MCF	5; - 58. Completical Charts ions Cas Deepened	Structure Map Structure Map Analyses RECEIVED Office of Oil and Gas SEP 2 1 2023 WV Department of Environmental Protection Analyses RECEIVED Office of Oil and Gas SEP 2 1 2023
10 - 17 18 - 28 (5) (5) (5) (5) (6) (7) (8) (8)	1V Form #51 - 52 - Other: Survey 1:4000 Map Pode Commenced: Date Completed: Production Depth: Production Formatic Final OPEN Flow: After FRAC Standa R.P. Indiana Other Gas Test: Avg. Daily Gas from Avg. Daily Gas from	1637-/8/6 1637-/8/6 1637-/8/6 1637-/8/6 250 MC/6	5; - 58. Completical Charts ions Gas Deepened	Structure Map Structure Map Analyses RECEIVED Office of Oil and Gas SEP 2 1 2023 WV Department of Environmental Protection
10 - 17 18 - 28 (5) (5) (5) (5) (6) (7) (8) (8) (5)	1V Form #51 - 52 - Other: Survey 1:4000 Map Note Commenced: Date Completed: Production Depth: Production Formatic Final OPEN FLOW: After Extracta R.P. Indicate Avg. Daily Gas from Line Pressure: Oil Production:	Logs Geology Well Tabulat 9-16-10 1637-18/6 on: Big Lime 250 MCF an Annual Production: m 90-day ending ::/1-1	Si - 58. Completical Charts ions Gas Deepened	Structure Map Structure Map Analyses RECEIVED Office of Oil and Gas SEP 2 1 2023 WV Department of Environmental Protection Analyses RECEIVED Office of Oil and Gas SEP 2 1 2023 WV Department of Environmental Protection Figure 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
10 - 17 18 - 28 (5) (5) (5) (5) (6) (7) (8) (8) (5)	1V Form #51 - 52 - Other: Survey 1:4000 Map Note Commenced: Date Completed: Production Depth: Production Formatic Final OPEN FLOW: After R.P. Indiana Other Gas Test: Avg. Daily Gas from Line Pressure: Oil Production: Does lease inventor	Logs Geology Well Tabulat 9-16-10 1637-18/6 on: Big Lime 250 MCF in Annual Production: m 90-day ending :/1-1 Well Tabulat 250 MCF in Annual Production: m 90-day ending :/1-1 Well Tabulat 1637-18/6 Annual Production ry indicate enhanced	5; - 58. Completical Charts ions Gas Deepened 2375325 = 6 20 days 552.3	Structure Map Structure Map Analyses RECEIVED Office of Oil and Gas SEP 2 1 2023 WV Department of Environmental Protection Analyses RECEIVED Office of Oil and Gas SEP 2 1 2023 WV Department of Environmental Protection Figure 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
10 - 17 18 - 28 (5) (5) (5) (5) (6) (7) (8) (8) (5)	1V Form #51 - 52 - Other: Survey 1:4000 Map Note Commenced: Date Completed: Production Depth: Production Formatic Final OPEN FLOW: After Extracta R.P. Indicate Avg. Daily Gas from Line Pressure: Oil Production:	Logs Geology Well Tabulat 9-16-10 1637-18/6 on: Big Lime 250 MCF in Annual Production: m 90-day ending :/1-1 Well Tabulat 250 MCF in Annual Production: m 90-day ending :/1-1 Well Tabulat 1637-18/6 Annual Production ry indicate enhanced	Si - 58. Completical Charts ions Gas Deepened	Structure Map Structure Map Analyses RECEIVED Office of Oil and Gas SEP 2 1 2023 WV Department of Environmental Protection Analyses RECEIVED Office of Oil and Gas SEP 2 1 2023 WV Department of Environmental Protection Figure 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
10 - 17 18 - 28 (5) (5) (5) (5) (6) (7) (8) (8) (5) (10-17)	1V Form #51 - 52 - Other: Survey 1:4000 Map Note Commenced: Date Completed: Production Depth: Production Formatic Final OPEN FLOW: After R.P. Indicate Avg. Daily Gas from Avg. Daily Gas from Line Pressure: Oil Production: Does lease inventor Is affidavit signed	Logs Geology Well Tabulat 9-16-10 1637-18/6 on: Big Lime 250 MCF in Annual Production: m 90-day ending :/1-1 Well Tabulat 250 MCF in Annual Production: m 90-day ending :/1-1 Well Tabulat 1637-18/6 Annual Production ry indicate enhanced	Si - 58. Completical Charts ions Gas Deepened 2 2 20 days 552.3 Report recovery being Notarized?	Structure Map Structure Map Analyses RECEIVED Office of Oil and Gas SEP 2 1 2023 WV Department of Environmental Protection Analyses RECEIVED Office of Oil and Gas SEP 2 1 2023 WV Department of Environmental Protection Figure 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1

,1,	
1.0 API well number: (If not available, leave blank,: 14 digits.)	47043-30-7
2.0 Type of determination being sought: (Use the codes found on the front of this form!)	ir. iii Section of NGPA. Category Code
3.0 Depth of the deepest completion location: (Only needed if sections 103 or 107 in 2.0 above.)	The control of American Control of the Carlotter of the C
4.0 Name, address and code number of applicant: (35 letters per line maximum. If code number not available, leave blank.)	BROOKS SAS COMPAN () Name 1012 First Huntington Bldg. Sirest Miles (Man) Huntington. City State Zip Code
6.0 Location of this well: [Complete (a) or (b).] (a) For onshore wells Self-research magining (q) (ield, by tark name.)	Gounty on with and got at at attacher and Steen and Attacher
المناه والمفارق والمراز	The of Lease:
(c) Name and identification number of this well: (35 letters and digits maximum.)	ADKINS: #: 1:45PA 1140
(d) If code 4 or 5 in 2.0 above, name of the reservoir: 135 letters	102 t total t total tota
6.0 (a) Name and code number of the purchaser: (35 letters and digits maximum. If code number not available, leave blank.)	PENN 2012 COMPANY 4 014033
(b) Date of the contract;	SEP 2 1 2023 Mo. Day Yr.
tr) Estimated annual production:	WV Department of Environmental Protection 2, 6 MMcI.
	(a) Base Price (b) Tax (c) All Other (ill) Total of ral, Prices [Indicate" (b) and it)
7.0 Contract price: [As of filing date. Complete to 3 decimal places.]	2.352
8.0 Maximum lawful rate: (As of filing date. Complete to 3 decimal places.)	<u> </u>
Do Person responsible for this application: Agency Use Only Date Heceroed by Juris Agency JUN 251979	Name Signature
Thire Hecovert by CERC	6/10/79 (304) 523-0682 Date Application is Completed Prime Number

RECEIVED
Office of Oil and Gas

SEP 2 1 2023

WV Department of Environmental Protection

0

API No. 4704300307

Farm Name Boston Adkins Woosten

BOSTON ADKINS WOOSTEN 1

INSTRUCTIONS TO COAL OPERATORS OWNERS AND LESSEE

RECEIVED
Office of Oil and Gas

SEP 2 1 2023

The well operator named on the obverse side of WW-4 (B) is about to abandon the well with the enclosed materials and will commence the work of plugging and abandoning said well on the date the inspector is notified. Which date shall not be less then five days after the day on which this notice and application so mailed is received, or in due course should be received by the Department of Environmental Protection Office of Oil & Gas.

This notice and application is given to you in order that your respective representatives may be present at the plugging and filling of said well. You are further notified that whether you are represented or not the operator will proceed to plug and fill said well in the manner required by Section 24, Article 6, Chapter 22 of the Code and given in detail on obverse side of this application.

NOTE: If you wish this well to be plugged according to 22-6-24(d) then as per Regulation 35CSR4-13.9 you must complete and return to this office on form OB-16 "Request by Coal Operator, Owner, or Lessee for plugging" prior to the issuance of this plugging permit.

	WAIVER
has examined this proposed plugging w	/ owner / lessee / of the coal under this well location k order. The undersigned has no objection to the work proposed to be operator has complied with all applicable requirements of the Westons.
Date:	
	Ву:
	Its

SURFACE OWNER WAIVER

Operator's Well Number

BOSTON ADKINS WOOSTEN 1

INSTRUCTIONS TO SURFACE OWNERS NAMED ON PAGE WW4-A

The well operator named on page WW-4A is applying for a permit from the State to plug and abandon a well. (Note: If the surface tract is owned by more than three persons, then these materials were served on you because your name appeared on the Sheriff's tax ticket on the land or because you actually occupy the surface tract. In either case, you may be the only owner who will actually receive these materials.) See Chapter 22 of the West Virginia Code. Well work permits are valid for 24 months. If you do not own any interest in the surface tract, please forward these materials to the true owner immediately if you know who it is. Also, please notify the well operator and the Office of Oil and Gas.

NOTE: YOU ARE NOT REQUIRED TO FILE ANY COMMENT.

WHERE TO FILE COMMENTS AND OBTAIN ADDITIONAL INFORMATION: RECEIVED
Office of Oil and Gas

Chief, Office of Oil and Gas
Department of Environmental Protection
601 57th St. SE
Charleston, WV 25304
(304) 926-0450

SEP 2 1 2023

WV Department of Environmental Protection

Time Limits and methods for filing comments. The law requires these materials to be served on or before the date the operator files his Application. You have FIVE (5) DAYS after the filing date to file your comments. Comments must be filed in person or received in the mail by the Chief's office by the time stated above. You may call the Chief's office to be sure of the date. Check with your postmaster to ensure adequate delivery time or to arrange special expedited handling. If you have been contacted by the well operator and you have signed a "voluntary statement of no objection" to the planned work described in these materials, then the permit may be issued at any time.

Comments must be in writing. Your comments must include your name, address and telephone number, the well operator's name and well number and the approximate location of the proposed well site including district and county from the application. You may add other documents, such as sketches, maps or photographs to support your comments.

The Chief has the power to deny or condition a well work permit based on comments on the following grounds:

- 1) The proposed well work will constitute a hazard to the safety of persons.
- 2) The soil erosion and sediment control plan is not adequate or effective;
- 3) Damage would occur to publicly owned lands or resources;
- 4) The proposed well work fails to protect fresh water sources or supplies;
- 5) The applicant has committed a substantial violation of a previous permit or a substantial violation of one or more of the rules promulgated under Chapter 22, and has failed to abate or seek review of the violation...".

If you want a copy of the permit as it is issued or a copy of the order denying the permit, you should request a copy from the Chief.

VOLUNTARY STATEMENT OF NO OBJECTION

I hereby state that I have read the instructions to surface owners and that I have received copies of a Notice and Application For A Permit To Plug And Abandon on Forms WW-4A and WW-4B, and a survey plat.

I further state that I has objection to a permit being issue FOR EXECUTION BY A NATU ETC.	d on those materials.	e planned wo		e materials, and I have no
	Date	Name		
Signature		$\mathbf{B}\mathbf{y}$		
-		Its		Date
			Signature	10/06/ <mark>30</mark> 23

11/10/2016

PLUGGING PERMIT CHECKLIST 4704300307

RECEIVED
Office of Oil and Gas

SEP 2 1 2023

Plugging Permit WV Department of Environmental Protection WW-4B WW-4B signed by inspector WW-4A SURFACE OWNER WAIVER or PROOF THAT APPLICATION WAS SENT BY REGISTERED OR CERITFIED COAL OWNER/COAL OPERATOR/COAL LESSEE WAIVERS or PROOF THAT APPLICATION WAS SENT BY REGISTERED OR CERTIFIED MAIL **WW-9 PAGE 1 (NOTARIZED)** WW-9 PAGE 2 with attached drawing of road, location, pit and proposed area for land application WW-9 GPP PAGE 1 and 2 if well effluent will be land applied **RECENT MYLAR PLAT OR WW-7** WELL RECORDS/COMPLETION REPORT TOPOGRAPHIC MAP OF WELL, SHOWING PIT IF PIT IS USED MUST HAVE VALID BOND IN OPERATOR'S NAME **CHECK FOR \$100 IF PIT IS USED**

PERMIT CONDITIONS

West Virginia Code §22-6-11 allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. Failure to adhere to the specified permit conditions may result in enforcement action.

CONDITIONS

- 1. All pits must be lined with a minimum of 20 mil thickness synthetic liner.
- 2. In the event of an accident or explosion causing loss of life or serious personal injury in or about the well or while working on the well, the well operator or its contractor shall give notice, stating the particulars of the accident or explosion, to the oil and gas inspector and the Chief within twenty-four (24) hours.
- 3. Well work activities shall not constitute a hazard to the safety of persons.
- 4. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing.



Kennedy, James P < james.p.kennedy@wv.gov>

plugging permits issued 4704300302 04700307

1 message

Kennedy, James P < james.p.kennedy@wv.gov>

Fri, Oct 6, 2023 at 10:21 AM

To: Jeffrey L Smith <jeffrey.l.smith@wv.gov>, Chris Veazey <CVeazey@dgoc.com>, Austin Sutler <asutler@nextlvlenergy.com>, Phyllis Copley <pcopley@dgoc.com>, guybrowning@lincolncountywv.org

To whom it may concern, plugging permits have been issued for 4704300302 04300307.

James Kennedy

WVDEP OOG

2 attachments



4704300307.pdf 1303K



4704300302.pdf 1348K