

## west virginia department of environmental protection

Office of Oil and Gas 601 57th Street, S.E. Charleston, WV 25304 (304) 926-0450 fax: (304) 926-0452

Harold D. Ward, Cabinet Secretary www.dep.wv.gov

Thursday, September 28, 2023
WELL WORK PLUGGING PERMIT
Vertical Plugging

DIVERSIFIED PRODUCTION LLC 101 MCQUISTON DRIVE

JACKSON CENTER, PA 16133

Re:

Permit approval for 3 47-043-00923-00-00

This well work permit is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to any additional specific conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas Inspector.

Upon completion of the plugging well work, the above named operator will reclaim the site according to the provisions of WV Code 22-6-30. Please be advised that form WR-38, Affidavit of Plugging and Filling Well, is to be submitted to this office within 90 days of completion of permitted well work, as should form WR-34 Discharge Monitoring Report within 30 days of discharge of pits, if applicable. Failure to abide by all statutory and regulatory provisions governing all duties and operations hereunder may result in suspension or revocation of this permit and, in addition, may result in civil and/or criminal penalties being imposed upon the operators.

Per 35 CSR 4-5.2.g this permit will expire in two (2) years from the issue date unless permitted well work is commenced. If there are any questions, please feel free to contact me at (304) 926-0450.

James A. Chief

Operator's Well Number:

Farm Name: FERRELL, ALICE

U.S. WELL NUMBER: 47-043-00923-00-00

Vertical Plugging
Date Issued: 9/28/2023

# **PERMIT CONDITIONS**

West Virginia Code §22-6-11 allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. Failure to adhere to the specified permit conditions may result in enforcement action.

# **CONDITIONS**

- 1. All pits must be lined with a minimum of 20 mil thickness synthetic liner.
- 2. In the event of an accident or explosion causing loss of life or serious personal injury in or about the well or while working on the well, the well operator or its contractor shall give notice, stating the particulars of the accident or explosion, to the oil and gas inspector and the Chief within twenty-four (24) hours.
- 3. Well work activities shall not constitute a hazard to the safety of persons.
- 4. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing.

1) Date August 15	20 23
2) Operator's	
Well No. Alice Ferrell 4	
3) API Well No. 47-043	- 00923

# STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

APPLICATION FOR A PER	MIT TO PLUG AND ABANDON
	d injection/ Waste disposal/ derground storage) Deep/ Shallow/
5) Location: Elevation 667.47	Watershed One Mile Creek
District Sheridan	County Lincoln Quadrangle Milton 7.5'
6) Well Operator Diversified Production, LLC  Address 414 Summers Street	7) Designated Agent Chuck Shafer Address 414 Summers Street
Charleston, WV 25301	Charleston, WV 25301
8) Oil and Gas Inspector to be notified Name Jeffrey Smith  Address 4 Wick Ln.	9) Plugging Contractor  Name Next LVL Energy (Diversified Owned)  Address 104 Helliport Loop Rd
Cross Lanes, WV 25313	Bridgeport, WV 25330
See Attached	ner of plugging this well is as follows:
	RECEIVED Office of Oil and Gas
	SEP 0 7 2023
	WV Department of Environmental Protection
Notification must be given to the district oi work can commence.	l and gas inspector 24 hours before permitted
Work order approved by inspector	1 Date 8.5.23



# **DEPARTMENT OF MINES** OIL AND GAS DIVISION .

# WELL RECORD

		<del></del>					[6403]
	1 H. Dia			Casing and	Used In	Left in	
Address Br	<u>anobland</u>	l. West Vir	ginia	Casing and Tubing	Drilling	Well	Packers
Farm Al	<u>ice Ferr</u>	:811	Acres 140				
Location (water		Mile Creek		Size		•	
Well No		————————————————————————————————————	Elev			·	Kind of Pucker. Heats
District Sh	eridan :	County	<u> Cincoln</u>		~ ~~ <del>~</del>	<u> </u>	
The surface of t	ract is owned	In fee by Alia		_ 10	20_£t.	_20_ft_	Size of
<u> </u>	·•	_Address Brane	oh Land, W. Ve		296 ft.	none	
ilineral rights a	re owned by	Alice Ferr	<u> </u>	_ 0%	1669 ft.	1669 ft	Depth set 1693 ft
		Address Brai	nobland	5 3/10		<u>`                                    </u>	<u>-</u>
		L 26,11927		. 8			Peri. top2172
		1. 1927		. 2	2240 ft.	2240_ft	Perf. bottom 2178
riih unkn		<sub>om</sub> unknown t	w unknown	Liners Used_	-	··	Perf. top
					-  ·		Perf. bottom
unknown	/IUINI WATE	er in	Inch				
olume		'n	Inch	•	iented	SIZE	Vo. FtDate
		lbs20	hre Cu.Ft.			<u> </u>	
Kone	<del></del>		_bbls., let 24 hrs.	COAT WILD	<b>ENCOUNTERE</b> D	Lone_TA	FEETINCHES
	เก็หิทอธก			1	etince		EETNCHES
alt water							FEETINCHES
		Hard or	Ì				- I I I I I I I I I I I I I I I I I I I
Formation	Color	Soft	Тор	Bottom	Oil, Gas or Water	Depth Found	Remarks
	,						
rfac <b>é</b> ate			0	6			
ate	Black		6 16	16 80	}		
nd			80	130	<u>.</u>		
ate		1	130	300			BECEN.
ate nd			300	315			Office of Oil and Gar
ate		1	315 500	500 540		,	n-
nđ	! !	] .	545	. 260			SEP 0 7 2023
ate		1	560	590		* . · ·	W. 2023
nd ate	•	1	590	615	<b>l</b> .	Env	WV Department of irronmental Protection
nd			615 . 630	630	,		. Protection
ate		·	640	640 680			
nd			680	710			
ate		1	710	660		:	1
14 Cama 1		1 7		1040	Salt wate	870	# .
			860	1100			
ate			1040	1210			
ate id:			1040 1100 1210	1210 1230			
ate ad: ate : 1			1040 1100 1210 1230	1230 1240			
ate id ate : 1 1 Rook ite			1040 1100 1210 1230 1240	1230 1240 1300	•		
ate nd ate 1 Rook ate ndy Lime	•		1040 1100 1210 1230 1240 1300	1230 1240 1300 1325			
ate			1040 1100 1210 1230 1240 1300 1325	1230 1240 1300 1325 1233			
ate id			1040 1100 1210 1230 1240 1300 1325 1333 1370	1230 1240 1300 1325 1333 1370	Show of ga	s 1510	
ate id. ite il Rook ite il Rook ito ite ton ttle Lime			1040 1100 1210 1230 1240 1300 1325 1333 1370	1230 1240 1300 1325 1333 1370 1410	Show of ga	s 1510	
ate  ate  ate  ate  ate  are  are  are			1040 1100 1210 1230 1240 1300 1325 1333 1370 1410	1230 1240 1300 1325 1233 1370 1410 1593 1600			
ate  id.  ite  i Rook  ite  i Rook  itton  ttle Lime  Lime  Injun	مراد المراد	[XIII]	1040 1100 1210 1230 1240 1300 1385 1333 1370 1410 1593 1600	1230 1240 1300 1325 1233 1370 1410 1593 1600 1669	Water	1605	
ate id. ite il Rock ite il Rock ite il Rock iton ittle Lime i Lime Injun e Shells te	7. P. P. J.	[ <b>A</b> ][57675)	1040 1100 1210 1230 1240 1300 1325 1333 1370 1410	1230 1240 1300 1325 1333 1370 1410 1593 1600 1669 1691		1605	
ate  id.  ite  il Rook  ite  idy Lime  il Rook  cton  ttle Lime  Lime  Injun  e Shells  te  wn Shale	ne ne	[4]57677 <sub>[7]</sub>	1040 1100 1210 1230 1240 1300 1325 1333 1370 1410 1593 1600 1669 1691 2148	1230 1240 1300 1325 1233 1370 1410 1593 1600 1669	Water	1605	
ate  id.  ite  il. Rook  ite  il. Rook  cton  ttle Lime  Lime  Injun  e Shells  te  wn Shale  ea Sand	BE BE	19/9	1040 1100 1210 1230 1240 1300 1325 1333 1370 1410 1593 1600 1669 1691 2148 2160	1230 1240 1300 1325 1333 1370 1410 1593 1600 1669 1691 2148	Water	1605	
ate id. ite il Rook ite il Rook ite il Rook itle Lime itle Lime Lime Injun e Shells te wn Shale ea Sand al Depth	ACTURED TO	1000	1040 1100 1210 1230 1240 1300 1325 1333 1370 1410 1593 1600 1669 1691 2148	1230 1240 1300 1325 1333 1370 1410 1593 1600 1669 1691 2148 2160	Water	1605	
ate	E 10/51E	19/9	1040 1100 1210 1230 1240 1300 1325 1333 1370 1410 1593 1600 1669 1669 1691 2148 2160 2240	1230 1240 1300 1325 1333 1370 1410 1593 1600 1669 1691 2148 2160	Water	1605	
	ACTURED TO	1000	1040 1100 1210 1230 1240 1300 1325 1333 1370 1410 1593 1600 1669 1669 1691 2148 2160 2240	1230 1240 1300 1325 1333 1370 1410 1593 1600 1669 1691 2148 2160	Water	1605	09/29/2

·	Formation	Color	Hard or Boft	Тор	Boltom	Oil, Gas or Water	Depth Found	Remarks
	182 · V ]:		'					
7.15.10	والمراج الأشاشي		.*					
	31.3		5					
			ļ			** *** *** *** *** *** *** *** *** ***		
	nim iş	· ·						
A - 11	in a si		j .	1.00		24,4	1,114,11	
	Carlo		ì	11.0				
٠							• •	
		]	}	13 42				
	· · · ·	i.	<b> </b>			·	, , ,	
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1							1 30 · ·	
		ļ		1.0				
	-4.	1	ļ		1.33			
	1.0	İ				'		
					7/3			
•								
1								
7.1								
		·				· .		
	, i i	32.67			1			
						,		
								•
			1. 34		<b>.</b>			
		40.			1			
3 - 4	A	ter facts					Offi	RECEIVED ce of Oil and Gas
	1.11						1	EP 0 7 2023
		****					. ა	P 0 7 2027
	Jun 11 A 1.		•				Enviro	Department
							(All Of	Department of mental Protection
		1						
	i Visit	La"		]				Tn -
			32:					
			3.4	3100				
			1 to 1	1.1 A.E. 1.1		2012.51	70 SW	
• .								
						· ]		• ខេត្តបន្ទ
•				7.1				
							· ; [	
,				·	• • •			. The second
			[*		,- ,			ry n
						• •		

., 19. 4 ... Owner 09/29/2023 Stal of .... APPROVED\_ By

(Title)

# **Plugging Prognosis**

API #: 4704300923

West Virginia, Lincoln Co.

Nearest ER: CAMC Memorial Hospital 3200 MacCorkle Ave SE, Charleston, WV 25304

# **Casing Schedule:**

10" @ 20'

6-5/8" @ 1669' (no cement information) 2" tbg @ 2240' (Heater Packer @ 1693')

TD @ 2240'

Completion: Perf @ 2172'-2178'

Fresh Water: None listed Salt Water: 870'; 1605' Gas Shows: 1510'; 1610' Oil Shows: None listed Coal: None Listed Elevation: 626'

> Office of Oil and Gas RECEIVED

- 1. Notify Inspector Jeffrey Smith @ 681-990-6944, 48 hrs prior to commencing operations. SEP 0 7 2023
  - WV Department of Environmental Protection

- 2. Check and record pressures on csg/tbg.
- 3. Check TD w/ wireline/sandline
- 4. Pull tbg and lay down
- 5. Run in to depth @ 2178'. Kill well as needed with 6% bentonite gel and fill rat hole. Pump at least 10 bbls gel. Pump 106' Class L cement plug from 2178' to 2072' (bottom hole plug). Tag TOC. Top off as needed.
- 6. TOOH w/ tbg to 2075'. Pump 6% bentonite gel from 2072' to 1719'.
- 7. Free point 6-5/8" csg. Cut and TOOH. Set 100' Class L cement plug across csg cut. 50' in/out of cut. Do not omit any plugs listed below. Perforate as needed.
- 8. TOOH w/ tbg to 1719'. Pump 164' Class L cement plug from 1719' to 1555' (6-5/8" shoe plug).
- 9. TOOH w/tbg to 1555'. Pump 6% bentonite gel from 1555' to 920'.
- 10. TOOH w/ tbg to 920'. Pump 100' Class L cement plug from 920' to 820' (saltwater plug).
- 11. TOOH w/ tbg to 820'. Pump 6% bentonite gel from 820' to 676'.
- 12. TOOH w/ tbg to 676'. Pump 100' Class L cement plug from 676' to 576' (elevation plug).
- 13. TOOH w/tbg to 576'. Pump 6% bentonite gel from 576' to 100'.
- 14. TOOH w/ tbg to 100'. Pump 100' Class L cement plug from 100' to Surface (Surface plug).
- 15. Reclaim location and well road to WV DEP specifications and erect P&A well monument.

1) Date:	8/15/2023	
2) Operator		

043

00923

# STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF APPLICATION TO PLUG AND ABANDON A WELL

3) API Well No.: 47 -

(a) Name	Bernie Walls	5) (a) Coal Operato Name	•	
Address	619 Fowler Branch Rd	Address		
	Chapmanville, WV 25508			
(b) Name		(b) Coal Ov	wner(s) with Declaration	
Address		Name	Trio Petroleum Corp & W	aco Oil & Gas
		Address	PO Box 880	
			Glenville, WV 26531	
(c) Name		Name	•	
Address		Address		
6) Inspector	Jeffrev Smith	(c) Coal La	ssee with Declaration	
Address	4 Wick Ln.	Name		
Addiess	Cross Lanes, WV 253		Office	ECEIVED of Oil and Gas
Telephone	(681) 990-6944	13 Address		or on and Gas
refebuone	10011 990-0944		SEP	0 7 2022
well (2) The parties of the reason However, y	application to Plug and Abandon a its and the plugging work order; ar olat (surveyor's map) showing the v you received these documents is that y ou are not required to take any action at that under Chapter 22-6 of the West V	nd well location on Form WW-6. ou have rights regarding the appli all. firginia Code, the undersigned well	n sets out the parties involved in cation which are summarized in the in operator proposes to file or has filed t	nstructions on the reverses side.
Protection, the Applica	with respect to the well at the location of the plat have been mailed by the umstances) on or before the day of mailed by the day of the day o	described on the attached Applicat registered or certified mail or de	ion and depicted on the attached Form	a Department of Environmental WW-6. Copies of this Notice,
Protection, the Applica	with respect to the well at the location of the plat have been mailed by umstances) on or before the day of mailed	described on the attached Applicat y registered or certified mail or de ng or delivery to the Chief.	ion and depicted on the attached Form elivered by hand to the person(s) nam	a Department of Environmental WW-6. Copies of this Notice,
Protection, the Applica	with respect to the well at the location of the plat have been mailed by umstances) on or before the day of mailed with the well of the well at the location of the well of the well at the location of the well at th	described on the attached Applicate registered or certified mail or de ng or delivery to the Chief.  perator Diversified Processions	ion and depicted on the attached Form elivered by hand to the person(s) nam	a Department of Environmental WW-6. Copies of this Notice,
Protection, the Applica	with respect to the well at the location of the plat have been mailed by umstances) on or before the day of mails  Well O  By:	described on the attached Applicate registered or certified mail or de ng or delivery to the Chief.    Diversified Proceedings of the Proceedings	duction, LLC	a Department of Environmental WW-6. Copies of this Notice,
Protection, the Applica	with respect to the well at the location of the plat have been mailed by umstances) on or before the day of mailed Well O By:  Its:	described on the attached Applicate registered or certified mail or de ng or delivery to the Chief.  Diversified Proc Chris Veazey  Manager Plugg	duction, LLC	a Department of Environmental WW-6. Copies of this Notice,
Protection, the Applica	with respect to the well at the location of the plat have been mailed by umstances) on or before the day of mails  Well O  By:	described on the attached Applicate registered or certified mail or de ng or delivery to the Chief.  Diversified Proc Chris Veazey  Manager Plugg  414 Summers S	duction, LLC  Jing Operations  Street	a Department of Environmental WW-6. Copies of this Notice,
Protection, the Applica	with respect to the well at the location of the plat have been mailed by umstances) on or before the day of mailed Well O By:  Its:	described on the attached Applicate registered or certified mail or de ng or delivery to the Chief.  Diversified Procedures Veazey  Manager Plugg 414 Summers S  Charleston, WA	duction, LLC  Jing Operations  Street	a Department of Environmental WW-6. Copies of this Notice,

Oil and Gas Privacy Notice

The Office of Oil and Gas processes your personal information, such as name, address and phone number, as a part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use of your personal information, please contact DEP's Chief Privacy Officer at deportivacyoffier@wv.gov.

Diversified Gas & Oil Corporation Permitting Department 414 SUMMERS STREET 2ND. FLOOR CHARLESTON WV 25301

0901000009053

25301 C4000004 Retail 4.0 OZFLAT

easypost

US POSTAGE AND FEES PAID

2023-08-16

Pijalanalana Petroleum Corp & Waco oil & GAS PO BOX 880 GLENVILLE WV 26351-0880

Diversified Gas & Oil Corporation Permitting Department 414 SUMMERS STREET 2ND. FLOOR CHARLESTON WV 25301 USPS CERTIFIED MAIL™

0901000000053

sod/spe 2

US POSTAGE AND FEES PAID

2023-08-16

25301. C4000004. Retail 4.0 OZFLAT

ik 4) 4 this think and a substant

BERNIE WALLS 619 FOWLER BRANCH RD CHAPMANVILLE WV 25508-7610



Date: 8/15/2023

James Martin Office of Oil and Gas 601 57th Street, SE Charleston, WV 25304 (304)926-0450

Mr. Martin,

Due to our cement provider, LaFarge Holcem, discontinuing the manufacturing of Class A cement, DGOC will be utilizing Class L cement to plug the following well:

API Number 4704300923 Well Name Alice Ferrell 4

Attached is the approved variance order for use of Class L cement.

Sincerely,

**Chris Veazey Permitting Supervisor** 304-590-7707

RECEIVED Office of Oil and Gas

SEP 0 7 2023

WV Department of Environmental Protection



### west virginia department of environmental protection

Office of Oil and Gas 601 57th Street, SE Charleston, WV 25304 Phone (304) 926-0450 Harold D. Ward, Cabinet Secretary dep.wv.gov

# BEFORE THE OFFICE OF OIL AND GAS DEPARTMENT OF ENVIRONMENTAL PROTECTION STATE OF WEST VIRGINIA

IN THE MATTER OF A VARIANCE FROM LEGISLATIVE RULE 35CSR4 SECTION 14.1. AND LEGISLATIVE RULE	) ) )	ORDER NO. 2022-13
35CSR8 SECTION 20.1, RELATING TO THE CEMENTING OF OIL AND GAS WELLS	)	RECEIVED Office of Oil and Gas
		SEP 0 7 2023  WV Department of Environmental Protection

### REPORT OF THE OFFICE

In response to industry requests, the West Virginia Department of Environmental Protection, Office of Oil and Gas has reviewed the proposed use of American Petroleum Institute (API) Class L cement to be used in place of API Class A cement for well plugging.

# FINDINGS OF FACT

- 1. On July 28, 2022, Diversified Gas & Oil Co. (DGO) submitted a variance request from Legislative Rule 35CSR4 for the use of API Class L cement in place of API Class A cement, relating to the plugging of conventional wells.
- 2. Laboratory analysis submitted by DGO on July 28, 2022, indicates API Class L cement is comparable to API Class A cement and thereby satisfies the requirements of the West Virginia Code.
- 3. Contemporaneously, the Chief of the Office of Oil and Gas also chose to consider a variance to Legislative Rule 35CSR8 Section 20.1., for the use of API Class L cement in place of API Class A cement, relating to the plugging of horizontal wells.

Promoting a healthy environment.

4. On August 18, 2022, the Office of Oil and Gas provided public notice of acceptance of public comments on the variance consideration. During the 20-day public comment period, no comments were received.

### CONCLUSIONS OF LAW

Pursuant to Article 6 and Article 6A, Chapter 22 of the Code of West Virginia, the Office of Oil and Gas has jurisdiction over the subject matter, and the persons interested therein, and jurisdiction to promulgate the hereinafter prescribed Order.

Pursuant to Legislative Rule 35CSR4, Section 18 and Legislative Rule 35CSR8, Section 14, the Chief of the Office of Oil and Gas may grant a variance from any requirement of these rules.

### **ORDER**

It is ordered that the Class L cement product approved and monogramed by API is approved for use in place of API Class A cement for well plugging subject to the provisions of Legislative Rule 35CSR4 and Legislative Rule 35CSR8.

Dated this, the 13th day of September, 2022.

RECEIVED
Office of Oil and Gas

SEP **0 7** 2023

IN THE NAME OF THE STATE OF WEST VIRGINIA

WV Department of Environmental Only 10 of Environment

OFFICE OF OIL AND GAS
DEPARTMENT OF ENVIRONMENTAL PROTECTION
OF THE STATE OF WEST VIRGINIA

James Martin, Chief Office of Oil and Gas


API Number	47 - 043	_ 00923	
Operator's We			

# STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS FLUIDS/ CUTTINGS DISPOSAL & RECLAMATION PLAN

1203200 001111100 2301 001	
Operator Name: Diversified Production, LLC	OP Code 494524121
Watershed (HUC 10) One Mile Creek	Quadrangle Milton 7.5'
Do you anticipate using more than 5,000 bbls of water to comp	Will a pit be used? Yes No
If so, please describe anticipated pit waste:	fluid and cement returns.
71	o If so, what ml.? 20
Proposed Disposal Method For Treated Pit Wastes:	
Land Application (if selected provide a  * Underground Injection (UIC Permit Notes)  Reuse (at API Number  Off Site Disposal (Supply form WW-9)  Other (Explain	for disposal location)  BECEIVED
	Office of Oil and Gas
Will closed loop system be used? If so, describe: N/A	SEP <b>0 7</b> 2023
Drilling medium anticipated for this well (vertical and horizontal)?	WV Department
-If oil based, what type? Synthetic, petroleum, etc. N/A	Environmental Protection
Additives to be used in drilling medium? N/A	
Drill cuttings disposal method? Leave in pit, landfill, removed off	ite, etc.N/A
-If left in pit and plan to solidify what medium will be use	d? (cement, lime, sawdust)N/A
-Landfill or offsite name/permit number? N/A	
Permittee shall provide written notice to the Office of Oil and Gas West Virginia solid waste facility. The notice shall be provided wit where it was properly disposed.	
on April 1, 2016, by the Office of Oil and Gas of the West Virgini provisions of the permit are enforceable by law. Violations of any or regulation can lead to enforcement action.	amined and am familiar with the information submitted on this inquiry of those individuals immediately responsible for o btaining and complete. I am aware that there are significant penalties for
Company Official Signature	
Company Official (Typed Name) Chris Veazey	
Company Official Title_Manager Plugging Operations	
Subscribed and swom before me this 16th day of f  My commission expires 2027	Notary Public STATE OF WEST VIRGONIA SEAL NOTARY PLEALC NOTARY PLEAL N

Operator's	Well	No.	Alice	Ferrell	4	


Proposed Revegetation T	reatment: Acres Disturbed +/- 1	ac. Preveg etation	on pH
Lime3	Tons/acre or to correct t	to pH6.5	
Fertilizer type_	10-20-20 or Equivalent		
Fertilizer amoun		lbs/acre	
Mulch2		Tons/acre	
		Seed Mixtures	
	Temporary		Permanent
Seed Type Red Fescue	lbs/acre	Seed Type Red Fescue	Ibs/acre RECEIVED Office of Qib and Gas
Alsike	5	Alside Clover	SEP 0 7 2023
Annual Rye	15	_	WV Department of Environmental Protection
Maps(s) of road, location provided). If water from (L, W), and area in acres	n, pit and proposed area for land the pit will be land applied, pro s, of the land application area. nvolved 7.5' topographic sheet.	application (unless engineered planvide water volume, include dimension	s including this info have been ons (L, W, D) of the pit, and di
provided). If water from (L, W), and area in acres  Photocopied section of in  Plan Approved by:	the pit will be land applied, pros, of the land application area.  nvolved 7.5' topographic sheet.  Tettrey Sm. th	vide water volume, include dimension	ons (L, W, D) of the pit, and di
Maps(s) of road, location provided). If water from (L, W), and area in acres  Photocopied section of in	the pit will be land applied, pros, of the land application area.  nvolved 7.5' topographic sheet.  Tettrey Sm. th	vide water volume, include dimension	ons (L, W, D) of the pit, and di
Maps(s) of road, location provided). If water from (L, W), and area in acres  Photocopied section of in  Plan Approved by:	the pit will be land applied, pros, of the land application area.  Involved 7.5' topographic sheet.  Tettrey Sm. the seed ment conse	tool 's removed	ons (L, W, D) of the pit, and di





# West Virginia Department of Environmental Protection Office of Oil and Gas WELL LOCATION FORM: GPS

api: 4704300923	well no.: Alice Ferrell 4
FARM NAME: Alice Ferrell	
RESPONSIBLE PARTY NAME: Diversified	Production, LLC
COUNTY: Lincoln	DISTRICT: Sheridan
quadrangle: Milton 7.5'	
surface owner: Bernie Walls	, , , , , , , , , , , , , , , , , , , ,
ROYALTY OWNER: Trio Petroleum	Corp & Waco Oil and Gas
UTM GPS NORTHING: 4235038.5	
UTM GPS EASTING: 398450.94	GPS ELEVATION: 667.47
The Responsible Party named above has chosen to preparing a new well location plat for a plugging above well. The Office of Oil and Gas will not act the following requirements:  1. Datum: NAD 1983, Zone: 17 North, Cheight above mean sea level (MSL) —  2. Accuracy to Datum – 3.05 meters  3. Data Collection Method: Survey grade GPS: Post Processed Difference of the properties of the processed of the processed Difference of the processed Differe	permit or assigned API number on the cept GPS coordinates that do not meet RECEIVED Office of Oil and Gas Coordinate Units: meters, Altitugep 0 7 2023 meters.  WV Department of Environmental Protection
Real-Time Differen	itial
Mapping Grade GPS X: Post Processed D	Differential X
Real-Time Diffe	<del></del>
4. Letter size copy of the topography of the undersigned, hereby certify this data is corresponded and shows all the information required by I prescribed by the Office of Oil and Gas.	ect to the best of my knowledge and
	Title Date



Well No.: 47-943-00923 UTM 83-177 Meters North: 4235038.5 East: 398450.94 Elev: 203.5 M Elev: 667.47 R

	<del></del>
SEP 1 1997 NITRO, WEST VIRGINIA 25143	RECORD ID: 47495
THIS IS NO ACKNOWLEDGE THAT THE WELL; API NO. 47.04 DISTRICT: Sheridan, Lincoln Co.	•
WELL HO. 47-043-0923 PASH NAME Alice Ferrell	
IS HERBHY BEING OPERATED BY: LOCAL	-
COPTANY: Brady Resources, Inc.	
CODE #6760 ADDRESS: Ri.2 Fox 452 Salt Rock, NV 25559	
THE OPERATOR BY THIS DOCUMENT IN ACCEPTING ALL RESPONSIBLE COMPLIANCE WITH THE PROVIDIONS OF CHAPTER 228 AL EAG., OF CODY OF 1931 AS AMENDED AND ALL RULES AND REGULATIONS PROXIMEREURDER, FOR THE LISTED WELL.	THE MEST VIRGINIA
THE PARTIES AND RECORDATION DATA (IF RECORDED) YOR LEASE(S CONTINUING CONTRACT(S) BY WHICH THE OPERATOR CLAIMS THE REPRODUCE OR MARKET THE OIL OR CAS ARE AS FOLLOWS:	OR OTHER
GRANTOR, INSEOR, ETC. GRANTEE, LESSEE, ETC. ROYALTY	HOOK/PACE
Beborzh Terry& Cyrif Terry-Azzignor Brady Resourcez, Inc-Uzzignee 7.W. mineral	arrigament bk15 pg 83
THE OPERATOR HAS RECYSTERED AND DESIGNATED AN AGENT ON TO DESIGNATED AGENT (NAME) Michael B. Br. Jy. Ht. 2 Box 452 Salt Rock, NY 25555	RM OP-1, WHO IS
ADDRESS: WHICH IS ON FILE WITH THE OFFICE OF OIL & GAS. THE OFERMOR HAS BONDED THE SAID WELL BY (CHECK ONE):	
SECURITIES CASH SURETY BOND LETTER OF IDENTIFIED BY:	CREDIT KAK
AHDUNT: \$0,000.00 EFFECTIVE DATE: 12-27-96	
ISSUING AUTHORITY: United Matienal Bank ID.	NO. 206
TRANSFERER: Ende Recommendate	
BY: Fresident	SEPTEMBER.
TAKEN, SUBSCRIBED AND SWORN BEFORE HE THIS 10th DAY OF	Official Scot
HY CONSISSION EXPIRES	Notary Fiblic State of West Viminia
0	Michael D. Dillon 5-12 - 6th Avenuo
	Hunlis Hon, V:V 25701 My commission expl es Juna 29, 2005
	Marian Constitution and and and and and and and and and an

RECEIVED
Office of Oil and Gas

SEP 0 7 2023

WV Department of Environmental Protection



#### STATE OF WEST VIRGINIA

# DEPARTMENT OF MINES OIL AND GAS DIVISION

# NOTICE OF PROPOSED LOCATION OF OIL AND GAS WELL

To THE DEPARTMENT OF MINES,		
Charleston, W. Vo.	•	
Not a coal area.	Hal H. Dial & Garnet Dial	• •
Coal Operator or Coal, Owner	HANE OF WELL OPERATOR	
·	Branchland, W.Va.	
Abdress	COMPLETE ADDRESS	, · • .
Sweetland Land & Mineral Co.	May 23rd 19 49	
First Huntington Nat'l Bank Bld'g.	PROPOSED LOCATION	•
Huntington, W.Va.	Sharidan District	
ADDRESE	J8 10	
Alive Ferrell	Lincoln 91 43 County	
OWNER OF MINERAL RIGHTS	w u v 4	-57
West Hamlin, W.Va.	Well No. 1	•
ADDPERS	Alice Ferrell Farm	
Gentlemen:		•
The undersigned well operator is entitled to de	rill upon the above named farm or tract of land for	
oil and gas, having fee title thereto, (or as the case r	nay be) under grant or lease dated	
, madeb		
Hal H.Dial Et Al		
	the office of the County Clerk for said County in	
Book, page		•
	believes there are no coal operators operating beds id well is located, or within 500 feet of the boundard filed their maps as required by law, excepting the addressees.	Office RECEIVED Oil and Ga
The above named coal operators or coal owners (i desire to make to such proposed location, or which they the drilling of a well at said proposed location will cause	of any) are notified that any objections they make y are required to make by Section 3 of said Code, if	Wy Department of
cont mines, must be received by, or lifed with the Depart a copy of this notice and accompanying plat by said D that forms for use in making such objections will be f		Otection
on request and that all such objections must set forth as grounds on which such objections are based and indicate t be moved to overcome same.	definitely as is reasonably possible the ground or	
(The next paragraph is to be completed only		• :
Copies of this notice and the enclosed plat were	mailed by registered mail, or delivered to the above	•
named coal operators or coal owners at their above st or on the same day with the mailing or delivery of t West Virginia.	his copy to the Department of Mines at Charleston,	
Very tr	uly yours,	•
3 (UN31425265	Hal H. Dial & Garnet Dial	
MAYION	By and The Engire	•
A dress of	TREET	•
Well Operator	Branchilmo, W.Va.	
3.0 C	CITY OF TOWA	** ;
6//0: 109)	\$7ATE	•
Section 3 If no such objections be filed or bo i	ound by the department of mines, within said narial of	• •
and plat by the dependent shall forthwith issue to the well operator a drilling per shall forthwith issue to the well operator a drilling per	ertment of mines, to said proposed location, the depart-	
Section 3 If no such objections be filed or be a ten days from the receipt of said notice and plat by the dependent shall forthwith issue to the well operator a drilling penalty and the beat of the coal operators to the location, or a approved and the well operator authorized to proceed to drapproved and the well operator authorized to proceed to drapproved.	ound thereto by the department, and that the same is ill at said location.	; :

. 0 043-923

Office of Oil and Gas

SEP 0 7 2023

WV Department of Environmental Protection

API No.	4704300923	
Farm Name	Alice Ferrell	
Well No.	Alice Ferrell 4	

# INSTRUCTIONS TO COAL OPERATORS OWNERS AND LESSEE

The well operator named on the obverse side of WW-4 (B) is about to abandon the well described in the enclosed materials and will commence the work of plugging and abandoning said well on the date the inspector is notified. Which date shall not be less then five days after the day on which this notice and application so mailed is received, or in due course should be received by the Department of Environmental Protection Office of Oil & Gas.

This notice and application is given to you in order that your respective representatives may be present at the plugging and filling of said well. You are further notified that whether you are represented or not the operator will proceed to plug and fill said well in the manner required by Section 24, Article 6, Chapter 22 of the Code and given in detail on obverse side of this application.

NOTE: If you wish this well to be plugged according to 22-6-24(d) then as per Regulation 35CSR4-13.9 you must complete and return to this office on form OB-16 "Request by Coal Operator, Owner, or Lessee for plugging" prior to the issuance of this plugging permit.

| Received Office of Oil and Gas

SEP 0 7 2023

# 

### SURFACE OWNER WAIVER

Operator's Well Number

Alice	Ferrell 4	ļ	

# INSTRUCTIONS TO SURFACE OWNERS NAMED ON PAGE WW4-A

The well operator named on page WW-4A is applying for a permit from the State to plug and abandon a well. (Note: If the surface tract is owned by more than three persons, then these materials were served on you because your name appeared on the Sheriff's tax ticket on the land or because you actually occupy the surface tract. In either case, you may be the only owner who will actually receive these materials.) See Chapter 22 of the West Virginia Code. Well work permits are valid for 24 months. If you do not own any interest in the surface tract, please forward these materials to the true owner immediately if you know who it is. Also, please notify the well operator and the Office of Oil and Gas.

# NOTE: YOU ARE NOT REQUIRED TO FILE ANY COMMENT. WHERE TO FILE COMMENTS AND OBTAIN ADDITIONAL INFORMATION:

Chief, Office of Oil and Gas
Department of Environmental Protection
601 57th St. SE
Charleston, WV 25304
(304) 926-0450

RECEIVED
Office of Oil and Gas

SEP 0 7 2023

WV Department of Environmental Protection

Time Limits and methods for filing comments. The law requires these materials to be served on or before the date the operator files his Application. You have FIVE (5) DAYS after the filing date to file your comments. Comments must be filed in person or received in the mail by the Chief's office by the time stated above. You may call the Chief's office to be sure of the date. Check with your postmaster to ensure adequate delivery time or to arrange special expedited handling. If you have been contacted by the well operator and you have signed a "voluntary statement of no objection" to the planned work described in these materials, then the permit may be issued at any time.

Comments must be in writing. Your comments must include your name, address and telephone number, the well operator's name and well number and the approximate location of the proposed well site including district and county from the application. You may add other documents, such as sketches, maps or photographs to support your comments.

The Chief has the power to deny or condition a well work permit based on comments on the following grounds:

- 1) The proposed well work will constitute a hazard to the safety of persons.
- 2) The soil erosion and sediment control plan is not adequate or effective;
- 3) Damage would occur to publicly owned lands or resources;
- 4) The proposed well work fails to protect fresh water sources or supplies;
- 5) The applicant has committed a substantial violation of a previous permit or a substantial violation of one or more of the rules promulgated under Chapter 22, and has failed to abate or seek review of the violation...".

If you want a copy of the permit as it is issued or a copy of the order denying the permit, you should request a copy from the Chief.

## **VOLUNTARY STATEMENT OF NO OBJECTION**

I hereby state that I have read the instructions to surface owners and that I have received copies of a Notice and Application For A Permit To Plug And Abandon on Forms WW-4A and WW-4B, and a survey plat.

I further state that I have objection to a permit being issued or		he planned work	described in these materials, and I have no
FOR EXECUTION BY A NATURAL ETC.			FOR EXECUTION BY A CORPORATION,
	Date	Name	
Signature		Ву	
		- Its	Date

Signature 09/29 2523



August 15, 2023

Jeffrey Smith 4 Wick Ln. Cross Lanes, WV 25313

Mr. Smith

Please find enclosed a Permit Application to plug API# 47-043-00923, in Lincoln County, WV.

If you have any questions, comments, or if you require additional information, please feel free to contact me at 304-590-7707.

Thank You,

Chris Veazey
Chris Veazey

**Permitting Supervisor** 

Diversified Energy Company 414 Summers St. Charleston, WV 25301 (304) 590-7707

Email: cveazey@dgoc.com

RECEIVED
Office of Oil and Gas

SEP 0 7 2023

WV Department of Environmental Protection

# 11/10/2016

# PLUGGING PERMIT CHECKLIST 4704300923

Pluggi	ng Permit	
	WW-4B WW-4B signed by inspector WW-4A	
	SURFACE OWNER WAIVER or PROOF THAT APPLICATION WAS SENTALL	T BY REGISTERED OR CERITFIED
	COAL OWNER/COAL OPERATOR/COAL LESSEE WAIVERS or PROOF BY REGISTERED OR CERTIFIED MAIL WW-9 PAGE 1 (NOTARIZED)	THAT APPLICATION WAS SENT
	WW-9 PAGE 2 with attached drawing of road, location, pit and prop WW-9 GPP PAGE 1 and 2 if well effluent will be land applied	posed area for land application
	RECENT MYLAR PLAT OR WW-7 WELL RECORDS/COMPLETION REPORT	RECEIVED Office of Oil and Gas
	TOPOGRAPHIC MAP OF WELL, SHOWING PIT IF PIT IS USED  MUST HAVE VALID BOND IN OPERATOR'S NAME  CHECK FOR \$100 IF PIT IS USED	SEP 0 7 2023  WV Department of Environmental Protection



Kennedy, James P < james.p.kennedy@wv.gov>

# plugging permits issued 4704300923 04300292 04302363 04302878

1 message

Kennedy, James P < james.p.kennedy@wv.gov>

Thu, Sep 28, 2023 at 11:23 AM

To: Chris Veazey <CVeazey@dgoc.com>, Austin Sutler <asutler@nextlvlenergy.com>, Phyllis Copley <pcopley@dgoc.com>, Jeffrey L Smith <jeffrey.l.smith@wv.gov>, guybrowning@lincolncountywv.org

To whom it may concern, plugging permits have been issued for 4704300923 04300292 04302363 04302878.

James Kennedy

WVDEP OOG

# 4 attachments



**4704302878.pdf** 1320K



**4704300923.pdf** 1321K



**4704300292.pdf** 1251K



**4704302363.pdf** 1362K