

State of West Virginia
Department of Environmental Protection - Office of Oil and Gas
Well Operator's Report of Well Work

RECEIVED

DEC 9 2015

WV GEOLOGICAL SURVEY
MORGANTOWN, WV

API 47-043-03487 County LINCOLN District DUVAL
Quad GRIFFITHSVILLE 7.5' Pad Name MAY, EDNA Field/Pool Name GRIFFITHSVILLE
Farm name COY, RANDALL & PATRICIA Well Number 227
Operator (as registered with the OOG) H.G. ENERGY LLC
Address 5260 DuPONT ROAD City PARKERSBURG State WV Zip 26101

As Drilled location NAD 83/UTM Attach an as-drilled plat, profile view, and deviation survey
Top hole Northing 4,232,192 M Easting 415,862 M
Landing Point of Curve Northing _____ Easting _____
Bottom Hole Northing 4,232,458 M Easting 415,837 M

Elevation (ft) 960' GL Type of Well New Existing Type of Report Interim Final
Permit Type Deviated Horizontal Horizontal 6A Vertical Depth Type Deep Shallow
Type of Operation Convert Deepen Drill Plug Back Redrilling Rework Stimulate
Well Type Brine Disposal CBM Gas Oil Secondary Recovery Solution Mining Storage Other _____
Type of Completion Single Multiple Fluids Produced Brine Gas NGL Oil Other _____
Drilled with Cable Rotary

Drilling Media Surface hole Air Mud Fresh Water Intermediate hole Air Mud Fresh Water Brine
Production hole Air Mud Fresh Water Brine
Mud Type(s) and Additive(s)
N/A

Date permit issued 6/29/15 Date drilling commenced 10/16/15 Date drilling ceased 10/22/15
Date completion activities began 11/4/15 Date completion activities ceased 11/6/15
Verbal plugging (Y/N) N Date permission granted _____ Granted by _____

Please note: Operator is required to submit a plugging application within 5 days of verbal permission to plug

Freshwater depth(s) ft None Open mine(s) (Y/N) depths None
Salt water depth(s) ft 1160' Void(s) encountered (Y/N) depths None
Coal depth(s) ft 584'- 590' Cavern(s) encountered (Y/N) depths None
Is coal being mined in area (Y/N) N

Reviewed by:

API 47-043 - 03487 Farm name COY, RANDALL & PATRICIA Well number 227

CASING STRINGS	Hole Size	Casing Size	Depth	New or Used	Grade wt/ft	Basket Depth(s)	Did cement circulate (Y/N) * Provide details below*
Conductor	12 1/4"	11 5/8"	30'	Used	LS		Sand In
Surface	8 3/4"	7"	645'	New	LS	64'	Y
Coal							
Intermediate 1							
Intermediate 2							
Intermediate 3							
Production	6 1/4"	4 1/2"	2803.9'	New	J-55		Y
Tubing							
Packer type and depth set							

Comment Details Circulated Est. 50 sks to surface on 7" surface cement job. Circulated Est. 35 sks to surface on 4 1/2" cement job.

CEMENT DATA	Class/Type of Cement	Number of Sacks	Slurry wt (ppg)	Yield (ft ³ /sks)	Volume (ft ³)	Cement Top (MD)	WOC (hrs)
Conductor							
Surface	Reg Neat	160	15.6	1.18	189	Surface	8
Coal							
Intermediate 1							
Intermediate 2							
Intermediate 3							
Production	50:50 Pozmix	120/125	13.2/14.2	1.64/1.27	197/186	102'	8
Tubing							

Drillers TD (ft) 2842' Loggers TD (ft) 2838'

Deepest formation penetrated Berea Plug back to (ft) N/A

Plug back procedure N/A

Kick off depth (ft) 650'

Check all wireline logs run caliper density deviated/directional induction
 neutron resistivity gamma ray temperature sonic

Well cored Yes No Conventional Sidewall Were cuttings collected Yes No

DESCRIBE THE CENTRALIZER PLACEMENT USED FOR EACH CASING STRING

20 Centralizers every 88 from bottom on 4 1/2". Centralizer placed mid string on 7"

WAS WELL COMPLETED AS SHOT HOLE Yes No DETAILS

WAS WELL COMPLETED OPEN HOLE? Yes No DETAILS

WERE TRACERS USED Yes No TYPE OF TRACER(S) USED

API 47- 043 - 03487 Farm name COY, RANDALL & PATRICIA Well number 227

PRODUCING FORMATION(S)	DEPTHS	
Berea	2436'- 2458'	TVD 2643'- 2667' MD

Please insert additional pages as applicable.

GAS TEST Build up Drawdown Open Flow OIL TEST Flow Pump

SHUT-IN PRESSURE Surface _____ psi Bottom Hole _____ psi DURATION OF TEST _____ hrs

OPEN FLOW Gas _____ mcfpd Oil _____ bpd NGL _____ bpd Water _____ bpd
GAS MEASURED BY Estimated Orifice Pilot

LITHOLOGY/ FORMATION	TOP DEPTH IN FT NAME TVD	BOTTOM DEPTH IN FT TVD	TOP DEPTH IN FT MD	BOTTOM DEPTH IN FT MD	DESCRIBE ROCK TYPE AND RECORD QUANTITY AND TYPE OF FLUID (FRESHWATER, BRINE, OIL, GAS, H ₂ S, ETC)
Sand/Shale	0	584	0	584	
Pittsburgh Coal	584	590	584	590	
Sand/Shale	590	1726	590	1846	
Big Lime	1726	1918	1846	2183	
Big Injun	1918	2028	2183	2206	
Shale	2028	2416	2206	2622	
Coffee Shale	2416	2436	2622	2643	
Berea	2436	2458	2643	2667	Drilled directional N 4.3° W a distance of 769'
Shale	2458	2625	2667	2842	
TD	2625		2842		

Please insert additional pages as applicable.


Drilling Contractor Decker Drilling
Address 11565 State Route 676 City Vincent State OH Zip 45784

Logging Company Weatherford International
Address 11000 Performance PL City Youngstown State OH Zip 44502

Cementing Company Universal Services
Address 14 Sewer Plant Rd City Buckhannon State WV Zip 26201

Stimulating Company Producers Service Corp.
Address 109 South Graham Street City Zanesville State OH Zip 43701

Please insert additional pages as applicable.

Completed by Roger Heldman Telephone 304-420-1107
Signature  Title Operations Manager Date 12/3/15

Submittal of Hydraulic Fracturing Chemical Disclosure Information Attach copy of FRACFOCUS Registry

