



New Location   
 Drill Deeper   
 Abandonment

Company CUMBERLAND GAS CORP.  
 Address CHARLESTON, W. VA.  
 Farm G. B. CHAPMAN  
 Tract TWO Acres 61.6 Lease No. E-7  
 Well (Farm) No. 2-13 Serial No. BR-13  
 Elevation (Spirit Level) 822'  
 Quadrangle MILTON  
 County LINCOLN District CAROLL  
 Engineer S. V. Haworth  
 Engineer's Registration No. 224  
 File No. \_\_\_\_\_ Drawing No. \_\_\_\_\_  
 Date 9.25.1942 Scale 1" 400'

STATE OF WEST VIRGINIA  
 DEPARTMENT OF MINES  
 OIL AND GAS DIVISION  
 CHARLESTON

WELL LOCATION MAP  
 FILE NO. LIN-206-A

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.  
 - Denotes one inch spaces on border line of original tracing.

"IMPERIAL" TRACING CLOTH  
 K & E CO., N. Y.

206A

Carroll District, Lincoln County, W. Va.

By Blue Ridge Gas Co., Box 336, Charleston, W. Va.

On Middle Fork.

Elevation.....

Surface and minerals owned by G. B. Chapman, R. F. D. No. 1, Box 55,  
Hamlin, W. Va.

Drilling commenced May 28, 1920.

Rock pressure, 590 lbs.

Casing record not given.

Gas well. Abandonment reported to Dept. of Mines (filed Oct. 24, 1939).

Abandoned under permit Lin-.....-A.

Record to RCT from Mrs. Griffith December 1, 1939.

	Top.	Bottom.
Salt Sand	1040	- 1482
Big Lime	1592	- 1762
Big Injun Sand	1777	- 1822
Berea Sand	2296	- 2316
Total depth		2335

STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION

510

WELL RECORD

Permit No. LIN-200-A

Oil or Gas Well Gas  
(Kind)

Company Blue Ridge Gas Company  
Address Box 386, Charleston, W. Va.  
Farm G. B. Chapman Acres \_\_\_\_\_  
Location (waters) Middle Fork  
Well No. our Serial #13 Elev. \_\_\_\_\_  
District Carroll County Lincoln  
The surface of tract is owned in fee by G. B. Chapman  
RFD #1, Box 55 Address Hamlin, W. Va.  
Mineral rights are owned by same  
same Address \_\_\_\_\_  
Drilling commenced \_\_\_\_\_  
Drilling completed 5-28-20  
Date shot \_\_\_\_\_ Depth of shot \_\_\_\_\_  
Open Flow /10ths Water in \_\_\_\_\_ Inch  
/10ths Merc. in \_\_\_\_\_ Inch  
Volume \_\_\_\_\_ Cu. Ft.  
Rock Pressure 500 lbs. \_\_\_\_\_ hrs.  
Oil \_\_\_\_\_ bbls., 1st 24 hrs.  
Fresh water \_\_\_\_\_ feet \_\_\_\_\_ feet  
Salt water \_\_\_\_\_ feet \_\_\_\_\_ feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			
16			Kind of Packer
13			
10			Size of
8 1/4			
6 5/8			Depth set
5 3/16			
3			Perf. top
2			Perf. bottom
Liners Used			Perf. top
			Perf. bottom

CASING CEMENTED \_\_\_\_\_ SIZE \_\_\_\_\_ No. FT. \_\_\_\_\_ Date \_\_\_\_\_  
COAL WAS ENCOUNTERED AT \_\_\_\_\_ FEET \_\_\_\_\_ INCHES  
\_\_\_\_\_ FEET \_\_\_\_\_ INCHES \_\_\_\_\_ FEET \_\_\_\_\_ INCHES  
\_\_\_\_\_ FEET \_\_\_\_\_ INCHES \_\_\_\_\_ FEET \_\_\_\_\_ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil Gas or Water	Depth Found	Remarks
Salt Sand			1040	1482			
Big Lime			1592	1762			
Big Injun Sand			1777	1822			
Berea			2296	2316			
Total depth				2335			

