



No Coal  
 Surface: Paul Thomas  
 Alkol, W.Va.

New Location   
 Drill Deeper   
 Abandonment

JUL - 5 1941

S83W78 Maps 125W - 135W.

Company South Penn Natural Gas Co.  
 Address Parkersburg, W.Va.  
 Farm Richard Woodrum  
 Tract \_\_\_\_\_ Acres 150 Lease No. 71082  
 Well (Farm) No. 4-5-6 Serial No. \_\_\_\_\_  
 Elevation (Spirit Level): 4=927.64; 5=1037.48; 6=1095.87  
 Quadrangle Madison  
 County Lincoln District Union  
 Engineer E.C. Tabler  
 Engineer's Registration No. \_\_\_\_\_  
 File No. \_\_\_\_\_ Drawing No. \_\_\_\_\_  
 Date May 23, 1941 Scale 1" = 800'

STATE OF WEST VIRGINIA  
 DEPARTMENT OF MINES  
 OIL AND GAS DIVISION  
 CHARLESTON

WELL LOCATION MAP  
 FILE NO LIN-253-4-5A

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.

- Denotes one inch spaces on border line of original tracing.

RICHARD WOODRUM TRACT, 4-5-6 (SOUTH PENN NAT. GAS CO. - LIN-253-A, 253-A&255-A)

STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION

WELL RECORD

565  
OIL

Permit No. 255-A

Oil or Gas Well (Kind)

Company: South Penn Natural Gas Company,  
Union Trust Bldg. Parkersburg, W. Va.  
Address: Richard Woodrum 150  
Farm: Sugartree Acres: 150  
Location (waters): 1095.87  
Well No. 6 Union Elev. Lincoln  
District: Paul Thomas  
The surface of tract is owned in fee by: Paul Thomas, ALKOI, W. Va.  
Address: ALKOI, W. Va.  
Mineral rights are owned by: Paul Thomas, ALKOI, W. Va.  
Address: ALKOI, W. Va.  
Drilling commenced: May 27, 1913  
Drilling completed: July 8, 1913  
Date shot: July 10, 1913  
Depth of shot: ---  
Open Flow: /10ths Water in --- Inch  
/10ths Merc. in --- Inch  
Volume: --- Cu. Ft.  
Rock Pressure: 5 lbs. --- hrs.  
Oil: --- bbls., 1st 24 hrs.  
Fresh water: 1270 feet  
Salt water: 77 feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			
16.			Kind of Packer
13.			
10.			Size of
8 3/4	720'		
6 5/8	1915'		Depth set
5 3/16			
3.			Perf. top
2.			Perf. bottom
Liners Used			Perf. top
Cond.	11'		Perf. bottom

CASING CEMENTED --- SIZE --- No. Ft. --- Date ---  
COAL WAS ENCOUNTERED AT 475 FEET 48 INCHES  
--- FEET --- INCHES --- FEET --- INCHES  
--- FEET --- INCHES --- FEET --- INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Sand			11	55			
Slate			55	155			
Sand			155	305			
Slate			305	475			
Coal			475	479			
Slate			479	495			
Sand			495	645			
Slate			645	770			
Sand			770	895			
Slate			895	1215			
Salt Sand			1215	1765			
					Water	1270	Hole full
Slate			1765	1857			
Little Lime			1857	1897			
Pencil Cave			1897	1905			
Big Lime			1905	2080			
Big Injun			2080	2160			
Slate			2160	2220			
Lime Shells			2220	2330			
Slate			2330	2530			
Brown Shale			2530	2553			
Berea Sand			2553	2573			

Total Depth, 2573



