



Company FRICK-REID SUPPLY CORPORATION
 Address SANDYVILLE, WEST VA.
 Farm T.A. & M.A. GRIFFITH
 Tract 1 Acres 160 Lease No. 1-5-8-9-12
 Well (Farm) No. 13-15-16-18 Serial No. _____
 Elevation (Spirit Level) _____
 Quadrangle MADISON
 County LINCOLN District DUVAL
 Engineer E. C. Ewing
 Engineer's Registration No. 309
 File No. _____ Drawing No. _____
 Date 2-16-42 Scale 1"=500'

STATE OF WEST VIRGINIA
 DEPARTMENT OF MINES
 OIL AND GAS DIVISION
 CHARLESTON

WELL LOCATION MAP
 FILE NO. LIN-283-A WELL # 1
LIN-284-A WELL # 9

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.

- Denotes one inch spaces on border line of original tracing.

T.A. & M.A. GRIFFITH NOS. 5, 8, 9, 12, 13, 15, 16 & 18 - FRICK-REID SUPPLY CORP. LIN-283-A & 284-A

Duval District, Lincoln County, W. Va.

By United Fuel Gas Co. (Big Creek Development Co., CWL Rpt.)

283A

Drilling commenced Jan. 8, 1909; completed, Feb. 22, 1909.

Elevation, 755'.

Contractor, United Fuel Drilling Co.

Drillers: S. C. Irvin and C. F. Mosley.

Shot Feb. 26, 1909, with 90 qts.

Examined and approved by E. B. South, Foreman.

	Top.	Bottom.	Thickness.
Slate	15	- 50	35
Sand	50	- 120	70
Lime	120	- 160	40
Slate	160	- 290	130
Sand	290	- 365	75
Shell and sand	365	- 600	235
Sand	600	- 660	60
Slate	660	- 820	160
Salt Sand (water at 865'; hole full, 910')	820	- 1470	650
Slate	1470	- 1510	40
Little Lime	1510	- 1550	40
Pencil Cave	1550	- 1558	8
Big Lime	1558	- 1760	202
Sand	1760	- 1820	60
Slate and shells	1820	- 1900 1950	130
Slate	1950	- 2233	283
Berea Sand (oil)	2233	- 2253	20
Total depth			2257

STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION

587

WELL RECORD

Permit No. 283-A

Oil or Gas Well 011
(KIND)

Company Frick-Reid Supply Corporation
Address Drawer 2481, Tulsa, Okla.
Farm T. A. & M. A. Griffith Acres 160
Location (waters) Porter's Fork, Mud River
Well No. One Elev. 772
District Duval County Lincoln
The surface of tract is owned in fee by J. W. Stickler
Address Yawkey, W. Va.
Mineral rights are owned by Mrs. M. A. Hill and
T. A. Griffith Hrs Address Madison, W. Va.
Drilling commenced January 8, 1909
Drilling completed February 22, 1910.
Date Shot 2-26-1910 From 2233 To 2253
With 90 Qts. Nitro-Glycerine

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			Kind of Packer
16			
13			
10 Wood	15	15	Size of
8 1/4	325	----	
6 5/8	1558	1558	Depth set
5 3/16			
3		2253	Perf. top
2			Perf. bottom
Liners Used			Perf. top
			Perf. bottom

Open Flow /10ths Water in Inch
/10ths Merc. in Inch
Volume Cu. Ft.
Rock Pressure lbs. hrs.
Oil bbls., 1st 24 hrs.
Fresh water feet feet
Salt water feet feet

CASING CEMENTED SIZE No. Ft. Date
COAL WAS ENCOUNTERED AT FEET INCHES
..... FEET INCHES FEET INCHES
..... FEET INCHES FEET INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Soil			0	15			
Slate			15	50			
Sand			50	120			
Lime			120	160			
Slate			160	290			
Sand			290	365			
Shells & Sand			365	600			
Sand			600	660			
Slate			660	820			
Salt Sand			820	1470	Salt Water	865	Hole Full Salt Water at 910
Slate			1470	1510			
Little Lime			1510	1550			
Pencil Cave			1550	1558			
Big Lime			1558	1760			
Sand			1760	1820			
Slate & Shells			1820	1950			
Slate			1950	2233			
Berea Sand			2233	2253			
Bottom of hole			2257				