


Hubball Guyan Coal Co.

Stake (call of Beech & Birch)  
(N22E-16' from rock marked 'X')



W.G. STOFFLER ET AL  
coal not operated

J. R. Branch.

1.07 W  
2.65

MAR - 9 1942

New Location  
Drill Deeper  
Abandonment X

Company	UNITED FUEL GAS CO.
Address	CHARLESTON, W. VA.
Farm	W. G. STOFFLER ET AL
Tract	Acres 140 Lease No. 24621
Well (Farm) No.	1 Serial No. 2147
Elevation (Spirit Level)	614.0
Quadrangle	MIDKIFF
County	LINCOLN District SHERIDAN
Engineer	<i>A. Cunningham</i>
Engineer's Registration No.	659
File No.	30-49 Drawing No.
Date	FEB. 27, 1942 Scale 1" = 660'

STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION  
CHARLESTON

WELL LOCATION MAP  
FILE NO. LIN-285-A

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.  
- Denotes one inch spaces on border line of original tracing

W.G. STOFFLER ET AL, No. 1 (2147) - UNITED FUEL GAS CO., - LIN-285-A

STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION

601

WELL RECORD

Permit No. 285-A

Oil or Gas Well Gas  
(KIND)

Company UNITED FUEL GAS COMPANY  
Address Box 1256, Charleston, West Virginia  
Farm W. G. Stoffler et al Acres 140  
Location (waters) Stonecoal Br. of Guyan Rive  
Well No. 2147 Elev. 614  
District Sheridan County Lincoln  
The surface of tract is owned in fee by \_\_\_\_\_  
Address \_\_\_\_\_  
Mineral rights are owned by Rosetta Stoffler, et al  
Address Pottsville, Pa.  
Drilling commenced \_\_\_\_\_  
Drilling completed July 29, 1909  
Date Shot 7-29-09 From \_\_\_\_\_ To \_\_\_\_\_  
With 45 qts.

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			Kind of Packer
16			
13			
10	19	19	Size of
8 1/2	179	179	
6 5/8	1075	1075	Depth set
5 3/16			
3			Perf. top
2		1403	Perf. bottom
Liners Used			Perf. top
			Perf. bottom

Open Flow \_\_\_\_\_ /10ths Water in \_\_\_\_\_ Inch  
\_\_\_\_\_ /10ths Merc. in \_\_\_\_\_ Inch  
Volume 1,000,000 Cu. Ft.  
Rock Pressure \_\_\_\_\_ lbs. \_\_\_\_\_ hrs.  
Oil \_\_\_\_\_ bbls., 1st 24 hrs.  
Fresh water \_\_\_\_\_ feet \_\_\_\_\_ feet  
Salt water \_\_\_\_\_ feet \_\_\_\_\_ feet

CASING CEMENTED \_\_\_\_\_ SIZE \_\_\_\_\_ No. Ft. \_\_\_\_\_ Date \_\_\_\_\_  
COAL WAS ENCOUNTERED AT 145 FEET 36 INCHES  
\_\_\_\_\_ FEET \_\_\_\_\_ INCHES \_\_\_\_\_ FEET \_\_\_\_\_ INCHES  
\_\_\_\_\_ FEET \_\_\_\_\_ INCHES \_\_\_\_\_ FEET \_\_\_\_\_ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Drift			0	19			
Sandstone			19	79			
Slate			79	145			
Coal			145	148			
Sand			148	178			
Slate			178	270			
Slate & Shells			270	500			
Salt Sand			500	731			
Slate			731	750			
Slate&Shells			750	901			
Slate			901	921			
Slate&Shells			921	1005			
Limestone			1005	1013			
Slate&Shells			1013	1075			
Big Lime			1075	1308			
Red Rock			1308	1320			
Big Injun			1320	1370			
Slate			1370	1373			
Total Depth				1403			

