



New Location   
 Drill Deeper   
 Abandonment

JUN 16 1942

Company Frick-Reid Corporation  
 Address Sandyville West Virginia  
 Farm Edna J. May  
 Tract \_\_\_\_\_ Acres 7.5 Lease No. \_\_\_\_\_  
 Well (Farm) No. 4 Serial No. \_\_\_\_\_  
 Elevation (Spirit Level) 839  
 Quadrangle Madison  
 County Lincoln District Duval  
 Engineer A. K. Westfall  
 Engineer's Registration No. Co. Surveyor, Ritchie Co.  
 File No. \_\_\_\_\_ Drawing No. \_\_\_\_\_  
 Date May 20 1942 Scale 1" = 10 Poles

STATE OF WEST VIRGINIA  
 DEPARTMENT OF MINES  
 OIL AND GAS DIVISION  
 CHARLESTON

WELL LOCATION MAP  
 FILE NO. LIN-305-A

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.  
 - Denotes one inch spaces on border line of original tracing.

EDNA J. MAY NO. 4 - FRICK-REID SUPPLY CORP. - LIN-305-A

Duval District, Lincoln County, W. Va.  
 By United Fuel Gas Co. (Ohio Fuel Oil Co., CWL Rpt.)  
 Elevation, 845'.  
 Griffithsville field.  
 Drilling completed Sept. 9, 1908.  
 Cost per foot, \$1.25.  
 Contractor, United Fuel Drilling Co.  
 Drillers: Tom Laughton, R. D. Dilley and Ed Brooks.  
 Shot Sept. 9, 1908, with 60 qts.  
 1st day's production, 40 bbls.  
 Tubing, 2351'. Rods, 2320'.

305A

	Top.	Bottom.	Thickness.
Coal		375	
Big Dunkard Sand		710	
Gas Sand		825	
Salt Sand (water)		1000	
Pencil Cave		1610	
Berea Sand (oil)		2316 - 2341 $\frac{1}{2}$	25 $\frac{1}{2}$

STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION

WELL RECORD

6-1

Permit No. 305-A

Oil or Gas Well Oil Well  
(KIND)

Company Frick-Reid Supply Corporation  
Address Draw or 2431, Tulsa, Okla.  
Farm E. J. May Acres 149  
Location (waters) Bear Fork, Mud River  
Well No. Four Elev. 839  
District Duval County Lincoln  
The surface of tract is owned in fee by J. A. Hale  
Address Lawkey, W. Va.

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			Kind of Packer
16			
13			
10			Size of
8 1/2			
6 5/8	1621	1621	Depth set
5 3/16			
3			Perf. top
2		2340	Perf. bottom
Liners Used			Perf. top
			Perf. bottom

Mineral rights are owned by \_\_\_\_\_  
Address \_\_\_\_\_

Drilling commenced No record  
Drilling completed No record  
Date Shot 9-9-1908 From No record To \_\_\_\_\_  
With 60 qts. Nitro-glycerine

Open Flow \_\_\_\_\_ /10ths Water in \_\_\_\_\_ Inch  
\_\_\_\_\_ /10ths Merc. in \_\_\_\_\_ Inch  
Volume \_\_\_\_\_ Cu. Ft.  
Rock Pressure \_\_\_\_\_ lbs. \_\_\_\_\_ hrs.  
Oil Flowed 40 bbls., 1st 24 hrs.  
Fresh water No record feet \_\_\_\_\_ feet  
Salt water 1000 feet \_\_\_\_\_ feet

CASING CEMENTED \_\_\_\_\_ SIZE \_\_\_\_\_ No. Ft. \_\_\_\_\_ Date \_\_\_\_\_  
COAL WAS ENCOUNTERED AT 375 FEET \_\_\_\_\_ INCHES  
\_\_\_\_\_ FEET \_\_\_\_\_ INCHES \_\_\_\_\_ FEET \_\_\_\_\_ INCHES  
\_\_\_\_\_ FEET \_\_\_\_\_ INCHES \_\_\_\_\_ FEET \_\_\_\_\_ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Coal				375			
Big Dunkard			710				
Gas sand			825				
Salt sand			1000		Salt water	1000	
Pencil cave			1610				
Berea sand			2316	2341			



