

314A

Union District, Lincoln County, W. Va.

By Frick-Reid Supply Corporation, Drawer 2481, Tulsa, Okla.

Abandoned under permit Lin-.....-A.

On 218 acres, on Sugartree Branch of Straight Fork of Mud River.

Elevation, 836' L.

Surface and minerals owned by Gordon Mason et al., Griffithsville, W. Va.

Drilling commenced, no record; completed, Sept. 3, 1908.

Shot Sept. 2, 1908, at 2295-2307', with 60 qts. nitroglycerine.

Oil, 5 bbls., 1st 24 hrs.

10" wood conductor, 16'; 8 $\frac{1}{2}$ " casing, 342'; 6 $\frac{5}{8}$ " casing, 1619'; 2" tubing, 2320';

all left in.

Oil well. Abandonment reported to Dept. of Mines June 15, 1942.

Record to ROT from Mrs. Griffith August 22, 1942. Old File No. 610.

	Top.	Bottom.
Berea Sand	2290	2316
Total depth		2318

(No other record)

MARY MASON NO. 1 (24) WELL.

No. 183 O.F.-Lincoln.
No. L-552 CWL p.....

Duval District, Lincoln County, W. Va.
By United Fuel Gas Co. (Ohio Fuel Oil Co.; CWL Rpt.)
Elevation, 790'.
Griffithsville field.
Completed, Sept. 3, 1908.
Contractor, United Fuel Drilling Co.
Drillers: F. R. Forker and Earl Whitecotton.
Shot Sept. 2, 1908, with 60 qts. Shot, 12' shell, $6\frac{1}{2}$ " from top
of sand. Oil about 10' in sand.
Examined and approved by E. B. South, Foreman.

	Top.	Bottom.	Thickness.
Berea Sand (oil, about 2300')	2290	- 2316	26
Total depth			2318

STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION

610

WELL RECORD

Permit No. LIN-314-A

Oil or Gas Well Oil well
(KIND)

Company Frick-Reid Supply Corporation
 Address Drawer 2481 Tulsa, Okla.
 Farm Mary Mason Acres 218
 Location (waters) Sugartree Br. Str. Pt. and R.
 Well No. One Elev. 836
 District Union County Lincoln
 The surface of tract is owned in fee by Gordon Mason et al
Griffithsville, Address W. Va.
 Mineral rights are owned by Gordon Mason et al
Griffithsville, Address W. Va.
 Drilling commenced No record
 Drilling completed Sept. 3, 1903
 Date Shot 9/2/1903 From 2295 To 2307
 With 60 lbs. Nitro-glycerine

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			Kind of Packer
16			
13			
10 <u>Wood</u>	<u>16</u>	<u>15</u>	Size of
8 1/4	<u>342</u>	<u>342</u>	Depth set
6 5/8	<u>1619</u>	<u>1619</u>	
5 3/16			Perf. top
3		<u>2320</u>	Perf. bottom
2			Perf. top
Liners Used			Perf. bottom

Open Flow /10ths Water in Inch
/10ths Merc. in Inch
 Volume Cu. Ft.
 Rock Pressure lbs. 5 hrs.
 Oil bbls., 1st 24 hrs.
 Fresh water feet
 Salt water feet

CASING CEMENTED SIZE No. Ft. Date

COAL WAS ENCOUNTERED AT FEET INCHES
 FEET INCHES FEET INCHES
 FEET INCHES FEET INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
<u>Berea Sand</u>			<u>2290</u>	<u>2316</u>			
<u>Total depth</u>			<u>2318</u>				
<u>No other record</u>							

