

New Location
 Drill Deeper
 Abandonment

SEP 16 1942

Company Frick-Reid Supply Corporation
 Address Sandyville, West Va.
 Farm Horse Creek Coal & Land Co.
 Tract _____ Acres 115 Lease No. _____
 Well (Farm) No. 3-9-10-12-14 Serial No. _____
 Elevation (Spirit Level) 842-932-1159-1030-1265
 Quadrangle Madison
 County Lincoln District Duval
 Engineer A. K. Westfall
 Engineer's Registration No. Co. Surveyor, Ritchie Co.
 File No. _____ Drawing No. _____
 Date May 23 1942 Scale 1" = 50 Poles

STATE OF WEST VIRGINIA
 DEPARTMENT OF MINES
 OIL AND GAS DIVISION
 CHARLESTON

WELL LOCATION MAP
 LIN-337-A-#3
 FILE NO. LIN-338-A-#9
 LIN-346-#14 LIN-339-A-#10
 LIN-345-A-#12

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.

- Denotes one inch spaces on border line of original tracing.

STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION

640

WELL RECORD

Permit No. 3397

Oil or Gas Well Oil Well
(KIND)

Company Frick-Reid Supply Corporation
Address Drawer 2481, Tulsa, Okla.
Farm Horse Ck. Coal & Land Co Acres 115
Location (waters) Laurel Fk. of Horse Creek
Well No. Ten Elev. 1159
District Duval County Lincoln
The surface of tract is owned in fee by Horse Ck. C&L Co.
Address Charlottesville, Va.

Mineral rights are owned by Same
Address _____
Drilling commenced December 14, 1915
Drilling completed February 18, 1916
Date Shot 2/23/16 From 2589 To 2603
With 60 Qts. Nitro-glycerine


Open Flow /10ths Water in _____ Inch
/10ths Merc. in _____ Inch
Volume _____ Cu. Ft.
Rock Pressure _____ lbs _____ hrs.
Oil _____ 10 bbls., 1st 24 hrs.
Fresh water _____ feet _____ feet
Salt water _____ feet _____ feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			Kind of Packer
16.			
18.		12	
10.			Size of
8 1/4	700	-----	
6 1/2	1919	1919	Depth set
5 3/16			
3.			Perf. top
2.		2602	Perf. bottom
Liners Used			Perf. top
			Perf. bottom

CASING CEMENTED _____ SIZE _____ No. Ft. _____ Date _____

COAL WAS ENCOUNTERED AT 408 FEET _____ INCHES
410 FEET _____ INCHES 460 FEET _____ INCHES
463 FEET _____ INCHES 637-641 FEET _____ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Soil			12	12			
Sand			12	55			
Red rock			55	95			
Sand			95	145			
Slate			145	165			
Sand			165	205			
Slate			205	215			
Sand			215	275			
Slate & shells			275	385			
Sand			385	400			
Slate			400	408			
Coal			408	410			
Slate			410	425			
Sand			425	460			
Coal			460	463			
Sand			463	505			
Slate			505	510			
Sand			510	560			
Slate			560	563			
Sand			563	630			
Slate			630	637			
Coal			637	641			
Slate			641	660			
Sand			660	770			
Slate			770	780			
Sand			780	805			
Slate			805	828			
Line			828	850			
Slate			850	880			
Sand			880	918			
Slate			918	930			
Sand			930	975			
Slate			975	1063			
Sand			1063	1100			
Slate			1100	1133			
Salt sand			1133	1580			
Slate			1580	1597			
Sand			1597	1760			
Slate			1760	1765			
Red rock			1765	1769			



Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Lime			1769	1773			
Red rock			1773	1779			
Slate			1779	1790			
Lime			1790	1795			
Slate & shells			1795	1825			
Red rock			1825	1840			
Slate			1840	1846			
Maxon sand			1846	1855			
Slate			1855	1873			
Little lime			1873	1894			
Pencil cave			1894	1897			
Big lime			1897	2113			
Injun sand			2113	2180			
Slate & shells			2180	2585			
Berea sand			2585	2604	Oil & gas	2590 to 2604	Sand not drilled thru.

Date August 1, 1942

APPROVED Frick-Reid Supply Corporation, Owner

By Joseph M. Adams
(Title) Agent.