

Latitude 38° 15'

Longitude 81° 55'

Scale 1" = 800 Feet



Elevations:

- 8 E.J. May { Floor - 779.11
Ground - 775.81
- 11 E.J. May { 704.85
703.15
- 14 E.J. May { 695.50
693.50
- 15 E.J. May { 780.52
775.92

- Surface: • 8 E.J. May; Aubrey Ryan, Griffithsville, W.Va.
- Surface: • 11 E.J. May; Chas. LeMasters, Griffithsville, Lincoln Co., W.Va.
- Surface: • 14 E.J. May; Curtis Adkins, Griffithsville, Lincoln Co., W.Va.
- Surface: • 15 E.J. May; Frank Morgan Hrs.

Address: Mrs. Frank Morgan, Griffithsville, Lincoln Co., W.Va.

- New Location
- Drill Deeper
- Abandonment

Coal: There is no workable coal.

on 800' map, sheet 125 W S81-82 W76-77

#11	0.95	S
	2.28	W
#14	0.92	S
	2.41	W
#15	0.95	S
	2.31	W
#8	0.76	S
	2.49	W

Company C.R. DeLay
 Address Hamlin W.Va.
 Farm Edna J. May
 Tract Acres 149 Lease No. _____
 Well (Farm) No. 8, 11, 14 & 15 Serial No. _____
 Elevation (Spirit Level) See above on left.
 Quadrangle MADISON
 County Lincoln District Duval
 Engineer Ernest C. Tabler
 Engineer's Registration No. 2005
 File No. _____ Drawing No. _____
 Date Oct. 14th 1948 Scale 1" = 800 Feet

STATE OF WEST VIRGINIA
 DEPARTMENT OF MINES
 OIL AND GAS DIVISION
 CHARLESTON

WELL LOCATION MAP
 LIN-548-A-#11
 FILE NO. LIN-553-A-#14
 LIN-554-A-#15
 LIN-562-A-#8

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.

- Denotes one inch spaces on border line of original tracing.

Linc. 553-A

E. J. MAY NO. 14 (149) WELL.

No. 13 O.F.-Lincoln
Krebs list
No. L-90, CWL Rept.

on plot 548A

Duval District, Lincoln County, W. Va.
The Ohio Fuel Oil Co.
Drilling commenced May 4, 1910, and completed June 18, 1910.
Contractor, Pratt Drilling Co., Charleston, W. Va.
Drillers names, J. H. Thompson and E. O. Taylor.
12" 6" of 6-5/8" screwed up.
Elevation, 695'.
Record taken from Record Book of The Ohio Fuel Oil Co. by
C. E. Krebs, Nov. 13, 1911.

	Top.	Bottom.	Thickness.
Sand	35	- 135	100
Black slate	135	- 200	65
Sand	200	- 290	90
Slate	290	- 400	110
Sand	400	- 460	60
Slate and shells	460	- 700	240
Sand	700	- 780	80
Slate and shells	780	- 850	70
Salt Sand (first water in Salt Sand at 870'; hole full of water at 890')	850	- 1495	645
Pencil Cave	1495	- 1500	5
Big Lime (gas in lime at 1638')	1500	- 1680	180
Big Injun Sand	1680	- 1745	65
Slate and shells (gas in limestone at 1745')	1745	- 2160	415
Brown slate	2160	- 2180 $\frac{1}{2}$	20 $\frac{1}{2}$
Berea Sand (oil)	2180 $\frac{1}{2}$	- 2202 $\frac{1}{2}$	22

E. J. MAY NO. 14 (149) WELL.

Duval District, Lincoln County, W. Va.
 By South Penn Natural Gas Co., Parkersburg, W. Va.
 Abandoned under permit Lin-.....-A?
 On.....acres.
 Elevation, ' L.
 Drilling commenced May 4, 1910; completed June 12, 1910.
 10" casing, 35'; 6⁵/₈" 1503' (?)
 Oil well. Record to Dept. of Mines stamped.....11, 1948.
 Record to RCT from Mrs. Griffith Jan. 22, 1949. Old File No. 788.

	Top.	Bottom.
Sand	35	- 135
Black slate	135	- 200
Sand	200	- 290
Slate	290	- 400
Sand	400	- 460
Slate and shells	460	- 700
Sand	700	- 780
Slate and shells	780	- 850
Salt Sand (water, 870'; water, 890', hole full)	850	- 1495
Pencil Cave	1495	- 1500
Big Lime (gas, 1638')	1500	- 1680
Big Injun Sand	1680	- 1745
Slate and shells	1745	- 2160
Brown shale	2160	- 2180
Berea Sand	2180	- 2202



STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION

788

WELL RECORD

Permit No. 553-A

Oil or Gas Well _____

(KIND)

Company South Penn Natural Gas Co.
Address Parkersburg, W. Va.
Farm E. J. May Acres _____
Location (waters) _____
Well No. 14-149 Elev. 644
District Duval County Lincoln
The surface of tract is owned in fee by _____
Address _____
Mineral rights are owned by _____
Address _____
Drilling commenced May 4, 1910
Drilling completed June 18, 1910
Date Shot _____ From _____ To _____
With _____
Open Flow _____ /10ths Water in _____ Inch
_____ /10ths Merc. in _____ Inch
Volume _____ Cu. Ft.
Rock Pressure _____ lbs. _____ hrs.
Oil _____ bbls., 1st 24 hrs.
Fresh water _____ feet _____ feet
Salt water _____ feet _____ feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			Kind of Packer
16			
18			
10		35'	Size of
8 1/4			
6 5/8	<i>all</i>	1503 1/2"	Depth set
5 3/16			
3			Perf. top
2			Perf. bottom
Liners Used			Perf. top
			Perf. bottom

CASING CEMENTED	SIZE	No. Ft.	Date
COAL WAS ENCOUNTERED AT _____ FEET _____ INCHES			

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Sand			35	135			
Black Slate			135	200			
Sand			200	290			
Slate			290	400			
Sand			400	460			
Slate & Shells			460	700			
Sand			700	780			
Slate & Shells			780	850	Water 870 Hole Full 890		
Salt Sand			850	1495			
Pencil Cave			1495	1500			
Big Lime			1500	1680	Gas 1638		
Big Injun			1680	1745			
Slate & Shells			1745	2160			
Brown Shale			2160	2180			
Berea			2180	2202			

