



#18	2.18 S	3.64 W
#19	2.32 S	3.77 W
#25	2.56 S	3.88 W
#28	2.40 S	4.00 W
#20	2.48 S	3.82 W

- New Location
- Drill Deeper
- Abandonment

Company WILHELM DRILLING CO.
 Address HAMLIN, W. VA.
 Farm GUYAN OIL CO. & AS NOTED
 Tract _____ Acres 345 Lease No. _____
 Well (Farm) No. _____ Serial No. _____
 Elevation (Spirit Level) AS NOTED
 Quadrangle MADISON
 County LINCOLN District DUVAL & UNION
 Engineer G. B. Ewing
 Engineer's Registration No. 309
 File No. _____ Drawing No. _____
 Date 11-20-48 Scale 1"=600'

STATE OF WEST VIRGINIA
 DEPARTMENT OF MINES
 OIL AND GAS DIVISION
 CHARLESTON

WELL LOCATION MAP
 FILE NO. LIN-650-A-#18
LIN-651-A-#19
LIN-706-A-#20 LIN-652-A-#25
LIN-653-A-#28
 + Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.
 - Denotes one inch spaces on border line of original tracing.

J. M. EGNOR NO. 25 WELL.

No. 2430113 O.F.-Lincoln.
No. L-541 CWL p.....

Duval District, Lincoln County, W. Va.

652A

By Guyan Oil Co.

Elevation, 1058' L.

Record of Guyan Oil Co. Well No. 25, Lincoln Land Association,
on property of J. M. EGNOR.

Copied from record books of Columbia Elec. & Gas Co., by C. E.
Krebs, Feb. 22, 1912.

Well completed March 11, 1909.

50-bbl. oil well.

	Top.	Bottom.
Coal	620	- 624
Salt Sand	1125	- 1765
Little Lime	1802	- 1833
Pencil Cave	1833	- 1841
Big Lime	1841	- 2030
Big Injun Sand	2030	- 2060
Berea Sand (oil; 50 bbls.)	2522	- 2545
Total depth		2547



STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION

1086

WELL RECORD

Permit No. 6577A Oil or Gas Well _____ (KIND)

Company Wilhelm Drilling Company
 Address Hanlin, West Virginia
 Farm Guyon Oil Co. (J. M. Ignor) Acres 549
 Location (waters) Sugar Tree
 Well No. 25 Elev. 1028'
 District Duval County Lincoln
 The surface of tract is owned in fee by _____
 Address _____
 Mineral rights are owned by _____
 Address _____
 Drilling commenced _____
 Drilling completed _____
 Date Shot _____ From _____ To _____
 With _____

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			Kind of Packer
16			
13			Size of
10			
8 1/4			Depth set
6 5/8	<u>104612'</u>	<u>104612'</u>	
5 3/16			Perf. top
3			Perf. bottom
2	<u>2500</u>	<u>2500'</u>	Perf. top
Liners Used			Perf. bottom

Open Flow _____ /10ths Water in _____ Inch
 _____ /10ths Merc. in _____ Inch
 Volume _____ Cu. Ft.
 Rock Pressure _____ lbs. _____ hrs.
 Oil _____ bbls., 1st 24 hrs.
 Fresh water _____ feet _____ feet
 Salt water _____ feet _____ feet

CASING CEMENTED _____ SIZE _____ No. Ft. _____ Date _____

COAL WAS ENCOUNTERED AT _____ FEET _____ INCHES
 _____ FEET _____ INCHES _____ FEET _____ INCHES
 _____ FEET _____ INCHES _____ FEET _____ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Fresh water			010	2 bailers			
Coal			620	624			
Gas Sand			--	--			
Salt Sand			1125	1765	hole full water	1170'	
Little Lime			1808	1833			
Pencil Cave			1833	1841			
Big Lime			1841	2030			
Big Injan			2030	2060	small gas		
Berea Sand			2522	2545			
Top of pay oil			2522	2545			
			1081'	1/2 bbl			

F.D. (from tubing) 2588 (?)

