

HORSE CREEK LAND & MINING CO. NO. 63 WELL.

66DA

Duval District, Lincoln County, W. Va.

By United Fuel Gas Co., Box 1273, Charleston, 25, W. Va.

Abandoned under permit Lin-.....-A?

On 11,327 acres, on Porter Fork.

Elevation, 1180' L.

Minerals owned by Horse Creek Land & Mining Co., 1510 Kanawha Valley Bldg., Charleston, W. Va.

Drilling commenced Aug. 12, 1916; completed Sept. 30, 1916.

Shot Nov. 18, 1916, at 2557-2569', with 60 qts.

Oil, 6 bbls., 1st 24 hrs.

6⁵/₈" casing, 1902'; 2" tubing, 2552'; all left in.

Coal was encountered at 425-428, 495-500, 555-560, and 670-675'.

Oil well. Abandonment reported to Dept. of Mines March 21, 1949.

Record to RCT from Mrs. Griffith Aug. 10, 1949. Old File No. 970.

	Top.	Bottom.
Slate, sand	0	425
Coal	425	428
Slate, shells	428	495
Coal	495	500
Sand	500	555
Coal	555	560
Slate, sand	560	670
Coal	670	675
Slate, shells	675	1187
Salt Sand	1187	1737
Slate, shells	1737	1823
Maxton Sand	1823	1830
Slate	1830	1845
Little Lime	1845	1875
Pencil Cave	1875	1883
Big Lime	1883	2080
Big Injun Sand	2080	2130
Slate, shells	2130	2537
Brown shale	2537	2555
Berea Sand	2555	2574
Total depth		2575



Completed No. Inspection
970

STATE OF WEST VIRGINIA
 DEPARTMENT OF MINES
 OIL AND GAS DIVISION

WELL RECORD
 ABANDONMENT

Oil or Gas Well Oil
 (KIND)

Permit No. 660-A

Company United Fuel Gas Company
 Address P. O. Box 1273, Charleston 25, W. Va.
 Farm Horse Creek Land & Mining Co. Acres 11,327
 Location (waters) Porter Fork
 Well No. 63 Elev. 1180
 District Duval County Lincoln
 The surface of tract is owned in fee by _____
 Address _____
 Mineral rights are owned by Horse Cr. L. & M. Co.
1510 Kan. Valley Bldg. Address Chas., W. Va.
 Drilling commenced 8-12-16
 Drilling completed 9-30-16
 Date Shot 11-18-16 From 2557 To 2569
 With 60 Quarts
 Open Flow _____ /10ths Water in _____ Inch
 _____ /10ths Merc. in _____ Inch
 Volume _____ Cu. Ft.
 Rock Pressure _____ lbs. _____ hrs.
 Oil 6 bbls., 1st 24 hrs.
 Fresh water _____ feet _____ feet
 Salt water _____ feet _____ feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			Kind of Packer
16			
13			
10			Size of
8 1/4			
6 5/8	<u>1902'</u>	<u>1902'</u>	Depth set
5 3/16			
3			Perf. top
<u>2 Tubing</u>		<u>2552'</u>	Perf. bottom
Liners Used			Perf. top
			Perf. bottom

CASING CEMENTED _____ SIZE _____ No. Ft. _____ Date _____

COAL WAS ENCOUNTERED AT 425 FEET 36 INCHES
495 FEET 60 INCHES 555 FEET 60 INCHES
670 FEET 60 INCHES FEET INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Slate Sand			0	425			
Coal			425	428			
Slate Shells			428	495			
Coal			495	500			
Sand			500	555			
Coal			555	560			
Slate Sand			560	670			
Coal			670	675			
Slate Shells			675	1187			
Salt Sand			1187	1737			
Slate Shells			1737	1823			
Maxon			1823	1830			
Slate			1830	1845			
Little Lime			1845	1875			
Pencil Cave			1875	1883			
Big Lime			1883	2080			
Big Injun			2080	2130			
Slate Shells			2130	2537			
Brown Shale			2537	2555			
Berea			2555	2574			
Total Depth				2575'			



