

HORSE CREEK LAND & MINING CO. NO. 54 WELL.

Duval District, Lincoln County, W. Va.

By United Fuel Gas Co., Box 1273, Charleston, 25, W. Va.

Abandoned under permit Lin-.....-A?

On 11,327 acres, on Porter Fork.

Elevation, 1041' L.

Minerals owned by Horse Creek Land & Mining Co., 1510 Kanawha Valley Bldg.,
Charleston, W. Va.

Drilling commenced May 24, 1916; completed June 28, 1916.

Shot June 27, 1916, at 2403-2415', with 60 qts.

Oil, 17 bbls., 1st 24 hrs.

6 $\frac{5}{8}$ " casing, 1741'; 2" tubing, 2421'; all left in.

Coal was encountered at 150-153 and 480-485'.

Oil well. Abandonment reported to Dept. of Mines March 23, 1949.

Record to RCT from Mrs. Griffith July 10, 1949. Old File No. 906.

	Top.	Bottom.
Clay	0	16
Slate	16	150
Coal	150	153
Sand	153	265
Slate	265	480
Coal	480	485
Slate	485	540
Sand	540	875
Slate and shells	875	965
Salt Sand	965	1578
Red rock	1578	1662
Maxton Sand	1662	1684
Little Lime	1684	1715
Pencil Cave	1715	1721
Big Lime	1721	1921
Big Injun Sand	1921	1991
Slate and shells	1991	2401
Berea Grit (oil, 2403-2407')	2401	2421
Total depth		2421

667A



906

STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION

WELL RECORD
ABANDONMENT

Oil or Gas Well Oil
(KIND)

Permit No. Ab 667-A

Company United Fuel Gas Company
Address P.O. Box 1273, Charleston 25, W. Va.
Farm Horse Creek Land & Mining Co. 11,327
Location (waters) Porter Fork
Well No. 54 Elev. 1041
District Duval County Lincoln
The surface of tract is owned in fee by _____
Address _____

Mineral rights are owned by Horse Creek L. & M. Co.
1510 Kan. Valley Bldg. Address Charleston, W. Va.

Drilling commenced 5-24-16
Drilling completed 6-28-16
Date Shot 6-27-16 From 2403 To 2415
With 60 Quarts

Open Flow _____ /10ths Water in _____ Inch
_____ /10ths Merc. in _____ Inch
Volume _____ Cu. Ft.
Rock Pressure _____ lbs. _____ hrs.
Oil 17 _____ bbls., 1st 24 hrs.
Fresh water _____ feet _____ feet
Salt water _____ feet _____ feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			Kind of Packer
16			
13			Size of
10			
8 1/4			Depth set
6 5/8	<u>1741</u>	<u>1741</u>	
5 3/16			Perf. top
3			Perf. bottom
<u>2 Tubing</u>		<u>2421</u>	Perf. top
Liners Used			Perf. bottom

CASING CEMENTED _____ SIZE _____ No. Ft. _____ Date _____
COAL WAS ENCOUNTERED AT 150 FEET 36 INCHES
480 FEET 60 INCHES FEET INCHES
FEET INCHES FEET INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Clay			0	16			
Slate			16	150			
Coal			150	153			
Sand			153	265			
Slate			265	480			
Coal			480	485			
Slate			485	540			
Sand			540	875			
Slate & Shells			875	965			
Salt Sand			965	1578			
Red Rock			1578	1662			
Maxon Sand			1662	1684			
Little Lime			1684	1715			
Pencil Cave			1715	1721			
Big Lime			1721	1921			
Big Injun			1921	1991			
Slate & Shells			1991	2401			
Berea Grit			2401	2421	<u>Oil</u>	<u>2403-2407</u>	
Total Depth				<u>2421'</u>			



