

5,60 S
1,30 W

New Location ☐
Drill Deeper ☐
Abandonment ☒

Company G. S. & H. SUPPLY CO.
Address TULSA, OKLA.
Farm M.V. LAWSON
Tract _____ Acres 30 Lease No. _____
Well (Farm) No. 2 Serial No. _____
Elevation (Spirit Level) 973.52
Quadrangle SAINT ALBANS
County LINCOLN District DUVAL
Engineer L. F. Dye SW
Engineer's Registration No. 804
File No. _____ Drawing No. _____
Date 1-24-49 Scale 1" = 500'

STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION
CHARLESTON

WELL LOCATION MAP

FILE NO. LIN - 711-A

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.

— Denotes one inch spaces on border line of original tracing.

"IMPERIAL" TRACING CLOTH
K & E CO., N. Y.

M. V. LAWSON NO. 2 WELL.

711A

Duval District, Lincoln County, W. Va.
By G. S. H. Supply Co., Box 895, Tulsa, Okla.
Abandoned under permit Lin-.....-A?
On 30 acres.
Elevation, 973.52' L.
Shot Apr. 7, 1912, with 90 qts.
$6\frac{5}{8}$" casing, 1779'; $5\frac{3}{16}$", 1814'; 2" tubing, 2459'; all left in.
Oil well. Record to Dept. of Mines stamped April 20, 1949.
Record to RCT from Mrs. Griffith Aug. 10, 1949. Old File No. 975.

	Top.	Bottom.
Salt Sand	1144 -	1684
Maxton Sand	1685 -	1728
Little Lime	1730 -	1759
Pencil Cave	1758 -	1762
Big Lime	1762 -	1945
Big Injun Sand	1945 -	2000
Brown shale	2422 -	2447
Berea Sand	2447 -	2467
Total depth		2467

OG-10

975

STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION

WELL RECORD

Permit No. Ab 71-A

Oil or Gas Well X (KIND)

Company G.S.H. SUPPLY CO.
Address Box 895, Tulsa, Okla.
Farm M. V. Lawson Acres 30
Location (waters)
Well No. 2 Elev. 973.52
District Duval County Lincoln
The surface of tract is owned in fee by
Address
Mineral rights are owned by
Address
Drilling commenced
Drilling completed
Date Shot 4-7-12 From To
With 90 qts.
Open Flow /10ths Water in Inch
/10ths Merc. in Inch
Volume Cu. Ft.
Rock Pressure lbs. hrs.
Oil bbls., 1st 24 hrs.
Fresh water feet feet
Salt water feet feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			
16			Kind of Packer
13			
10			Size of
8¼			
6⅝		1779	Depth set
5 3/16		1814	
3			Perf. top
2		2459	Perf. bottom
Liners Used			Perf. top
			Perf. bottom

CASING CEMENTED SIZE No. Ft. Date

COAL WAS ENCOUNTERED AT FEET INCHES
FEET INCHES FEET INCHES
FEET INCHES FEET INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Salt sand			1144	1684			
Maxon Sand			1685	1728			
Little lime			1730	1758			
Pencil cave			1758	1762			
Big lime			1762	1945			
Big Injun			1945	2000			
Brown shale			2422	2447			
Berea sand			2447	2467			

APR 1949
WEST VIRGINIA
DEPARTMENT OF MINES

(Over)

AUG 10 1949