



Company W. VA. PIPE PROJECT  
 Address P. O. Box 2452, TULSA, OKLA.  
 Farm HESTER A. HAGER HRS.  
 Tract \_\_\_\_\_ Acres 103 Lease No. \_\_\_\_\_  
 Well (Farm) No. 1,3,4,5,6,8 Serial No. \_\_\_\_\_  
 Elevation (Spirit Level) SEE ABOVE  
 Quadrangle MADISON  
 County LINCOLN District DUVAL  
 Engineer PAUL E. JOACHIM  
 Engineer's Registration No. 669  
 File No. 42-44-49 Drawing No. \_\_\_\_\_  
 Date JUNE 4, 1949 Scale 1" = 400'

STATE OF WEST VIRGINIA  
 DEPARTMENT OF MINES  
 OIL AND GAS DIVISION  
 CHARLESTON

**WELL LOCATION MAP**

FILE NO. LIN-695-A-#3  
LIN-725-A-#6 LIN-699-A-#1  
LIN-723-A-#4  
LIN-726-A-#8 LIN-724-A-#5

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.

- Denotes one inch spaces on border line of original tracing.

HAGER HEIRS NO. 8 WELL.

on plot  
695-A

726A

Duval District, Lincoln County, W. Va.  
By W. Va. Pipe Project, Box 2452, Tulsa, Okla.  
Abandoned under permit Lin-.....-A?  
On 103 acres.  
Elevation, 952.25' L.  
Drilling completed June 1909.  
Shot, 1-8-09 and 12-4-12, at 2413-2433', with 80 and 30 qts.  
6 $\frac{5}{8}$ " casing, 1737'; 2" tubing, 2431'; all left in.  
Oil well. Abandonment reported to Dept. of Mines April 30, 1949.  
Record to RCT from Mrs. Griffith July 10, 1949. Old File No. 901.

	Top.	Bottom.
Coal	390	395
Coal	475	479
Salt Sand	1030	1630
Big Lime	1725	1900
Berea Sand	2418	2440
Total depth		2440



901

STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION

WELL RECORD

Permit No. Ab 726-A *or plot 695A*

Oil or Gas Well Oil  
(KIND)

Company West Virginia Pipe Project  
Address Box 2452, Tulsa, Oklahoma  
Farm Hager Heirs Acres 103  
Location (waters) \_\_\_\_\_  
Well No. 8 Elev. 952.25  
District Duval County Lincoln  
The surface of tract is owned in fee by \_\_\_\_\_  
Address \_\_\_\_\_  
Mineral rights are owned by \_\_\_\_\_  
Address \_\_\_\_\_

Drilling commenced \_\_\_\_\_  
Drilling completed June, 1909  
Date Shot 1-8-09 and 12-4-12 From 2413 To 2433  
With 80 and 30 qts.

Open Flow \_\_\_\_\_ /10ths Water in \_\_\_\_\_ Inch  
\_\_\_\_\_ /10ths Merc. in \_\_\_\_\_ Inch  
Volume \_\_\_\_\_ Cu. Ft.  
Rock Pressure \_\_\_\_\_ lbs. \_\_\_\_\_ hrs.  
Oil \_\_\_\_\_ bbls., 1st 24 hrs.  
Fresh water \_\_\_\_\_ feet \_\_\_\_\_ feet  
Salt water \_\_\_\_\_ feet \_\_\_\_\_ feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			Kind of Packer
16			
13			
10			Size of
8 1/4			
6 5/8		<u>1737</u>	Depth set
5 3/16			
3			Perf. top
2		<u>2431 C</u>	Perf. bottom
Liners Used			Perf. top
			Perf. bottom

CASING CEMENTED \_\_\_\_\_ SIZE \_\_\_\_\_ No. Ft. \_\_\_\_\_ Date \_\_\_\_\_  
COAL WAS ENCOUNTERED AT \_\_\_\_\_ FEET \_\_\_\_\_ INCHES  
\_\_\_\_\_ FEET \_\_\_\_\_ INCHES \_\_\_\_\_ FEET \_\_\_\_\_ INCHES  
\_\_\_\_\_ FEET \_\_\_\_\_ INCHES \_\_\_\_\_ FEET \_\_\_\_\_ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Coal			390	395	(C)		
Coal			475	479			
Salt Sand			1030	1630			
Big Lims			1725	1900			
Berea			2418	2440			

