



Company G. S. H. SUPPLY CO.  
 Address TULSA, OKLA.  
 Farm MASON TACKETT  
 Tract \_\_\_\_\_ Acres 71 Lease No. \_\_\_\_\_  
 Well (Farm) No. 5-3-5-7-8 Serial No. \_\_\_\_\_  
 Elevation (Spirit Level) 5FE ABOVE  
 Quadrangle MADISON  
 County LINCOLN District DUVAL  
 Engineer L. F. Dye  
 Engineer's Registration No. 804  
 File No. \_\_\_\_\_ Drawing No. \_\_\_\_\_  
 Date 3-31-49 Scale 1" = 500'

STATE OF WEST VIRGINIA  
 DEPARTMENT OF MINES  
 OIL AND GAS DIVISION  
 CHARLESTON

**WELL LOCATION MAP**  
 LIN - 719-A - #7  
 FILE NO. LIN - 728-A - #8  
 LIN - 731-A - #3  
 LIN - 738-A - #5

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.

- Denotes one inch spaces on border line of original tracing.

MASON & TACKETT NO. 8 WELL.

728A

Orpht  
719A

Duval District, Lincoln County, W. Va.  
By G. S. H. Supply Co., Box 895, Tulsa, Okla.  
Abandoned under permit Lin-.....-A?  
On 71 acres.  
Elevation, 985.05' L.  
Shot Feb. 25, 1916, with 70 qts.  
6 $\frac{5}{8}$ " casing, 1805'; 2" tubing, 2480'; all left in.  
Oil well. Record to Dept. of Mines stamped May 7, 1949.  
Record to RCT from Mrs. Griffith Aug. 10, 1949. Old File No. 978.

	Top.	Bottom.
Salt Sand	1155	- 1764
Little Lime	1764	- 1794
Pencil Cave	1794	- 1800
Big Lime	1800	- 1970
Big Injun Sand	1970	- 2030
Brown shale	2445	- 2466
Berea Sand	2466	- 2486
Total depth		2486



STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION

978

on plat 719A

WELL RECORD

Permit No. Ab 728-A

Oil or Gas Well \_\_\_\_\_ (KIND)

Company G. S. & H. Supply Co.  
Address Box 895, Tulsa, Okla.  
Farm Mason & Tackett Acres 71  
Location (waters) \_\_\_\_\_  
Well No. 8 Elev. 985.05  
District Duval County Lincoln  
The surface of tract is owned in fee by \_\_\_\_\_  
Address \_\_\_\_\_  
Mineral rights are owned by \_\_\_\_\_  
Address \_\_\_\_\_

Drilling commenced \_\_\_\_\_  
Drilling completed \_\_\_\_\_  
Date Shot 2-25-16 From \_\_\_\_\_ To \_\_\_\_\_  
With 70 qts.

Open Flow \_\_\_\_\_ /10ths Water in \_\_\_\_\_ Inch  
\_\_\_\_\_ /10ths Merc. in \_\_\_\_\_ Inch  
Volume \_\_\_\_\_ Cu. Ft.  
Rock Pressure \_\_\_\_\_ lbs. \_\_\_\_\_ hrs.  
Oil \_\_\_\_\_ bbls., 1st 24 hrs.  
Fresh water \_\_\_\_\_ feet \_\_\_\_\_ feet  
Salt water \_\_\_\_\_ feet \_\_\_\_\_ feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			Kind of Packer
16			
13			
10			Size of
8 1/4			
6 5/8		1805	Depth set
5 3/16			
3			Perf. top
2		2480	Perf. bottom
Liners Used			Perf. top
			Perf. bottom

CASING CEMENTED \_\_\_\_\_ SIZE \_\_\_\_\_ No. Ft. \_\_\_\_\_ Date \_\_\_\_\_  
COAL WAS ENCOUNTERED AT \_\_\_\_\_ FEET \_\_\_\_\_ INCHES  
\_\_\_\_\_ FEET \_\_\_\_\_ INCHES FEET \_\_\_\_\_ INCHES  
\_\_\_\_\_ FEET \_\_\_\_\_ INCHES FEET \_\_\_\_\_ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Salt sand			1155	1764			
Little lime			1764	1794			
Pencil cave			1794	1800			
Big lime			1800	1970			
Big Injun			1970	2030			
Brown shale			2445	2466			
Berea			2466	2486			



(Over)

AUG 10 1949