

K & E CO., N. Y.

813A

Duval District, Lincoln County, W. Va.

By West Virginia Pipe Project, Box 2452, Tulsa, Okla.

Abandoned under permit Lin-...-A?

On 11,327 acres.

Elevation, 1029' L.

Drilling completed Jan. 31, 1916;

Shot Feb. 22, 1916, at 2396-2408', with 60 qts.

65 casing, 1753'; 2" UE tubing, 2663'; 1", 1752'.

OWS hook wall pump packer, 2 x 7 x 10, set at 1752'.

Oil well. Record to Dept. of Mines dated July 22, 1949.


Record to RCT from Mrs. Griffith September 14, 1949. Old File No. 1023.

	Top. Bottom.
Salt Sand	955 - 1555
Slate	1555 - 1648
Maxton Sand	1648 - 1656
Slate	1656 - 1676
Little Lime	1676 - 1708
Pencil Cave	1708 - 1714
Big Lime	1714 - 1909
Big Injun Sand	1909 - 1979
Slate	1979 - 2360
Brown shale	2360 - 2395
Berea Sand	2395 - 2416
Total depth	2416
The state of the s	



STATE OF WEST VIRGINIA

DEPARTMENT OF MINES



13 Amplet 810 A OIL AND GAS DIVISION WELL

- 00-10

WELL RECORD

Oil or	Gas Well	Oil (KIND)		
Left in Well		Packers		

Oil

Permit No	1/ 1)					Oil or G	as Well (KIND)
Company	ENGLISHED THE RESIDENCE OF THE PROPERTY OF THE	nia Pipe Proj Tulsa, Oklaho		Casing and Tubing	Used in Drilling	Left in Well	Packers
Address				Iuping	Diming		
		iract	Acres	Size			
Location (waters) Well No. Elev. 1029*			16			Kind of Packer	
			13	HCM (OUT 42 MI)	that we'll	OWS Hook Wall	
District Duve 1 County Lincoln The surface of tract is owned in fee by		The state of the s		tiller i transfer i tr	Pump Size of		
The surface of tr	act is owned in	fee by		81/4	padi . Adding	THE RELEASE	2 x 7 x 10
Address		65%		1753 Depth set			
Mineral rights are owned by Address Drilling commenced					Ser American	1752	
						Perf. top	
Drilling complete	1-51-	-16	Larginet Almbys	2	1. 1. 1. 1. 1. 1. 1.	2663 UE	Perf. bottom
Data Shot	16 From	, 2396 To	2408	Liners Used		AND THE SECOND	Perf. top
With	00 quarts			1 ^m		1752	Perf. bottom
	/10ths Water		Inch				
			Inch	CASING CEME	NTED	SIZE	No. FtDate
			Cu. Ft.				
			hrs.				
			_bbls., 1st 24 hrs.				FEETINCHES
			feet	FEET	INCH	IES	FEETINCHES
Salt water		feet	feet	FEET	INCH	HES	FEETINCHES
Formation	Color	Hard or Soft	Тор	Bottom	Oil, Gas or Water	Depth Found	Remarks
Salt Sand Slate Maxon Slate Little Lime Pencil Cave Big Lime Big Injun Slate Brown Shale Berea			955 1648 1656 1676 1708 1714 1909 1979 2360 2395	1555 1648 1656 1676 1708 1714 1909 1979 2360 2395 2416			
E-CHARLES COM-	Contract		18 8 1 5 1 5 1 5 1 5 1 5 1 5 1 5 1 5 1 5	200 28293031123 200 28293031123			TOTAL PROPERTY.

Formation	Color	Hard or Soft	Тор	Bottom	Oil, Gas or Water	Depth Found	Remarks
		4					
		- 10 mm - 10 m		The same of the same of	agra merikana	in Theorem	
		line Plyaren	riogh				
			Konga di Kabupatèn Y				
			ech de				
ores.							
Sinte from smie	101	0000 0000	23/5 23/60 2005	2569 2055 2016		to have all to be a	
Big Line Big British			1000	1909.		11.50	
fittle Lire			1076 1708	1708 -		A	
			Jece Jece	Jele Jece			
. mit den		Herek Bright	JERRA	TOUR 4			
	Chies		2,65	Vertain	Out of the	Page 1	
AND		fores		THE AND	T PROB	LE LAN	
			The second	est ave s	eronalieren 1	E KER	* MAGRICA
	Some mere			making an	BALLET		A STATE OF THE STA
	O cuarta		The state of the s	Ja		1752	
	1-31-	2006	5400	The state of the s	*	SCCS OF PARTY	Cache Control
			- Trigger	of diseases	The state of the s	71	75
		eggalag				1758	7 × 10
	T.	the same of the sa	Jn .			10 mm	
	22		10201	Marie Control			
Farm. Nor		les, belanc	ll,sey	SAIRK TOTAL			
		in Film Proj	ect	SAME TIME	Designation of the control of the co	and the second	
			METT	HECCHY		Off or Car W	637
			100073300				
	Date						
	APPROVED, Owner						

Ben Novak (Title)

MATHEWS PRINTING AND LITHOGRAPHING CO