

Company G. S. & H. SUPPLY CO.,

Address TULSA, OKLA,

Farm J. A. FOWLER

Tract Acres 69 Lease No.

Well (Farm) No.5 1-2-4 Serial No.

Elevation (Spirit Level) SEE ABOVE

Quadrangle MAD 150N

County LINCOLN District DUVAL

Engineer L. F. Taye

Engineer's Registration No. 801

File No. Drawing No.

Date 2-8-49 Scale 1" = 500'

FILE NO. LIN-950-A-#1
LIN-951-A-#2
LIN-952-A-#4
+ Denotes location of well on United States

- + Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.
- Denotes one inch spaces on border line of original tracing.

Duval District, Lincoln County, W. Va.

By G. S. H. Supply Co., Griffithsville, W. Va.

Abandoned under permit Lin-...-A?

On.....acres.

Elevation,' L.

Drilling dates not given.

65 casing, 1650'; 2" tubing, 2344'.

Oil well. Record to Dept. of Mines not dated or stamped.

Record to RCT from Mrs. Griffith Jan. 16, 1952. Old File No. 1244.


	Top. Bottom.
Salt Sand	920 - 1550
Little Lime	1605 - 1645
Pencil Cave	1645 - 1650
Big Lime	1650 - 1830
Big Injun Sand	1830 - 1950
Brown shale	2311 - 2331
Berea Sand	2331 - 2354
Total depth	2354?



STATE OF WEST VIRGINIA

DEPARTMENT OF MINES

OIL AND GAS DIVISION



Permit No	n-952.	-A	WELL	RECORD		Oil or G	as Well (KIND)
		ly Company e, W. Va.		Casing and Tubing	Used in Drilling	Left in Well	Packers
Location (waters)			Size			Kind of Packer
		CountyLi		13		y 2	
		fee by		10			Size of
		Address		8½ 6%	16501		Depth set
		Address		5 3/16			
Drilling commend	ed			3			Perf. top
				Liners Used	2344.8		Perf. top
		mTo		Differs Osea	TO THE PERSON OF		Perf. bottom
Open Flow	/10ths Water _/10ths Merc.	inin	Inch	CASING CEME	NTED	SIZE	No. Ft. Date
		lbs.					
		108		COAT WAS EN	COUNTERED	AT	FEETINCHES
		feet		FEET	FEETINCHE		
Salt water		feet	feet	FEET	INCH	ES	FEETINCHES
Formation	Color	Hard or Soft	Тор	Bottom	Oil, Gas or Water	Depth Found	Remarks
Salt sand Little lime Pencil cave Big lime Big Injun Brown shale Berea			920 1605 1645 1650 1830 2311 2331	1550 1645 1650 1830 1950 2331 2354			
		DOLE				FORM	