



3.41 W
3.08 R

New Location
 Drill Deeper
 Abandonment

FEB 11 1953

Company G.S.H. SUPPLY CO.
 Address TULSA, OKLA.
 Farm J.M. EGNOR
 Tract _____ Acres 168 Lease No. _____
 Well (Farm) No. 2 Serial No. _____
 Elevation (Spirit Level) 686.02
 Quadrangle MADISON
 County LINCOLN District UNION
 Engineer L.F. EYE
 Engineer's Registration No. 804
 File No. _____ Drawing No. 3
 Date 10-19-50 Scale 1" = 800'

STATE OF WEST VIRGINIA
 DEPARTMENT OF MINES
 OIL AND GAS DIVISION
 CHARLESTON

WELL LOCATION MAP
 FILE NO. LIN-956-A

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.

- Denotes one inch spaces on border line of original tracing.

Duval District, Lincoln County, W. Va.

By G. S. H. Supply Co., Tulsa, Okla.

Abandoned under permit Lin-.....-A?

On.....acres.

Elevation,' L.

Date of completion, etc., not given.

10" casing, 21'; 8 $\frac{1}{4}$ ", 291'; 6 $\frac{5}{8}$ ", 1462'; 5 $\frac{3}{16}$ ", 1512'; 2" tubing, 2156'.

Oil well. Record to Dept. of Mines not dated or stamped.

Record to RCT from Mrs. Griffith June 28, 1951. Old File No. 1193.

	Top.	Bottom.
Sand	30	90
Coal	90	95
Lime and slate	95	255
Coal	255	260
Slate and sand	260	580
Coal	580	583
Slate and shells	583	775
Salt Sand	775	990
Slate and sand	990	1410
Little Lime	1410	1445
Slate and lime	1445	1460
Big Lime	1460	1655
Big Injun Sand	1655	1735
Slate and shells	1735	1815
Squaw Sand	1815	1875
Slate	1875	2135
Berea Sand (oil and gas, 2138-40')	2135	2156
Total depth		2156



STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION

1193

WIN-950-A

WELL RECORD

Oil or Gas Well (KIND)

Permit No. _____
Company G. S. H. Supply Company
Address Tulsa, Oklahoma
Farm J. M. Egnor Acres _____
Location (waters) _____
Well No. 2 Elev. _____
District Duval County Lincoln
The surface of tract is owned in fee by _____
Address _____
Mineral rights are owned by _____
Address _____
Drilling commenced _____
Drilling completed _____
Date Shot _____ From _____ To _____
With _____

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			Kind of Packer
16			
13			
10	21'		Size of
8 1/4	291'		
6 3/8	1462'		Depth set
5 3/16	1512'		
3			Perf. top
2	2156'		Perf. bottom
Liners Used			Perf. top
			Perf. bottom

Open Flow _____ /10ths Water in _____ Inch
_____ /10ths Merc. in _____ Inch
Volume _____ Cu. Ft.
Rock Pressure _____ lbs. _____ hrs.
Oil _____ bbls., 1st 24 hrs.
Fresh water _____ feet _____ feet
Salt water _____ feet _____ feet

CASING CEMENTED _____ SIZE _____ No. Ft. _____ Date _____
COAL WAS ENCOUNTERED AT _____ FEET _____ INCHES
_____ FEET _____ INCHES _____ FEET _____ INCHES
_____ FEET _____ INCHES _____ FEET _____ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Sand			30	90			
Coal			90	95			
Lime and slate			95	255			
Coal			255	260			
Slate and sand			260	580			
Coal			580	583			
Slate and shells			583	775			
Salt sand			775	990			
Slate and sand			990	1410			
Little lime			1410	1445			
Slate and lime			1445	1460			
Big lime			1460	1655			
Big Injun			1655	1735			
Slate and shells			1735	1815			
Squaw			1815	1875			
Slate			1875	2135			
Berea sand			2135	2156			
Oil and gas			2138	2140			
Total Depth				2156			

(Over)

JUN 28 1951