



E. G. GRIFFITH NO. 7 WELL.

1010A

Duval District, Lincoln County, W. Va.  
By G. S. H. Supply Co., SE. A. Record, Griffithsville, W. Va.  
Abandoned under permit Lin-.....-A?  
On.....acres.  
Elevation, .....! L.  
Date of completion, etc., not given.  
8 $\frac{1}{4}$ " casing, 280'; 6 $\frac{5}{8}$ ", 1598'; 5 $\frac{7}{16}$ ", 291'; 2" tubing, 2289'.  
Oil well. Record to Dept. of Mines not dated or stamped.  
Record to RCT from Mrs. Griffith June 28, 1951. Old File No. 1194.

	Top.	Bottom.
Coal	290 -	295
Coal	340 -	345
Salt Sand	895 -	1510
Little Lime	1565 -	1595
Big Lime	1600 -	1785
Big Injun Sand	1785 -	1865
Squaw Sand	1920 -	1960
Berea Grit	2275 -	2299
Total depth		2299



STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION

11914

WELL RECORD

Permit No. LN-1010-A

Oil or Gas Well \_\_\_\_\_ (KIND)

Company G. S. H. Supply Company  
Address c/o E. A. Record, Griffithsville, W. Va.  
Farm E. G. Griffith Acres \_\_\_\_\_  
Location (waters) \_\_\_\_\_  
Well No. No. 7 Elev. \_\_\_\_\_  
District Duval County Lincoln  
The surface of tract is owned in fee by \_\_\_\_\_  
Address \_\_\_\_\_  
Mineral rights are owned by \_\_\_\_\_  
Address \_\_\_\_\_

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			Kind of Packer
16			
18			
10			Size of
8 1/4	280 ft.		
6 3/8	1598 "		Depth set
5 3/16	291 "		
3			Perf. top
2	2289		Perf. bottom
Liners Used			Perf. top
			Perf. bottom

Drilling commenced \_\_\_\_\_  
Drilling completed \_\_\_\_\_  
Date Shot \_\_\_\_\_ From \_\_\_\_\_ To \_\_\_\_\_  
With \_\_\_\_\_  
Open Flow /10ths Water in \_\_\_\_\_ Inch  
/10ths Merc. in \_\_\_\_\_ Inch  
Volume \_\_\_\_\_ Cu. Ft.  
Rock Pressure \_\_\_\_\_ lbs. \_\_\_\_\_ hrs.  
Oil \_\_\_\_\_ bbls., 1st 24 hrs.  
Fresh water \_\_\_\_\_ feet \_\_\_\_\_ feet  
Salt water \_\_\_\_\_ feet \_\_\_\_\_ feet

CASING CEMENTED \_\_\_\_\_ SIZE \_\_\_\_\_ No. Ft. \_\_\_\_\_ Date \_\_\_\_\_  
COAL WAS ENCOUNTERED AT \_\_\_\_\_ FEET \_\_\_\_\_ INCHES  
\_\_\_\_\_ FEET \_\_\_\_\_ INCHES FEET \_\_\_\_\_ INCHES  
\_\_\_\_\_ FEET \_\_\_\_\_ INCHES FEET \_\_\_\_\_ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Coal			290	295			
Coal			340	345			
Salt Sand			895	1510			
Little Lime			1565	1595			
Big Lime			1600	1785			
Big Injun			1785	1865			
Squaw Sand			1920	1960			
Berea Grit			2275	2299			

1595

1598  
1761  
- 163  
1605