

Address CHARLESTON, WYA

Farm UNITED FUEL GAS CO.MINERAL

Tract 7 Acres 1,923 Lease No.

Well (Farm) No. Serial No. 2053

Elevation (Spirit Level) 588.

Quadrangle MIDKIFF

County LINCOLN District SHERIDAN

Engineer

Engineer's Registration No. GG2

File No. 30-49 Drawing No.

Date JULY 29,1951 Scale 1'-400'

## WELL LOCATION MAP

FILE NO. LIN 1012-A

- ◆ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, flatitude and longitude lines being represented by border lines as shown.
- Denotes one inch spaces on border line of original tracing.

V. F. G. 6. (Min Tr.7) Ja, 7053

U, F, G, Co,

LNY-1012-A

1012A

Sheridan District, Lincoln County, W. Va.

By United Fuel Gas Co., Box 1273, Charleston, 25, W. Va.

Abandoned under permit Lin-...-A?

On 11923.69 acres, on Guyandot River.

Elevation, 588' L.

Minerals owned by United Fuel Gas Co., Box 1273, Charleston, 25, W. Va.

Drilling completed (to 1281'?) April 12, 1909.

Drilled deeper (to 1331') but date not given.

Volume, 2,777,000 cu. ft.

Rock pressure, 590 lbs.

10" casing, 42'; 8½", 84'; 6½", 1020'; 2" tubing, 1281'.

Packer set at 1181'. Packer set 150' from bottom of hole.

Originally C. G. & E. Co. No. 53; sold to United Fuel Gas Co.

Gas well. Record to Dept. of Mines dated March 9, 1951.
Record to RCT from Mrs. Griffith June 28, 1951. Old File No. 1204.

Salt Sand	942	Bottom.
Big Lime		- 1244
Big Injun Sand (gas in Injun Sand, pay 11:)		- 1281
Total depth		1281
DRILLED DEEPER:		
Big Injun Sand		- 1304
Slate		- 1331
Total depth		1331

April 1, 1927.



## STATE OF WEST VIRGINIA

## DEPARTMENT OF MINES

OIL AND GAS DIVISION

Oil or Gas Well

Permit No. C(1/-1012-A

## WELL RECORD

Address P.O. Box 1273, Charleston 25, W. Va. Farm Usf. G. Co. Mineral Tract #7 Acres 11923.69  Elev. 588 L  District Sheridan County Lincoln  The surface of tract is owned in fee by.  Address  Mineral rights are owned by United Fuel Gas Company  P.O. Box 1273 Address Charleston 25, W. Va. 53/16  Drilling commenced Not given  Drilling completed 4-12-09  Date Shot.  From To.  Liners Used Perf. bottom  Open Flow /10ths Water in Not given  Volume 2.0777 M Cu. Ft.  Rock Pressure.  590 bs. not shown hrs.  Coll.  bbls., 1st 24 hrs.  Fresh water feet feet feet feet FEET INCHES FEET  Formation Color Hard or Soft Top Bottom Oil, Gas or Water Found Re  Originally C. G. & E. Co. #53, Sold to United Fuel Gas Co. April 1, 1927.  Balt Sand  Big Lime  Injun  Total Repth  DELLIED DEEPER - GRIGINAL DEFTH 1281*  Packer set bottom of Gas in Injun  Total Repth  DELLIED DEEPER - GRIGINAL DEFTH 1281*	ddress P.O.Box 1		-> L/CILIL/11	are the same and t			(KIND)
Address P.O. Box 1273, Charleston 25, W. Va.  Farm Usf. Co. Kineral Tract #7 Acres 11923.69  Location (waters) Guyan River  Well No. 2053  Elev. 588 L  16.  Rind of Pack  Not. give  The surface of tract is owned in fee by  Address 844  Address 844  Address 844  Drilling commenced Not. given  P.O. Box 1273  Address Charle ton 25, W. Va. 5 3/16  Drilling completed 4-12-09  Date Shot. From To. Liners Used Perf. bottom  United Fuel Casing Cemented Perf. bottom  Volume 2.777 K  Con. Ft.  Rock Pressure 590  Ibs. not. shown hrs.  Fresh water feet feet feet feet FEET INCHES FEET  Formation Color Hard or Soft  Top Bottom Oil, Gas  Originally C. G. & E. Co. #53, Sold to United Fuel Gas Co. April 1, 1927.  Salt Sand  Big Lime  Injun  Total Depth Packer set  Dottom Oil, Gas  Originally C. G. & E. Co. #53, Sold to United Fuel Gas Co. April 1, 1927.  Packer set  Dottom Officer set  Dotto		uel Gas Company		Cocing and	Used in	Left in	
Location (waters) Guyan River  Well No. 2053 Elev. 586 L 16 Kind of Pack District Sheridan County Lincoln 18	11 13 72 7	273. Charleston	25, W. Va.				Packers
Location (waters) GUVAN KIVET  Well No. 2053  Elev 588 L 18.	arm Uefede COs	dineral Tract #7	Acres 11923.69	)			
Well No. 2025 Elev 268 Elev 26					keya-a-popologia		TZ: 3 CT: 3
The surface of tract is owned in fee by Address Size of Address Size of Address Size of Size of Size of Size of Address Size of Size o							Kind of Packer
Address Address Size Switch in State 1 Switch Size Size Size Size Size Size Size Size	istrict <u>Sheridan</u>	CountyL1	ncoln			10	
Address Charle ton 25, va. 58/16  Problem 1273 Address Charle ton 25, va. 58/16  Drilling commenced Not given 3  Drilling commenced Not given 3  Drilling completed 4-12-09  Date Shot. From To Liners Used Perf. top  With Open Flow /10ths Water in Not given Inch	he surface of tract is o	vned in fee by	galler i de la companya de la compa	energy and the following states of the energy			Size of
P.O. Box 1273  Address Charleston 25, va. 53/16  Drilling commenced Not given  Drilling completed 4-12-09  Date Shot From To Liners Used Perf. top  With  Dopen Flow /10ths Water in Not given Inch  /10ths Merc. in Inch  /10ths Merc. in Inch  /2.777 M Cu. Ft.  Rock Pressure 590    bbs. not shown   hrs.  Oil   bbls., 1st 24 hrs.  Fresh water feet feet feet FEET INCHES FEET  Formation Color Hard or Soft Top Bottom Oil, Gas Depth Re  Originally C. G. & E. Co. #53, Sold to United Fuel Gas Co. April 1, 1927.  Salt Sand Big Lime   1259   1231    Injun Total Depth   1259   1231    DRILLED DEEPER - ORIGINAL DEPTH 1281*  Packer set bottom of Gas in Injun Sand Slate   1304   1331		1604			7	1	7121
Drilling commenced Not given Drilling completed 4-12-09 Date Shot From To Liners Used Perf. top Date Shot From To Liners Used Perf. top With Open Flow /10ths Water in Not given Inch Not given Inch Volume 2.7777 M Cu.Ft. Rock Pressure 590 Ibs. not shown hrs. Dil bbls., 1st 24 hrs. Fresh water feet feet feet FEET INCHES FEET  Formation Color Hard or Soft Top Bottom Oil, Gas or Water Found Re Originally C. G. & E. Co. #53, Sold to United Fuel Cas Co. April 1, 1927.  Salt Sand Big Lime Injum Total Depth DETILED DEEPER - ORIGINAL DEPTH 1281* Injum Sand Slate 1304 1331  Perf. top Perf. bottom Perf. top Pe					2.02.0		Depth set
Drilling completed 4-12-09 Date Shot From To Liners Used Perf. top Date Shot From To Liners Used Perf. top With  Open Flow /10ths Water in Not given Inch /10ths Merc. in Inch Ze.777 M Cu. Ft. Sock Pressure 590 Dbs. not shown hrs. Dil Dbls., 1st 24 hrs. Fresh water feet feet feet FEET INCHES FEET Salt water feet feet feet FEET INCHES FEET  Formation Color Hard or Soft Top Bottom Oil, Gas or Water  Originally C. G. & E. Co. #53, Sold to United Fuel Gas Co. April 1, 1927.  Salt Sand Big Lime Injun Total Depth  DETILIED DEEPER - ORIGINAL DEFTH 1281* Injun Sand Slate  1304 1304 1331  Perf. bottom Perf. top Perf. bottom Perf. top Perf.							Perf. top
Date Shot From To Liners Used Perf. top With  Open Flow /10ths Water in Not given Inch /10ths Merc. in Inch Rock Pressure 590 lbs. not shown hrs. Oil bbls., 1st 24 hrs. Fresh water feet feet feet FEET INCHES FEET Salt water feet feet FEET INCHES FEET Formation Color Hard or Soft Top Bottom Oil, Gas or Water Found Re Originally C. G. & E. Co. #53, Sold to United Fuel Gas Co. April 1, 1927.  Salt Sand Big Lime Injun Total Bepth DERILED DEEPER - ORIGINAL DEPTH 1281* Injun Sand Slate 1304 1331  Packer set bottom of Gas in Injun Slate	_					1281	Perf. bottom
With Open Flow /10ths Water in Not given Inch //10ths Merc. in Inch Rock Pressure 590 Ibs. not shown hrs. Oil bbls., 1st 24 hrs. Fresh water feet feet feet FEET INCHES FEET Salt water feet feet feet FEET INCHES FEET Formation Color Hard or Soft Top Bottom Oil, Gas or Water Found Re Originally C. G. & E. Co. #53, Sold to United Fuel Gas Co. April 1, 1927.  Salt Sand Big Lime Injun Total Depth DETILED DEEPER - ORIGINAL DEPTH 1281* Injun Sand Slate 1304 1331  Perf. bottom.  Perf. bott							Perf. top
Open Flow /10ths Water in Not given Inch /10ths Merc, in Inch Rock Pressure 590 lbs. not shown hrs.  Oil bbls., 1st 24 hrs. Feet feet feet feet feet feet FEET INCHES FEET  Formation Color Hard or Soft Top Bottom Oil, Gas or Water Found Recorded Big Lime Injun Total Depth DENDER - ORIGINAL DEPTH 1281*  DRILLED DENDER - ORIGINAL DEPTH 1281*  Injun Sand Slate 1304 1331  Packer set bottom of Gas in Injun packers and sales and		rromi		Dillers Osca			Perf. bottom
/10ths Merc. in		Water in Not E	LVG1 Inch				
Volume 2.777 M Cu. Ft. Rock Pressure 590 lbs. not shown hrs. Oil bbls., 1st 24 hrs. Fresh water feet feet feet FEET INCHES FEET  Salt water feet feet FEET INCHES FEET  Formation Color Hard or Soft Top Bottom Oil, Gas or Water Found Re  Originally C. G. & E. Co. #53, Sold to United Fuel Gas Co. April 1, 1927.  Salt Sand Big Lime 1259 1224 1231  DRILLED DEEPER - OR IGINAL DEPTH 1281  Injun Sand Slate 1304 1331  Packer set bottom of Gas in Inju pa	-	\$\$.	38	P. Committee of the Com	ENTED	SIZE	_No. FtDate
Rock Pressure 590    bbs.   not   shown   hrs.     Dil	and the second s	19.00					
Fresh water feet feet feet FEET INCHES FEET  Salt water feet feet feet FEET INCHES FEET  Formation Color Hard or Soft Top Bottom Oil, Gas or Water Found Re  Originally C. G. & E. Co. #53, Sold to United Fuel Gas Co. April 1, 1927.  Salt Sand Big Lime 1259 1261  Injum Total Depth  DRILLED DEEPER - ORIGINAL DEPTH 1281*  Injum Sand Slate 1304 1331  Packer set bottom of Gas in Inju pa	EOA	lbs. not	shown hrs.	-			
Formation Color Hard or Soft Top Bottom Oil, Gas or Water FEET  Originally C. G. & E. Co. #53, Sold to United Fuel Gas Co. April 1, 1927.  Salt Sand Big Lime Injun 1259 1281  DRILLED DEEPER - ORIGINAL DEPTH 1281*  DRILLED DEEPER - ORIGINAL DEPTH 1281*  Injun Sand Slate 1304 1331	il		bbls., 1st 24 hrs.	COAL WAS E	NCOUNTEREI	) AT	FEETINCHES
Formation Color Hard or Soft Top Bottom Oil, Gas or Water Found Re  Originally C. G. & E. Co. #53, Sold to United Fuel Gas Co. April 1, 1927.  Salt Sand Big Lime 1259 1244 Injun Total Depth 1281  DRILLED DEEPER - ORIGINAL DEPTH 1281  Packer set bottom of Gas in Injun Slate 1304 1331	resh water	feet	feet	FEE	rINC	HES	_FEETINCHES
Originally C. G. & E. Co. #53, Sold to United Fuel Gas Co. April 1, 1927.  Salt Sand Big Lime Injun Total Depth  DRILLED DEEPER - ORIGINAL DEPTH 1281  Injun Sand Slate  Total 1304  1304  1331  Total Depth  DRILLED DEEPER - ORIGINAL DEPTH 1281	ılt water	feet	feet	FEE	TINC	HES	_FEETINCHES
Originally C. G. & E. Co. #53, Sold to United Fuel Gas Co. April 1, 1927.  Salt Sand Big Lime Injun Total Depth  DRILLED DEEPER - ORIGINAL DEPTH 1281  Injun Sand Slate  Soft  Found  or Water Found	T (* C.	Hard or		77 . 4.4	Oil, Gas	Depth	Remarks
Salt Sand Big Lime Injun Total Depth  DRILLED DEEPER - ORIGINAL DEPTH 1281  Injun Sand Slate  1304 1331  Packer set bottom of Gas in Inju pa	Formation Co	or Soft	1.0b	Rottom	or Water	Found	I I I I I I I I I I I I I I I I I I I
	Salt Sand Big Lime Injun Total Depth  DRILLED DEEPER Injun Sand Slate		470 991 1259 H 1281	830 1244 1281 1281 1304 1331		F	Packer set 150° from bottom of hole. Has in Injun sand - pay 11°
MAH 1951			11111117775X				

(Over) UN 2 8 1951

	Formation	Color	Hard or Soft	Тор	Bottom	Oil, Gas or Water	Depth Found	Remarks
		# * .						
								The second secon
	9			`				
	•		oppowers and the second					
	34 Table	wa i		a sana ili ili a Calana ili sana ili a Sana ili s	at an igno			
			The special section of					in entered to the control of the con
			ALLEGATION OF THE PROPERTY OF					
					,			. 21
				- Andrews - Andr				The state of the s
							January	
						1447		
				rivosassassas revieridos	Program Program			
						of the control of the		
		entaling and the second of the				1 2		
	et i jaron kan							
				**		1.		
			W. C.			i		New Action
								Acceptance of the second control of the seco
	*							
		* 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	The Market				-	
		ALASAN U		The constant of the constant o				
							THE STATE OF THE S	
							n na sanggaran sa	
	14 (1 3 4 7 1 1 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	.1		energy with the first of the	. 80			
			· 1					
				1				.1
					<u></u>	1	d c	
		i	1					
		1	er envise.					
		Potential and a second			eman Signatura			
the contract of the contract	THAREON (In this election seems of the second decondrations and compared any or unbown			1		<u>I</u>	<u> </u>	The state of the s

MATHEMS PRINTING AND LITHOGRAPHING CO

	Date		Lrch	9,	***	, 19 <u>52</u> _
APPROVED	UNITED	则正	GAS	GOMPAM)	Ĭ.	Owne
Bv.		1/	W.	Do	dep	, ,
	G	hief	Lngi	(Title) .ne <b>er</b>	R	