

5, P. BELL MS. 13,4.6.8-210 - G. S. G. H. JUFRY CO, - LIN-1057 \$ 1062-A

0594

Duval District, Lincoln County, W. Va.

By G. S. & H. Supply Co., Griffithsville, W. Va.

Abandoned under permit Lin-...-A?

On 110 acres, On Porters Fork.

Elevation, 4. 900 TOPO

Drilling completed June 25, 1910.

Shot June 25, 1910, with 90 qtsl, and June 11, 1912, with 210 qts.

65" casing, 1750'; 2" tubing, 2436'; all left in.

Oil well. Record to Dept. of Mines stamped Aug. 7, 1951.

Record to RCT from Mrs. Griffith Jan. 16, 1952. Old File No. 1238.

	Top.	Bottom.
Salt Sand	1,005	- 1645
Little Line	1695	- 1730
Pencil Cave	1730	- 1740
Big Lime	1740	- 1930
Big Injun Sand	1930	_ 2000
Brown shale	2402	- 2422
Berea Sand	2422	- 2446
Total depth		2446

Company_

Address_Farm___

Location (waters).



STATE OF WEST VIRGINIA DEPARTMENT OF MINES OIL AND GAS DIVISION

Permit No. 2/N - 1059-A

District County County The surface of tract is owned in fee by

/10ths Water in_

__/10ths Merc. in_

Mineral rights are owned by_

Drilling commenced
Drilling completed

Date Shot

With_____Open Flow

WELL RECORD

Comment of Comments

Colimantine . Ve.

_Address.

Jame 18, 1910

00 000 010 000

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			
16			Kind of Packer
18	1		Size of
8½ 6% 5 3/16	485. crains, class 486		Depth set
3		2450	Perf. top Perf. bottom
Liners Used			Perf. top Perf. bottom
CASING CEMEN	red		No. Ft. Date

		111	Cu. Ft.	CASING CEME	N 1 ED 5121	Z		
Rock Pressure			hrs.					
Oil			bbls., 1st 24 hrs.	COAT THE CHARACTATION OF A TO		FEET	FEET INCHES	
Fresh water		feet	feet	FEET	INCHES	FEET	INCHES	
Salt water		feet	feet	FEET	INCHES	FET_	INCHES	
Formation	Color	Hard or Soft	Тор	Bottom	Oil, Gas or Water	Depth Found	Remarks	
	1130 1370							
			AUG 195 WEST VIRGIN	MINES 67				