

New Location   
 Drill Deeper   
 Abandonment

DEC 26 1953

0.79 W  
 1.83 S

Company	UNITED FUEL GAS CO.
Address	CHARLESTON, W. VA.
Farm	C. F. KEENEY
Tract	Acres 105 Lease No. 27210
Well (Farm) No.	2 Serial No. 3783
Elevation (Spirit Level)	666.9'
Quadrangle	MIDKIFF
County	LINCOLN District UNION
Engineer	Paul E. Baslin
Engineer's Registration No.	669
File No.	40-49 Drawing No.
Date	12-8-53 Scale 1" = 400'

STATE OF WEST VIRGINIA  
 DEPARTMENT OF MINES  
 OIL AND GAS DIVISION  
 CHARLESTON

WELL LOCATION MAP  
 FILE NO. LIN-1097-A

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.

- Denotes one inch spaces on border line of original tracing.



STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION

1378

WELL RECORD

Permit No. 1097-A


Oil or Gas Well  Gas  
(KIND)

Company UNITED FUEL GAS COMPANY  
Address P. O. Box 1273, Charleston 25, W. Va.  
Farm C. F. Keeney Acres 105  
Location (waters) Sycamore Fork  
Well No. 3783 Elev. 666.9'  
District Union County Lincoln  
The surface of tract is owned in fee by \_\_\_\_\_  
Address \_\_\_\_\_  
Mineral rights are owned by Esta Keeney  
Address Griffithsville, W. Va.  
Drilling commenced 9-11-25  
Drilling completed 10-31-25  
Date Shot \_\_\_\_\_ From \_\_\_\_\_ To \_\_\_\_\_  
With \_\_\_\_\_  
Open Flow 60 /10ths Water in \_\_\_\_\_ Inch  
\_\_\_\_\_ /10ths Merc. in \_\_\_\_\_ Inch  
Volume 368,640 Cu. Ft.  
Rock Pressure 150 lbs. \_\_\_\_\_ hrs.  
Oil \_\_\_\_\_ bbls., 1st 24 hrs.  
Fresh water 50' feet \_\_\_\_\_ feet  
Salt water 765' feet \_\_\_\_\_ feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			Kind of Packer _____
16			Anchor
18			Size of <u>6-5/8</u>
10		<u>40'</u>	Depth set <u>555'</u> from bottom of hole
8 1/4	<u>395'</u>		Perf. top _____
6 5/8		<u>1438'</u>	Perf. bottom _____
5 3/16			Perf. top _____
3			Perf. bottom _____
2			
Liners Used			

CASING CEMENTED \_\_\_\_\_ SIZE \_\_\_\_\_ No. Ft. \_\_\_\_\_ Date \_\_\_\_\_  
COAL WAS ENCOUNTERED AT 180 FEET 60 INCHES  
\_\_\_\_\_ FEET \_\_\_\_\_ INCHES FEET \_\_\_\_\_ INCHES  
\_\_\_\_\_ FEET \_\_\_\_\_ INCHES FEET \_\_\_\_\_ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Surface			0	40			
Sand			40	180	Hole full water at 50'		
Coal			180	185			
Sand			185	235			
Slate			235	300			
Sand			300	345			
Slate			345	385			
Sand			385	410			
Slate & Shells			410	760			
Salt Sand			760	1400	Water at 765'		
Little Lime			1400	1430			
Pencil Cave			1430	1438			
Big Lime			1438	1613	Small show gas at 1545'		
Big Injun			1613	1644			
Slate			1644	1665			
Squaw			1665	1675	Small show gas at 1665'		
Slate & Shells			1675	1900			
Slate			1900	2108			
Berea Sand			2108	2134	Gas from 2110 to 2123		
Total depth			2143		Very small showing oil 2133		
					2" perforated pipe 29' from bottom.		
					1-6 5/8 x 2 Stuffing Box C. H.		
					2 2" I.B.D.M Gate Valves, 1 set		
					6 5/8 Anchor clamps, 1 2" Anchor		
					Clamps 2 1x40" Anchor Bolts, 1 2"		
					Tee x 2 2" 6" Nipples.		



(Over)

MAY 10 1954

