

Latitude 8° 20'

Longitude 82° 05'

ELIJAH KINGERY

U.F.G. CO. MIN.

A. B. BARRETT

SWEETLAND LAND CO.

MAHONE

CREEK

Black Oak on Knob

Locust Post in Fence Corner of Pointers

"X" on Flat Rock by Fence

Stake With White Oak Pointer

4906



MAY 9 1955

3.03 W  
2.95 A

New Location...   
Drill Deeper...   
Abandonment...

Company UNITED FUEL GAS CO.  
 Address CHARLESTON, W.VA.  
 Farm A. B. BARRETT  
 Tract \_\_\_\_\_ Acres 158 Lease No. 43358  
 Well (Farm) No. 2 Serial No. 4906  
 Elevation (Spirit Level) 922.0'  
 Quadrangle MILTON  
 County LINCOLN District CARROLL  
 Engineer Robert R. Russell  
 Engineer's Registration No. 2529  
 File No. 34-55 Drawing No. \_\_\_\_\_  
 Date 4-15-55 Scale 1"=660'

STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION  
CHARLESTON

WELL LOCATION MAP  
FILE NO. LIN-1141-R

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.  
- Denotes one inch spaces on border line of original tracing.

A. B. BARRETT NO. 2 (4906) - U. F. G. Co. - LIN-1141-A



STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION

1415

Quadrangle Milton  
Permit No. 1415 A

WELL RECORD

Oil or Gas Well Gas  
(KIND)

Company UNITED FUEL GAS COMPANY  
Address P.O. Box 1273, Charleston 25, W. Va.  
Farm A. B. Barrett Acres 158  
Location (waters) Mahone Creek  
Well No. 4906 Elev. 922'  
District Carroll County Lincoln  
The surface of tract is owned in fee by \_\_\_\_\_  
Address \_\_\_\_\_  
Mineral rights are owned by J. T. Browning  
Address Hamlin, W. Va.  
Drilling commenced 7-23-24  
Drilling completed 9-6-24  
Date Shot 9-2-24 From \_\_\_\_\_ To \_\_\_\_\_  
With 30 qts.  
Open Flow 4 /10ths Water in \_\_\_\_\_ Inch  
2 /10ths Merc. in \_\_\_\_\_ Inch  
Volume 311,000 Cu. Ft.  
Rock Pressure 525 lbs. 48 hrs.  
Oil \_\_\_\_\_ bbls., 1st 24 hrs.  
Fresh water \_\_\_\_\_ feet \_\_\_\_\_ feet  
Salt water \_\_\_\_\_ feet \_\_\_\_\_ feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			
16			Kind of Packer <u>Anchor</u>
13		<u>21'</u>	Size of _____
10			Depth set <u>2001'</u>
8 1/4			Perf. top _____
6 5/8		<u>1776'</u>	Perf. bottom _____
5 3/16			Perf. top _____
3		<u>2256'</u>	Perf. bottom _____
2			
Liners Used			

CASING CEMENTED \_\_\_\_\_ SIZE \_\_\_\_\_ No. Ft. \_\_\_\_\_ Date \_\_\_\_\_

COAL WAS ENCOUNTERED AT \_\_\_\_\_ FEET \_\_\_\_\_ INCHES  
\_\_\_\_\_ FEET \_\_\_\_\_ INCHES \_\_\_\_\_ FEET \_\_\_\_\_ INCHES  
\_\_\_\_\_ FEET \_\_\_\_\_ INCHES \_\_\_\_\_ FEET \_\_\_\_\_ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Red Mud			0	175			
Slate			175	300			
Sand			300	675			
Slate			675	800			
Sand			800	820			
Slate			820	930			
Sand			930	950			
Slate			950	1000			
Salt Sand			1000	1440			
Little Lime			1440	1470			
Pencil Cave			1470	1476			
Big Lime			1476	1551			
Keener Sand			1551	1581			
Injun Sand			1581	1631			
Berea Sand			2227	2246			
Pocket			2246	2256			
Total depth			2256'				



AUG 12 1955

