

Latitude 37° 20'

Longitude 82° 00'

SEATON HALL  
U.F.G.CO. MIN.



Hickory On Ridge

304'

54°E

Stake & Pointers

Stake & Hickory Wit.

528°30'W

157'

540°30'E

321'

H. L. STICKLER

Chestnut Oak  
On Ridge

574°30'W

349'

Stoke On Ridge  
Black Oak Pfr.

560°30'W

356'

521°15'E

510'

6002

P. M. MEGHEE  
U. F. G. CO. MIN.

FLEETE  
BURTON  
U. F. G. CO. MIN.

UNITED FUEL GAS CO. MIN.  
3,223.28 AC

6048

M. C. ROBERTS  
U. F. G. CO. MIN.

- New Location...
- Drill Deeper.....
- Abandonment.....

OCT 3 1955

3.81 W  
1/4 R

Company UNITED FUEL GAS CO.  
 Address CHARLESTON, W. VA.  
 Farm UNITED FUEL GAS CO. MIN.  
 Tract 9 Acres 3,223.28 Lease No. No Ref.  
 Well (Farm) No. \_\_\_\_\_ Serial No. 6002  
 Elevation (Spirit Level) 950.0'  
 Quadrangle MILTON  
 County LINCOLN District CARROLL  
 Engineer Seibert R. Russell  
 Engineer's Registration No. 2529  
 File No. 38-55 Drawing No. \_\_\_\_\_  
 Date 9-14-55 Scale 1"=400'

STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION  
CHARLESTON

WELL LOCATION MAP  
FILE NO. LIN-1204-A

+ Denotes location of well on United States  
Topographic Maps, scale 1 to 62,500, lat-  
itude and longitude lines being represented  
by border lines as shown.

- Denotes one inch spaces on border line  
of original tracing.



STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION

1185

Quadrangle Milton  
Permit No. 1185

WELL RECORD

Oil or Gas Well Gas  
(KIND)

Company UNITED FUEL GAS CO.  
Address P.O. Box 1273, Charleston 25, W. Va.  
Farm U.F.G.Co. Min. Tr. #9 Acres 3,223.28  
Location (waters) Hatters Run  
Well No. 6002 Elev. 950'  
District Carroll County Lincoln  
The surface of tract is owned in fee by \_\_\_\_\_  
Address \_\_\_\_\_  
Mineral rights are owned by United Fuel Gas Co.  
Address Charleston, W. Va.  
Drilling commenced 2-14-17  
Drilling completed 4-23-17  
Date Shot 4-21-17 From \_\_\_\_\_ To \_\_\_\_\_  
With 80 qt.  
Open Flow \_\_\_\_\_ /10ths Water in \_\_\_\_\_ Inch  
\_\_\_\_\_ /10ths Merc. in \_\_\_\_\_ Inch  
Volume 1,360,800 Cu. Ft.  
Rock Pressure \_\_\_\_\_ lbs. \_\_\_\_\_ hrs.  
Oil \_\_\_\_\_ bbls., 1st 24 hrs.  
Fresh water \_\_\_\_\_ feet \_\_\_\_\_ feet  
Salt water \_\_\_\_\_ feet \_\_\_\_\_ feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			Kind of Packer
16			
18			
10		21'	Size of
8 1/4		225'	
6 5/8		1734'	Depth set
5 3/16			
3		174'	Perf. top
2		2023'	Perf. bottom
Liners Used			Perf. top
			Perf. bottom

CASING CEMENTED \_\_\_\_\_ SIZE \_\_\_\_\_ No. Ft. \_\_\_\_\_ Date \_\_\_\_\_  
COAL WAS ENCOUNTERED AT \_\_\_\_\_ FEET \_\_\_\_\_ INCHES  
\_\_\_\_\_ FEET \_\_\_\_\_ INCHES FEET \_\_\_\_\_ INCHES  
\_\_\_\_\_ FEET \_\_\_\_\_ INCHES FEET \_\_\_\_\_ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Surface - Gravel			0		Gas from Berea		
Clay			1	20			
Slate			20	160			
Sand			160	200			
Slate			200	320			
Sand			320	415			
Slate			415	445			
Sand			445	640			
Slate			640	700			
Little Dunkard			700	810			
Slate			810	845			
Big Dunkard			845	900			
Slate			900	930			
Gas Sand			930	960			
Slate			960	970			
Salt Sand			970	1430			
Little Lime			1430	1439			
Pencil Cave			1439	1442			
Big Lime			1442	1595			
Oil		1600 &	1615	1620			
Big Injun			1695	1730			
Black Slate			1730	2171			
Berea			2171	2191			
Total depth			2197'				

SEP 1955  
RECEIVED  
WEST VIRGINIA  
DEPT. OF MINES  
JAN 23 1956

