


Latitude 38° 20'

Longitude 82° 00'



MAR. 12 1956

- New Location..
- Drill Deeper.....
- Abandonment.....

Company	UNITED FUEL GAS CO.
Address	CHARLESTON, W.VA.
Farm	GEORGIA ROBERTS
Tract	Acres 111 Lease No. 24635
Well (Farm) No.	Serial No. 2350
Elevation (Spirit Level)	1043
Quadrangle	MILTON
County	LINCOLN District CARROLL
Engineer	<i>Paul C. ...</i>
Engineer's Registration No.	669
File No.	38-55 Drawing No.
Date	2-16-56 Scale 1" = 660'

STATE OF WEST VIRGINIA  
 DEPARTMENT OF MINES  
 OIL AND GAS DIVISION  
 CHARLESTON

WELL LOCATION MAP  
 FILE NO. LIN-1221-A

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.

- Denotes one inch spaces on border line of original tracing.



STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION

1444

Quadrangle Milton

WELL RECORD

Permit No. 42127A

Oil or Gas Well Gas

(KIND)

Company UNITED FUEL GAS CO.  
Address P.O. Box 1273, Charleston 25, W. Va.  
Farm Georgia Roberts Acres 100  
Location (waters) Lake Branch  
Well No. 2350 Elev. 1043'  
District Carroll County Lincoln  
The surface of tract is owned in fee by \_\_\_\_\_  
Address \_\_\_\_\_  
Mineral rights are owned by C. N. Hall, et al  
2512 Wash. Avenue Address St. Albans, W.Va.  
Drilling commenced 9-6-19  
Drilling completed 9-29-19  
Date Shot \_\_\_\_\_ From \_\_\_\_\_ To \_\_\_\_\_  
With \_\_\_\_\_


Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			Kind of Packer
16			
13			
10			Size of
8 1/4	310'		
6 1/2		912'	Depth set
5 3/16			
3			Perf. top
2			Perf. bottom
Liners Used			Perf. top
			Perf. bottom

Open Flow \_\_\_\_\_ /10ths Water in \_\_\_\_\_ Inch  
19 /10ths Merc. in 2 Inch  
Volume 678,000 Cu. Ft.  
Rock Pressure \_\_\_\_\_ lbs. \_\_\_\_\_ hrs.  
Oil \_\_\_\_\_ bbls., 1st 24 hrs.  
Fresh water 200' feet \_\_\_\_\_ feet  
Salt water \_\_\_\_\_ feet \_\_\_\_\_ feet

CASING CEMENTED \_\_\_\_\_ SIZE \_\_\_\_\_ No. Ft. \_\_\_\_\_ Date \_\_\_\_\_

COAL WAS ENCOUNTERED AT \_\_\_\_\_ FEET \_\_\_\_\_ INCHES  
\_\_\_\_\_ FEET \_\_\_\_\_ INCHES \_\_\_\_\_ FEET \_\_\_\_\_ INCHES  
\_\_\_\_\_ FEET \_\_\_\_\_ INCHES \_\_\_\_\_ FEET \_\_\_\_\_ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Conductor				14			
Slate			14	40			
Sand			40	55			
Slate			55	75			
Sand			75	150			
Slate			150	240			
Sand			240	360			
Slate			360	375			
Sand			375	400			
Slate			400	510			
Sand			510	600			
Slate			600	630			
Sand			630	660			
Slate			660	740			
Sand			740	800			
Slate			800	830			
Sand			830	860			
Slate & Shells			860	940			
Sand			940	970			
Slate			970	1020			
Sand			1020	1035			
Slate			1035	1040			
Sand			1040	1070			
Slate & Shells			1070	1102			
Salt Sand			1102	1119			
Gas			1104	1115			
Broken Sand - Slate			1146	1152			
Gas			1154	1160			
Total depth			1160'				



JUNE 21 1958





STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION

1200

Quadrangle Milton

**WELL RECORD**  
DRILLED DEEPER

Permit No. 7221-A

Oil or Gas Well Gas  
(KIND)


Company UNITED FUEL GAS COMPANY  
Address P.O. Box 1273, Charleston 25, W. Va.  
Farm Walter Sponaugle (Roberts) Acres 100  
Location (waters) Lake Branch  
Well No. 2350 Elev. 1043'  
District Carroll County Lincoln  
The surface of tract is owned in fee by \_\_\_\_\_  
Address \_\_\_\_\_  
Mineral rights are owned by C. N. Hall, et al  
2512 Washington Ave. Address St. Albans, W. Va.  
Drilling commenced 10-11-21  
Drilling completed 2-6-22  
Date Shot 2-7-22 From 2362 To 2372  
With 20 qts.  
Open Flow \_\_\_\_\_ /10ths Water in \_\_\_\_\_ Inch  
25 /10ths Merc. in 2 Inch  
Volume 778,000 Cu. Ft.  
Rock Pressure 250 lbs. \_\_\_\_\_ hrs.  
Oil \_\_\_\_\_ bbls., 1st 24 hrs.  
Fresh water \_\_\_\_\_ feet \_\_\_\_\_ feet  
Salt water \_\_\_\_\_ feet \_\_\_\_\_ feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			
16			Kind of Packer
13			
10			Size of
8 1/4		<u>310'</u>	
6 5/8		<u>1682'</u>	Depth set
5 3/16		<u>1910'</u>	
3			Perf. top
2		<u>2436'</u>	Perf. bottom
Liners Used			Perf. top
			Perf. bottom

CASING CEMENTED \_\_\_\_\_ SIZE \_\_\_\_\_ No. Ft. \_\_\_\_\_ Date \_\_\_\_\_

COAL WAS ENCOUNTERED AT \_\_\_\_\_ FEET \_\_\_\_\_ INCHES  
\_\_\_\_\_ FEET \_\_\_\_\_ INCHES \_\_\_\_\_ FEET \_\_\_\_\_ INCHES  
\_\_\_\_\_ FEET \_\_\_\_\_ INCHES \_\_\_\_\_ FEET \_\_\_\_\_ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
1st Salt Sand			1160	1275			
Lime			1275	1285			
2nd Salt Sand			1285	1490			
Slate			1490	1510			
Maxon			1510	1615			
Little Lime			1615	1635			
Pencil Cave			1635	1642			
Big Lime			1642	1817			
Big Injun			1820	1850			
Slate			1850	1865			
Squaw			1865	1900			
Slate			1900	1906			
Berea			2361	2380	Gas 2362-2369		
Slate			2380	2402			
Total depth			2402'				



JUNE 21 1955

