

To The Department of Mines, Charleston, W. Va.



STATE OF WEST VIRGINIA

DEPARTMENT OF MINES OIL AND GAS DIVISION

NOTICE OF PROPOSED LOCATION OF OIL AND GAS WELL

COAL OPERATOR OR COAL OWNER	NAME OF WELL OPERATOR
	WEST HAMLIN, W.VA.
ADDRESS	COMPLETE ADDRESS
	NOVEMBER 14TH 1957
COAL OPERATOR OR COAL OWNER	
	PROPOSED LOCATION
ADDRESS	LOGAN District
	10=201
LUTHER MOUNTS	LOGAN County
OWNER OF MINERAL RIGHTS	W-11 N - 4 87 000 E 601 1/9
LOGAN WEST VIRGINIA	
ADDRESS	LUTHER MOUNTS Farm
GENTLEMEN:	
The undersigned well operator is entitled to d	rill upon the above named farm or tract of land for
	may be) under grant or lease dated 12 - SEPT 1957
madel	DY LUTHER MOUNTS to
	, and recorded on the 24 71 day
of SEPTEMBER 1957, in	n the office of the County Clerk for said County in
Book 22, page 449.	
The enclosed plat was prepared by a competent	engineer and shows the proposed location of a well
to be drilled for oil and gas by the undersigned well o and County above named, determined by survey and	perator on the tarm and in the Magisterial District courses and distances from two permanent points, or
land marks.	
The undersigned well operator is informed and	believes there are no coal operators operating beds
of coal beneath said farm or tract of land on which saries of the same, who have mapped their workings	and filed their mans as required by law excepting the
coal operators or coal owners (if any) above named a	s addressees.
The above named coal operators or coal owners (if any) are notified that any objections they may
desire to make to such proposed location, or which the the drilling of a well at said proposed location will cau	y are required to make by Section 3 of said Code, if
coal mines, must be received by, or filed with the Depart	tment of Mines within ten* days from the receipt of
a copy of this notice and accompanying plat by said I	Department. Said coal operators are further notified
that forms for use in making such objections will be on request and that all such objections must set forth a	s definitely as is reasonably possible the ground or
grounds on which such objections are based and indicate	the direction and distance the proposed location should
be moved to overcome same.	
(The next paragraph is to be completed only	
	mailed by registered mail, or delivered to the above
named coal operators or coal owners at their above soor on the same day with the mailing or delivery of	this copy to the Department of Mines at Charleston.
West Virginia.	^
very t	DINGESS DRILLING CO.
10000000000000000000000000000000000000	
EN DOUBLE COST	WELL OPERATOR
Address)	
E NOVINED SI Of	III. & JL
Well Operator)	CITY OR TOWN 09/15/2023
REST OF MINES	11/2 W W/:
Address of Well Operator	West Virginia
*Section 3 If no such objections he filed or he	found by the department of miner within said said
ten days from the receipt of said notice and plat by the dep ment shall forthwith issue to the well operator a drilling p	ariment of mines to gold proposed location the demant
have been made by the coal operator to the location, or	found thereto by the department, and that the same is

MATHEWS PRINTING AND LITHOGRAPHING CO. CHARLESTON, W. VA.

LOG-679 PERMIT NUMBER

ROSCOE DINGESS JR. AC

DINGESS DRILLING CO





STATE OF WAST VIRGINIA

DEPARTMENT OF MINE

NOTICE OF PROPOSED LOCATION OF OIL AND GAS WELL

ROSECE DIMBESS WITH	
CHAGESS PAYLING CO	Charleston, W. Va.
Do Dumpers Conbuig	
ROTALISAD LIVER OF WILL OFFICEROR	DOAL OPERATOR OF COAL CHILD
WEST HANKENS W. VA.	
COMPLETE ADDRESS	ADDRESS
the second of the	
Lear my to Judgette Ally	
	COAL CREATOR OR COAL BURNER
LEGAN . DING	
	Aphicks
CCE1914 County	LETHER MICHIES
23.065	STREET LANGUISM TO REMYO.
Wall No. I River Elect. 218,	LOGAN WEST WIREMIN
LUTTHER MICHITS From	ESPHICIA
III III	Gentlemen:
not break to ment formed ferm or ment of ment for	
may be ander grant or tenso dated 12 - 5677 1957	
DI CUTHER MEDINTS	
and recorded on the set of the	ROSCOE DIMAGSS
	OF SELLEW DEG 122
	Book & Z care 419
engineer and shows the proposed location of a well corrected on the farm and in the Munistrees and districts from two permanent points; or	The enclosed plat was prepared by a competent to be drilled for oil and gue by the undersigned well and County above named, determined by survey and land marks.
as addresses. (if an) i are notified that any objections hasy may by are sequired to make by Section 8 of said Code, if the a dangerous wouldnot in or about their respective conect of Mines white ten days from the receipt of the partnesses, which ten days from the receipt of	of cost beneath and farm or true of hard on which aries of the same, who have mapped their workings could operators or cost operators or cost operators or cost operators or neck to make to the dilling of a well at and previously in the dilling of a well at and previously in the trues at a topy of this notice and accompanying plat by surface that forms for use in making such objections will be on request and that all such objections must sail forth
evode on to be believed in the property of believe	
	named coal operators or coal owners at their above or or or the same day with the mailing or delivery of
wall rouse Traces Access 2 24	
DINGERS MAILCING CO.	
no anale usw	
The state of the s	f seathh in O so
Week Stranley	
NHOT NO VED	09/15/2023
Was the French	

100-679 Property November 1

" 直接到



STATE OF WEST VIRGINIA

DEPARTMENT OF MINES

CHARLESTON

November 18, 1957

LEE M. MORRIS

Mr. Ivan T. Henson, Inspector Oil and Gas Wells 331 Elaine Court Huntington, West Virginia

Dear Mr. Henson:

We are in receipt of application to drill Well No. 1 on Luther Mounts Farm, Logan District, Logan County on Dempsey Branch from Roscoe Dingess, West Hamlin, West Virginia.

Very truly yours,

CRAWFORD L. WILSON

OTI. AND GAS DIVISION

B F Sansan Roscoe Dingus Froman tells mil That they will Have Every thing in order be fore they Stand to Spud or Start the Well



Mr. Ivan T. Henson, Inspector Muntington, West Virginia

Note & Leville

Dear Mr. Hensoh:

He are in receipt of application to drill Well No. 1 on Luther Wounts Farm, Logan District, Logan County on Dempsey Franch from Roscoe Dingess; West Hamilin, West Virginia.

Very truly yours,

Director

November 28, 1957

Dingess Drilling Company c/o Roscoe Dingess Jr., Agent West Hamlin, West Virginia

Gentlemen:

Please find enclosed permit LOG-679 for the drilling of well No. 1 on the Luther Mounts Farm, Logan District, Logan County.

Please post one copy of the permit at the well site.

Very truly yours,

Director
OIL AND GAS DIVISION

RFT/dm encl: cc Mr. Ivan T. Henson, Inspector Oil & Gas Wells 331 Elaine Court Huntington, West Virginia

> Mr. R. G. Tucker, Assistnat State Geologist P. O. Box 879 Morgnaton, West Virginia



STATE OF WEST VIRGINIA DEPARTMENT OF MINES

OIL AND GAS DIVISION

Quadrangle Halden

WELL RECORD

Oil or Gas Well GAS

Permit No. Changed from			Oil or	(KIND)
Company The Mounts Gas Co. (Dingess Gas Co Address Ranger, W. Va.	Casing and Tubing	Used in Drilling	Left in Well	Packers
Farm Luther Mounts Location (waters) Island Creek Well No. 1 Elev. 13	Size			Kind of Packer
District Logan County Logan The surface of tract is owned in fee by Luther Mounts	13 100 10 350		100 350	Upside down Larkin packer. Size of
Address Logan, W. Va. Mineral rights are owned by Luther Mounts	84Pulled 6581600		300	6 5/8 Depth set 1600
Address Logan, W. Va. Drilling commenced December 7, 1957	5 3/16			Perf. top_None
Drilling commenced April 2, 1958 Date Shot 3/25/58 From 33700 To 3600	2 2200 Liners Used		2200	Perf. bottom None Perf. top none
With Dentnite (2358 to 2384 grit)	none none			Perf. bottom none
Open Flow /10ths Water inInch Volume	CASING CEME	ENTED No	SIZE	No. FtDate
Rock Pressure 500 lbs. hrs. Oil bbls., 1st 24 hrs. WELL ACIDIZED Yes, 3000 gallons	COAL WAS EN	COUNTERE	CHES 27	FEET INCHES
WELL FRACTURED NO	FEET			FEETINCHES

RESULT AFTER TREATMENT 2000 ROCK PRESSURE AFTER TREATMENT 500 lbs

Fresh Water Feet 25 and 75 Salt Water \$30 Feet 830

Formation	Color	Hard or Soft	Тор	Bottom	Oil, Gas or Water	Remarks			
Clay			000	4	No Oil f	ound			
Sand			4	22					
Coal	4		22	27					
Slate			27	80					
Sand			. 80	100					
Coal			100	105					
Slate			105	150		345678910			
Sand			150	187	6	3456789;			
Slate			187	240	E.	DEA			
Sand			240	300	(65)	REC WEST DEPT.	KS		
Slate			300	365	12:5	AUG 1958 CEIVE T VIRGINIA	121314		
Sand			365	700	60	R R O	Z		
Slate			700	770	121	195	5		
Salt Sand			770	950	18.29.30.30.30.30.30.30.30.30.30.30.30.30.30.	AUG 1958 RECEIVED WEST VIRGINIA DEPT. OF MINER	05)		
Slate		the said of the sa	950	965	C.E.	8/20- 076/8			
Sand			965	987	1	EFESS 15000			
Slate			987	1000					
Sand			1000	1080					
Slate			1080	1150					
Red Rock			1150	1182					
Slate			1182	1520	7 880	2000			
Big Lime			1520	1805	1772	1800 Two	tents in 1"		
Red Rock		1	1805	1855			in water		
Injin Sand			1855	1900		09/	15/2023		
Slate		The state of the s	1900	2358	2750	9704 -	A		
Berea	44		2358	2384	2358		tents in 1"		
Slate			2384	2950	5400		water		
Gray Shell Brown Shale			2950	3485	8400	3425			
Slate			3400 3600	3600 3617	3400	3600 Five	tents in 1'		

(over)

61	18t 14° 181	13uA Mate	NOISIYID SAD	dus 116		Was.	Mr
tan ma			ояоозя	WELL	or less.	orom ore	millio
	to be or	t estimate	garged, bu	courately	Mas not a	emulov sa	an eur
Packers	HoW	santipe!	Suiter 2	dd I.esys		I, W. I.	
			este	00.129970	crock	DISTAI	
Wood Shi	4X 200 - 00		CONT AND			A Charles	Herot was
ferry min	L 127 06		Cdg	a Jillion La	outilities and	then we state	e in market
1600	o 000		Dellation :	, M. FM.	union reads	E well homes	
			ar\ca	V . V .		broady self	
L'en Mone	97		0088	3	2, 195	Litua .	
t potentia uoue	og Living	10 EV	besU seedle	2600 (tit)	Surge to 23		68 \Quality and
	94/			Hart		191 W (021)	
Section 1	JOH TON	OM HST NA	MEG SKIELL	dard.		0.000	
T TO INCHES	38 rs	th among trains	The state of the s	Had W		ČC.	That is easy to ston
PAR INT	ran VS an	CHINE A	EDSI LAND	and 48 act leads.	anollag 00	. Yes, 80	
Agican C. v	E 105 EN	wowi COI ;	BEN			406	
						O/L HSIS	OTHER PIE
				edi C	000	Carlos Starts	
3 × C	G8 ₂₁₀₀ R	. 68	W MANAGE TO SEE	and 75		T. HELDARD	COMMENT OF STREET
ariemak.	Hepth	or Water	Hotton	qu'T	TO BYEE	Color	Formation
	bhuo	r'iio of	· j	7 000			ol ay
			S. P.C.	33			Leon Leon
	1		00T 08	V &			ods i
			GOL .	/100 ×			Coal Slate
	(5873673		ZST OGT	Teo			DENG
8	8 3 9		0.08	CPS			buss.
			700	006 686			Slate
	TO THE STATE OF TH		950	790			Blate La Sand
	\$450515855\$		7801	308			buse
	- CO 000-		1089 1089	987			63.815
	·	14	1100	1980		1000	94513
	1.4		1520	ILES		**************************************	Noon b
of hi street	owe GGEL	SALT	908T	0801 6081			T PING
			0001 8008	/ GGGT		09/15/	2023
Terms terms	000 1008 11	2368	9888 0898	8388 3888			r zereu
	Jure	0620	0696	29.00			Lieno
"I at some	evil Coo	COPC	7,136	- CC3G			932
Кетатка	Found	TSJRW TO	Bottom	qoT	flog	Color	Formation

APPROVED The Mounts Gas Co.

L. A. White, Agent.

By (Title)

STATE OF WEST VIRGINIA

DEPARTMENT OF MINES

OIL AND GAS DIVISION

INSPECTOR'S WELL REPORT

Permit No. 109 6	79	Oil or Gas Well(KIND)					
Company Lunger	w Dulling Combon	CASING AND TUBING	USED IN DRILLING	LEFT IN WELL	PACKERS MANAGEMENT		
Address West	Homlin word	Size			really laterally realist		
Farm Puthe	mounts	16		nethida	Kind of Packer		
10 2 11 21 2 11	attion of	13			ALL SECURE		
2 72 (2) SX (6)	danayeasa Beltanus Aomaur	81/4			Size of		
	County	65%	1585		Depth set		
Drilling commenced		5 3/16					
Drilling completed	Total depth	3			Perf. top		
Date shot	Depth of shot	2			Perf. bottom		
Initial open flow	/10ths Water inInch	Liners Used			Perf. top		
Open flow after tubing.	/10ths Merc. inInch				Perf. bottom		
Volume	Cu. Ft.	CASING CEME	NTED	SIZE	No. FTDate		
Rock pressure	lbshrs.						
Oil	bbls., 1st 24 hrs.	COAL WAS EN	NCOUNTERED	AT	_FEETINCHES		
Fresh water	feetfeet	FEET	INCH	ES	FEETINCHES		
Salt water	feetfeet	FEET.	INCH	ES	FEETINCHES		
Drillers' Names	Golm Di	nggs	Baw	Di	nyses		
Remarks: Hay	re no Accord of	0	Winn &	Plan	18 19 20 21 22 23 3		
_	Grow Book	lone	at 3	LA SUELZ	RECEIVED STORY OF MINING		
3/18/3	2	San	Quan	TX	mison ?		
DATE					09/15/2023		


STATE OF WEST VIRGINIA

DEPARTMENT OF MINES

OIL AND GAS DIVISION

INSPECTOR'S PLUGGING REPORT

ermit No	10				vy ei	I No		
OMPANY			ADD	DRESS				
ARM	Me TRO I MILE	DISTRIC	CT	C	OUNTY			
				W. A. S.				
lling Material Used								
ner Loc	ation	Amoun	t	Packer	Location		Signal and the second	
PLUGS USED A	ND DEPTH PLACED			BRIDGES CASING AND			TUBING	
CEMENT-THICKNESS	WOOD-SIZE	LEAD	CONST	TRUCTION-LOCATION	RECOVERED	LOST		
			Contract Con		0.0			
NAME OF TAXABLE PARTY OF TAXABLE PARTY.			W			1.103366	erro e e e	
			10 ar 12					
Part. bay						f_gpin	900 Q.III	
and lod .bys?				Line is	o Majarit			
Land Light Day Till		3	all gradit					
and the second seasons				CHARLEST AND H. C.	The Property of the Control of the C	10 (00 may 1) 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	ALTERNATION CANAL	
				(set	Mark	mirlut 15	a vyi r	
0 47 W		GATMENT	DASING C					
				1.275				
MITTERS TO SERVER STREET	e en a vertigiation	Park Selection Co.	14 3463	11 19 4 8 25/64				
illers' Names				TO BEEN EST				
mers ryames		, , , ,	E	1717			3.3%	
marks:	e de la companya del companya de la companya del companya de la co	7174			A STATE			
一点。								
DATE	I hereby certify I	visited the a	bove well or	this date.				



New Location ..⊠

Drill Deeper□

Abandonment□

Company DINGESS DRILLING COMPANY
Address WEST HAMLIN , WEST VIRGINIA
Farm LUTHER MOUNTS
Tract Acres_/56 Lease No
Well (Farm) No Serial No
Elevation (Spirit Level) 7/9.0
Quadrangle HOLDEN
County LOGAN District LOGAN
Engineer N. L. Sefton
Engineer's Registration No
File NoDrawing No
Date Nov. 14-1957 Scale /" = 1000

STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION
CHARLESTON

WELL LOCATION MAP

FILE NO. LOG-679

- + Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.
- Denotes one inch spaces on border line of original tracing.