

west virginia department of environmental protection

Office of Oil and Gas 601 57th Street, S.E. Charleston, WV 25304 (304) 926-0450 fax: (304) 926-0452 Earl Ray Tomblin , Governor Randy C. Huffman , Cabinet Secretary www.dep.wv.gov

Thursday, August 04, 2016 WELL WORK PERMIT Vertical / Plugging - 2

TRANS ENERGY, INC. P O BOX 393 210 SECOND STREET ST. MARYS, WV 26170

Re: Permit approval for 1 47-049-00303-00-00

This well work permit is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to any additional specific conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas Inspector.

Please be advised that form WR-35, Well Operators Report of Well Work is to be submitted to this office within 90 days of completion of permitted well work, as should form WR-34 Discharge Monitoring Report within 30 days of discharge of pits, if applicable. Failure to abide by all statutory and regulatory provisions governing all duties and operations hereunder may result in suspension or revocation of this permit and, in addition, may result in civil and/or criminal penalties being imposed upon the operators.

Per 35 CSR 4-5.2.g this permit will expire in two (2) years from the issue date unless permitted well work is commenced. If there are any questions, please feel free to contact me at (304) 926-0450.

Operator's Well Number: 1 Farm Name: McGEE

U.S. WELL NUMBER: 47-049-00303-00-00

Vertical / Plugging - 2

Date Issued: 8/4/2016

Promoting a healthy environment.

PERMIT CONDITIONS

West Virginia Code § 22-6-11 allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. Failure to adhere to the specified permit conditions may result in enforcement action.

CONDITIONS

- 1. All pits must be lined with a minimum of 20 mil thickness synthetic liner.
- 2. In the event of an accident or explosion causing loss of life or serious personal injury in or about the well or while working on the well, the well operator or its contractor shall give notice, stating the particulars of the accident or explosion, to the oil and gas inspector and the Chief within twenty-four (24) hours.
- 3. Well work activities shall not constitute a hazard to the safety of persons.
- 4. This well is under a consent order and must be plugged within two years of the date of issuance of this permit.

WW-4B Rev. 2/01

1) Date April 6	, 20 <mark>16</mark>
2)Operator's	-
Well No. McGee #1	
3) API Well No. 47-049	- 003073

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

	OFFICE OF	OIL AND GAS
	APPLICATION FOR A PERI	MIT TO PLUG AND ABANDON
4)	Well Type: Oil/ GasX_/ Liquid	d injection/ Waste disposal/
	(If "Gas, Production or Und	derground storage) Deep/ Shallow_X_
5)	Location: Elevation 1185'	Watershed State Road Fork
٥,	District Mannington	County Marion Quadrangle Glover Gap
6)	Well Operator Trans Energy, Inc.	7) Designated Agent Loren E. Bagley
	Address P.O. Box 393	Address P.O. Box 393
	St. Marys, WV 26170	St. Marys, WV 26170
8)	Oil and Gas Inspector to be notified	9)Plugging Contractor
	Name Bill Hendershot	Name Perkins Oil and Gas
	Address 403 James Street	Address P.O. Box 547
	Mannington, WV 26582	Pennsboro, WV 26415
<u>, </u>		
work	can commence.	l and gas inspector 24 hours before permitted
Nork	order approved by inspector <u>fell</u> for	les 1 Date 6-9-2016

6/7/2016

E. McGee #1 Plugging

Work Order: The manner of plugging this well is as follows:

TD: 3972' PERFORATIONS 3005' - 3362'

Elevation GL: 1185'

Manners of plugging: SPOT GEL & SET PLUG I FROM POTO (3830') TO 3730'.
Plug #1: 8972'-3872' 3830' TO 3730'

FOC ≈ 1500 → Free point, part and pull all possible 4 ½" casing

Plug #2: From 3400'-2950' B & FORE

Locate 4 ½" casing stub. Locate plug 50' below top Plug #3:

1550' TO 1450' PLUG 3

casing to 50' above top casing.

Plug #4:

Located @ elevation 1319'-1219'

Plug #5:

Coal depth = 960'. Plug 1010'-910'

Pull 9-5/8" if possible

If 9-5/8" pipe can be pulled then Plug #6: 300' to surface

If 9-5/8" pipe cannot be pulled, locate bottom of 9-5/8" and Plug #6 will be 50' below bottom of 9-5/8" to 50' above bottom of 9 5/8".

Plug #7: if cannot pull 9-5/8" 300' to surface

Remove all casing possible. If casing cannot be recovered, perforate for plug placement.

Monument:

6" minimum diameter metal pipe

30" above surface

10' into well below surface

Seal with cement

API identification (1/2") height numbering

6% gel between all plugs

85/4" CASING .

5 turm 0G-10



STATE OF WEST VIRGINIA

DEPARTMENT OF MINES

Rotary Spudder

Cable Tools

Quadrangle. Mannington.

Pennit No. MAR- 303

WELL RECORD

Oil or Gas Well.

Storage

Gas (KIND)

Pennit No. 1909				(KIND)
Company White Shield Oil & Gas Corp. Address P. O. Box 2139, Tulsa, Okla. 74101	Casing and Tubing	Used in Drilling	Left in Well	Packers
Farm McGee Acres 77 Location (waters) Approx. C. of 77 Ac. Ise.	Size			Kind of Packer
Well No One Fley 1278DF				Kind of Packer
Dietrict Mannington County Marion		21.40		
The surface of tract is owned in fee by Julian L. & Jaye S. Stee	il A 8 X " 2 / g	21 00		
Charleston, Address W. Va.	65/8			Depth set
Mineral rights are owned by same				
Address same				2005
Drilling commenced 11-10-69 Drilling completed 11-27-69				22/2
Date Shot 1-17-70 From 3005 To 3362	Liners Used			A STATE OF THE PARTY OF THE PAR
with 38 shots				Perf. bottom
Open Flow /10ths Water in Inch /10ths Mere. in Inch Volume Cu. Ft. Rock Pressure lbs. hrs.	CASING CEM Amount of cem Name of Service	ent used (bags)	SIZE3872 450 W CO	No. Ft.12-1-69 Dat
Oil bbls., 1st 24 hrs.				FEETINCHE
WELL ACIDIZED (DETAILS)	FEE	ETINC	HES	FEETINCHE
WELL FRACTURED (DETAILS) 500 B Acid, 16,500 # 20/4		Mor-flo, 30	00# WAC,	FEET INCHE 50# FR-16.
RESULT AFTER TREATMENT (Initial open Flow or bbls.)	O & 84 MCF)		
	0.1.111		T	
Producing Sand Gordon, Stray & Bayard 3005-3 3359-62		Depth 3005	,3359	
Formation Color Soft Top	Bottom	Oil, Gas or Water	Dept	

Formation	Color	Hard or Soft	Тор	Bottom	Oil, Gas or Water	Depth	Remarks	
shale shale coal shale shale & shale & shale & shale & T.D.	sand		0 650 850 860 1200 1900 2200 2570 3280	650 850 860 1200 1900 2200 2570 3280 3972 3972			RECEIV Office of Oil JUN 23 WV Departylronments	and Gas 2016
		1					0	8/05/2016

WW-4A Revised 6-07 1) Date: 4/6/2016
2) Operator's Well Number
McGee #1

3) API Well No.: 47 -

049 -

00303

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF APPLICATION TO PLUG AND ABANDON A WELL

	Richard L. Staley	5) (a) Coal Operato Name	Murray American Energy, Inc.
(a) Name Address	21341 Olive Street	Address	61226 Energy Road
Hudress	St. Lake Elsinore, CA 92530		Moundsville, WV 26041
(b) Name		(b) Coal O	wner(s) with Declaration
Address		Name	wher(s) with Declaration
radress	****	Address	
(c) Name		Name	
Address		Address	
3) Inspector	Bill Hendershot	(c) Coal Le	essee with Declaration
Address	403 James Street	Name	
	Mannington, WV 26582	Address	
Telephone	304-206-7750		
5-2 5-5-5-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1			
However,	you are not required to take any action at all.		
Take notic accompany Protection, the Applic	you are not required to take any action at all. e that under Chapter 22-6 of the West Virgir ying documents for a permit to plug and aban with respect to the well at the location descr	nia Code, the undersigned wel don a well with the Chief of t ribed on the attached Applica jistered or certified mail or d	I operator proposes to file or has filed this Notice and Application and he Office of Oil and Gas, West Virginia Department of Environmenta tion and depicted on the attached Form WW-6. Copies of this Notice
Take notic accompany Protection, the Applic	you are not required to take any action at all. e that under Chapter 22-6 of the West Virging documents for a permit to plug and aban with respect to the well at the location description, and the plat have been mailed by regrumstances) on or before the day of mailing of Well Open	nia Code, the undersigned well idon a well with the Chief of t ribed on the attached Applicat istered or certified mail or de r delivery to the Chief.	l operator proposes to file or has filed this Notice and Application and the Office of Oil and Gas, West Virginia Department of Environmentation and depicted on the attached Form WW-6. Copies of this Notice, elivered by hand to the person(s) named above (or by publication in
Take notic accompany Protection, the Applic	wou are not required to take any action at all. e that under Chapter 22-6 of the West Virging documents for a permit to plug and aband with respect to the well at the location description, and the plat have been mailed by regramstances) on or before the day of mailing of Well Open By:	nia Code, the undersigned welldon a well with the Chief of tribed on the attached Applicatistered or certified mail or der delivery to the Chief. Trans Energy, Inc. Leslie A. Gearhard	I operator proposes to file or has filed this Notice and Application and he Office of Oil and Gas, West Virginia Department of Environmenta tion and depicted on the attached Form WW-6. Copies of this Notice
Take notic accompany Protection, the Applic	wou are not required to take any action at all. e that under Chapter 22-6 of the West Virgir ying documents for a permit to plug and aban with respect to the well at the location descration, and the plat have been mailed by regumstances) on or before the day of mailing of Well Open By: Its:	nia Code, the undersigned welldon a well with the Chief of tribed on the attached Applicatistered or certified mail or der delivery to the Chief. Trans Energy, Inc. Leslie A. Gearhart VP Operations	I operator proposes to file or has filed this Notice and Application and he Office of Oil and Gas, West Virginia Department of Environmenta tion and depicted on the attached Form WW-6. Copies of this Notice
Take notic accompany Protection, the Applic	wou are not required to take any action at all. e that under Chapter 22-6 of the West Virging documents for a permit to plug and aband with respect to the well at the location description, and the plat have been mailed by regramstances) on or before the day of mailing of Well Open By:	rator Trans Energy, Inc. Leslie A. Gearhart VP Operations P.O. Box 393	I operator proposes to file or has filed this Notice and Application and he Office of Oil and Gas, West Virginia Department of Environmentation and depicted on the attached Form WW-6. Copies of this Notice elivered by hand to the person(s) named above (or by publication in
Take notic accompany Protection, the Applic	wou are not required to take any action at all. e that under Chapter 22-6 of the West Virgir ying documents for a permit to plug and aban with respect to the well at the location descration, and the plat have been mailed by regumstances) on or before the day of mailing of Well Open By: Its:	rator Trans Energy, Inc. Leslie A. Gearhart VP Operations P.O. Box 393 St. Marys, WV 261	I operator proposes to file or has filed this Notice and Application and he Office of Oil and Gas, West Virginia Department of Environmentation and depicted on the attached Form WW-6. Copies of this Notice elivered by hand to the person(s) named above (or by publication in

The Office of Oil and Gas processes your personal information, such as name, address and the number of the first of the regulatory duties. Your personal information may be disclosed to other State agencies of the particular and the first of the business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use of your personal information please contact DEP's Chief Privacy Officer at depprivacyoffier@wv.gov.

WW-9 (5/13)

	Page of	
API Number 47 - 049	- 0030 3	
Operator's Well N	No. McGee #1	


STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

FLUIDS/ CUTTINGS DISPOSAL & RECLAMATION PLAN

Operator Name	OP Code 494481575
Watershed (HUC 10) State Road Fork	Quadrangle Glover Gap
Elevation 1269' County Marion	District_ Mannington
Do you anticipate using more than 5,000 bbls of water to complete Will a pit be used for drill cuttings? Yes No _X If so, please describe anticipated pit waste:	ANY WELL EFFLUENT MUST BE CONTAINED IN TANKS AND DISPOSED OF PROPERTY, JUM
Will a synthetic liner be used in the pit? Yes N	lo If so, what ml.?
Proposed Disposal Method For Treated Pit Wastes:	
Reuse (at API Number Off Site Disposal (Supply form WW-9	for disposal location)
Will closed loop system be used? N/A	
Drilling medium anticipated for this well? Air, freshwater, oil bas	
-If oil based, what type? Synthetic, petroleum, etc	
Additives to be used in drilling medium? N/A	
Drill cuttings disposal method? Leave in pit, landfill, removed off	site, etc. Removed to landfill
-If left in pit and plan to solidify what medium will be use	ed? (cement, lime, sawdust) No Pit
-Landfill or offsite name/permit number? Short Creek La	andfill SWF-1034
on August 1, 2005, by the Office of Oil and Gas of the West Virgi provisions of the permit are enforceable by law. Violations of an law or regulation can lead to enforcement action. I certify under penalty of law that I have personally exapplication form and all attachments thereto and that, based of	JUN 21 30 Gas
Subscribed and sworn before me this 7th day of	OFFICIAL SEAL STATE OF WEST VIRGINIA NOTARY PUBLIC Debra A. Martin Trans Energy Incorporated 210 2nd Street St. Mary's, WV 26170 My Commission Expires New 29/2029 16

			Operator's W	/ell No. McGee #1
Proposed Revegetation Treat			Prevegetation pl	1
Lime1	Tons/acre or to co	orrect to pH 65		
Fertilizer (10-20-20	E00	lbs/acre (500 lbs	minimum)	
Mulch 90 bales	s		,	
widen				
		Seed Mixtures		
Ar Seed Type	ea I lbs/acre		Are Seed Type	ea II lbs/acre
Meadow Mix	100		2002 1990	100 100
Oats or Rye	50			
				
Photocopied section of invol	ved 7.5' topographic sh	for land application.		
		neet.		
Plan Approved by:	1 Heyles	leet.		
Plan Approved by:	1 Heyles	leet.		
Plan Approved by:	1 Heyles	leet.		
Plan Approved by:	1 Heyles	leet.		
Plan Approved by:	1 Heyles	leet.		
Plan Approved by:	1 Heyles	leet.		
Plan Approved by:	1 Heyles	leet.		
Plan Approved by:	M Heyles	neet.		
Plan Approved by:	M Heyles	neet.		
Plan Approved by:	M Heyles	neet.		Office Receiv.
Plan Approved by:	M Heyles	neet.		Office of Oil &







West Virginia Department of Environmental Protection Office of Oil and Gas

WELL LOCATION FORM: GPS

-1		
API: 47-049-003	303 WELL NO.:	
FARM NAME: McGee		
RESPONSIBLE PARTY NAME: _	Trans Energy, I	nc .
county: Marion	DISTRICT: Ma	nnington-4
QUADRANGLE: Glover G	ap-374	
SURFACE OWNER: Rich	and L. Staley	
ROYALTY OWNER: Rich	ard L. Staley	
UTM GPS NORTHING: 39° 36.11 UTM GPS EASTING: 80° 24.763	4383720.2 E GPS ELEVATI	ON: 1185
The Responsible Party named above he preparing a new well location plat for above well. The Office of Oil and Gast the following requirements: 1. Datum: NAD 1983, Zone: height above mean sea level 2. Accuracy to Datum – 3.05 3. Data Collection Method: Survey grade GPS _ X : Post Proceedings of the preparation of th	a plugging permit or assigned A will not accept GPS coordinate 17 North, Coordinate Units: metel (MSL) – meters.	PI number on the s that do not meet
Real-Tin	ne Differential X	
Mapping Grade GPS: Post F	Processed Differential	
Real-	Time Differential	
4. Letter size copy of the top I the undersigned, hereby certify this obelief and shows all the information represcribed by the Office of Oil and Ga	equired by law and the regulation	knowledge and
Tustis a Theuth	V.P. Openations	6-8-16
Signature	Title	Date