





DECEIVED
NOV 9 1973

OIL & GAS DIVISION DEFT. OF MINES

Rotary XXX Oil_

STATE OF WEST VIRGINIA DEPARTMENT OF MINES

Oil and Gas Division WELL RECORD

Permit No. MAR-308				RecyclingWater FloorDisposal	Comb.
Company Consolidated Gas Supply Co		Casing and Tubing	Used in Drilling	Left in Well	Cement fill up Cu. ft. (Sks.)
Farm Joshua Hess Acre					
ocation (waters) <u>Little Bingamon Cre</u>		Size			
Well No. 11637 Elev. 1370		20-K6XX	201	201	To surface
District Lincoln County Marion The surface of tract is owned in fee by		Cond.			
		13-kk Jacket	601	648	Cemented
		9 5/8	7.01.0	7010	300 3
ddress		8 5/8	1948	1948	120 bags
ineral rights are owned by		7			
Address		5 1/2			
rilling Commenced 9-1-73		4 1/2	1,21,1	1,21,1	17h bags
rilling Completed 9-14-73		3			
nitial open flow Show cu. ft		2			
inal production []] M. cu. ft. per day		Liners Used	· · · · · · · · · · · · · · · · · ·		
Tell open 72 hrs. before test 1	<u>.372#</u> RP.				
/ell treatment details:		Attach copy of c	ementing rec	ord.	
Well treated in Balltown with	62.000# sa	- ·			
resh water None Feet roducing Sand Balltown		Salt W			Feet
Formation Color Hard or Soft					
Tornation Color Taire or Bort	Top Feet	Bottom Feet	Oil, Gas o		* Remarks
nd & Shale en Mine nd & Shale	Top Feet 0 618 625 1850	Bottom Feet 618 625 1850 1900			
nd & Shale en Mine nd & Shale ttle Lime g Lime nd & Shale	0 618 625 1850 1900 2020	618 625 1850 1900 2020 3010		or Water	
nd & Shale en Mine nd & Shale ttle Lime g Lime nd & Shale	0 618 625 1850 1900	618 625 1850 1900 2020		or Water	re
nd & Shale en Mine nd & Shale ttle Lime g Lime nd & Shale h sand lltown	0 618 625 1850 1900 2020 3010 3980 4005	618 625 1850 1900 2020 3010 3980 1,005 5075	See Ja Gas	cket abov	re 2731
nd & Shale en Mine nd & Shale ttle Lime g Lime end & Shale h sand lltown end & Shale enson	0 618 625 1850 1900 2020 3010 3980	618 625 1850 1900 2020 3010 3980 1005	See Ja Gas	or Water	re 2731
nd & Shale en Mine nd & Shale ttle Lime g Lime nd & Shale h sand lltown nd & Shale nson	0 618 625 1850 1900 2020 3010 3980 4005	618 625 1850 1900 2020 3010 3980 1,005 5075	See Ja Gas	cket abov	re 773
nd & Shale en Mine nd & Shale ttle Lime g Lime and & Shale h sand lltown	0 618 625 1850 1900 2020 3010 3980 4005	618 625 1850 1900 2020 3010 3980 1,005 5075 5090	See Ja Gas	cket abov	re 773
nd & Shale en Mine nd & Shale ttle Lime g Lime end & Shale h sand elltown end & Shale enson	0 618 625 1850 1900 2020 3010 3980 4005 5075	618 625 1850 1900 2020 3010 3980 1,005 5075 5090	See Ja Gas No gas Present	or Water cket abov 3879-100 in Benso	re 773

^{*} Indicates Electric Log tops in the remarks section.





OIL & GAS DIVISION DEPT. OF MINES

DEPARTMENT OF MINES

OIL AND GAS WELL PERMIT APPLICATION

Oil and Gas Division

TO THE DEPARTMENT OF MINES,		
Charleston, W. Va.	DATE August 31, 1973	
Surface Owner Jeanette McHenry	Company Consolidated Gas	
Address RFD, Worthington, W. Va.	Address 445 W. Main St., Gl	arksburg. W. Va.
Mineral Owner Fvelyn P. Hess, Agent	Farm Joshua Hess	
Address Charminel Towers Apt. Hotel	Location (waters) Little Bing	amon CR.
Coal Owner Consolidation Coal Co.		Elevation1370 !
Address Fairmont, W. Va.	District Lincoln	County_Marion
Coal Operator Mined out	Quadrangle Mannington C	larksburg
Address		
THIS PERMIT MUST BE POSTED AT THE WELL SITE	1	you way.
All provisions being in accordance with Chapter	22. INSPECTOR TO BE NOTICES	
of the W. Va Code, the location is hereby appro-	ved Ballona	The second secon
for duellen . This permit shall expire	11	Laismont
operations have not commenced by 12-31-	3. Calfal.	363-9105
Total Lorda	W/4. 26566	
Deputy Director - Oil & Gas Division		
CHENTRY TRACTOR		
GENTLEMEN:		
The undersigned well operator is entitled to drill upon the a		•
title thereto, (or as the case may be) under grant or lease dat		•
Hess, etal made to SPO Company		day of Nov.
19 <u>01, in Marion</u> County, Book <u>111</u>	Page	
X NEW WELLDRILL DEEPER	REDRILLFRACTI	JRE OR STIMULATE
OIL AND GAS WELL ORIGINALLY DRILLED		
The enclosed plat was prepared by a registered engineer or have been notified as of the above date.	licensed land surveyor and all coal o	wners and/or operators
The above named coal owners and/or operator are hereby no to make by Section 3 of the Code, must be received by, or file	otified that any objection they wish to d with the Department of Mines with	o make, or are required in ten (10) days. *
Copies of this notice and the enclosed plat were mailed by re or coal owners at their above shown respective address	day	before, or on the
		rugina.
V	ery truly yours,	
(S	Sign Name)	Mgr. of Prod.
•	Well Operator	\mathcal{D}
	L45 West Main S	treet
Address of	Street	
Well Operate	or S Clarksburg	
	City or Town	
	West Virginia	
	State	

*SECTION 3.... If no objections are filed or found by the Department of mines, within said period of ten days from the receipt of notice and plat by the department of mines, to said proposed location, the department shall forthwith issue to the well operator a permit reciting the filing of such plat, that no objections have been made by the coal operators or found thereto by the department and that the same is approved and the well operator authorized to proceed.

BLAGICT BORD

Mar - 308 PERMIT NUMBE

THIS IS AN ESTIMATE ONLY ACTUAL INFORMATION WILL BE SUBMITTED ON OG-10 UPON COMPLETION

PROPOSED	WORK ORDER TO	DRILL	DEEPENFRA	ACTURE-STIMULATE	
DRILLING CONTRACTOR: (If Known)			RESPONSIBLE AGENT:		
NAME S. W. Jack Drilling Company		ADDRESS P. O. Box 2450, Clarksburg, W. Va.			
ADDRESS Box 754. Indiana, Pa. 15701					
EDY DAYOND			TELEPHONE 623-3611		
	DEPTH OF COMPI	rron!	ROTARY X	CABLE TOOLS	
		MATION: <u>Benson</u>			
TYPE OF V	WELL: OIL_	GAS X C	OMBSTORAGE_	DISPOSAL	
		RECYCLI	NG WATER FLOO	DOTHER	
			•		
TENTATIVI	E CASING PROGRA	M:			
THE PROPERTY OF THE PROPERTY O	CP NEW DOCUMENT OF THE PROPERTY AND ADMINISTRATION OF THE PROPERTY OF THE PROP		A A A A A A A A A A A A A A A A A A A	CEMENT FILL UP	
CASING	G AND TUBING SIZE	USED FOR DRILLING	LEFT IN WELL	OR SACKS - CUBIC FT.	
20 - 16	12) A Sur Mary Company of the Compan	201	201	Cement to Surface	
13 - 10		60'	60' (Jacket	thru open mine)	
9 - 5/8					
8 - 5/8		800'	8001	Cement to Surface	
7					
5 ½					
		<u> 5500!</u>	5500'	150 sks.	
3	La Carte Cart			Perf. Bottom	
Liners				Perf. Top	
Efficia			er with classe families wiss	Perf. Bottom	
	Commence of the Commence of th			or too book analysiss	
OF P TO DRILL SUBM	IIT FIVE (5) COPIE LAT. DEEPER OR REDR IIT FIVE (5) COPIE	ILL: S OF OG - 1, SHOWING ORIG	GINAL PERMIT NUMBER AN	OND AND PERMANENT COPY D PERFORMANCE BOND. ON	
WEL	LS DRILLED PRIOR T ALSO BE SUBMIT	TO 1929, A PERMANENT O	COPY OF THE PLAT AND T	HE ORIGINAL WELL RECORD	
TO FRACE	TURÉ - STIMULATE			•	
		ORIGINALLY DRILLED BEFO T AND ORIGINAL WELL RE		COPIES OG - 1, PERFORMANCE	
		ORIGINALLY DRILLED ON A NUMBER, AND PERFORMANC		9, FIVE COPIES OG - 1, SHOW-	
	ired forms must be f. (24) hours in advance		completion for bond release.	Inspector to be notified twenty-	
Magazine Andrew Spreed of the Control of					
The thereof.	following waiver mus	t be completed by the coal o	perator if the permit is to be	issued within ten days of receipt	
		agent fornined and place on our mine		r or Operator of the coal under	
				well being drilled at this location,	
				7, Chapter 22 of the West Virginia	
			<u> </u>	For Coal Company	

Official Title