

ORIGINAL

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE MADE IN TRIPLICATE, one copy mailed to the Division, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

CONSOLIDATION COAL CO.
Coal Operator or Owner
1 BRIDGE STREET MONONGAH, WV 26554
Address
CONSOLIDATION COAL CO.
Coal Operator or Owner
1 BRIDGE STREET MONONGAH, WV 26554
Address
WILLIAM C. AND VICKIE E. LUCAS
Lease or Property Owner
RR1 BOX 144 MANNINGTON, WV 26582
Address

CONSOLIDATION COAL CO.
Name of Well Operator
1 BRIDGE STREET MONONGAH, WV 26554
Complete Address
GLOVER GAP 7.6'
Well Location
MANNINGTON
District
MARION
County
5345
Well No.
LUCAS, WILLIAM C. & VICKIE E.
Farm

STATE INSPECTOR SUPERVISING PLUGGING *William H. ...* 11-2-12

AFFIDAVIT

STATE OF WEST VIRGINIA,
County of MONONGALIA ss:

DELBERT MOORE and **KEVIN WRIGHT** being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by Consolidation Coal Company well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 13th day of July, 2012 and that the well was plugged in the following manner:

Sand or Zone Record	Filling Material	Casing/Tubing Size	Casing Pulled	Casing Left In
Formation				
Removed all 5/8" sucker rods from the surface to 2316'. Removed all 2 3/8" tubing from surface to 2327'. Removed 2127' of 4 1/2" casing from surface to 2127'. Left 149' of 4 1/2" casing in the hole from 2127' to 2276'. Cleaned 6-1/4" hole from the surface to 2127'. Reduced hole to 3 7/8". Cleaned 3 7/8" hole from 2127' to 2350'. Total depth of hole 2350'. Cut 7" casing at the following depths: 2109', 2027', 1927' and 1827'. Cemented bottom hole from 2350' to 1826' with 70 sacks of Super Lite Cement. Removed 1727' of 7" casing from the surface to 1727'. Cleaned 7 7/8" hole through 8 5/8" casing from the surface to 1614'. Bottom of 8 5/8" casing at 1614'. Cleaned 7 7/8" hole from 1614' to 1727'. Top of 7" casing at 1727'. Removed 1422' of 8 5/8" casing from the surface to 1422'. Cut remaining 8 5/8" casing at 1517'. Cleaned 12 1/2" hole from the surface to 394'. Reduced hole to 9 7/8". Cleaned 9 7/8" hole from 394' to 1422'. Cleaned 9 7/8" hole through the Pittsburgh Coal (1165' to 1172'). Left 20' of 16" conductor pipe in the hole from 20' to surface. Cemented hole from 2350' back to surface as follows: From 2350' to 1826' with 70 sacks of Super Lite Cement. From 1826' to 1372' with 215 sacks of Super Lite Cement. From 1372' to 1065' with 100 sacks of SuperTropic Cement with white dye. From 1065' to surface with 405 sacks of Super Lite Cement. A total of 802 sacks of cement were used to fill the hole from 2350' back to surface. Cement did circulate at the surface.	16" Conductor	0'	20'	
	8 5/8" Casing	1414'	192'	
	7" Casing	1720'	Unknown	
	4 1/2" Casing	2117'	149'	
	2 3/8" Tubing	2327'	0'	
	5/8" Sucker Rods	2316'	0'	
Coal Seams		Description of Monument		
Pittsburgh	(1165' - 1172')	77" of 7" casing w/ company name, well number, permit number and date cemented stated on 7" casing. Well marker will be attached to cement plug at ground level.		

RECEIVED
Office of Oil & Gas
NOV 05 2012

WV Department of
Environmental Protection

... and that the work of plugging and filling said well was completed on the 3rd day of August, 2012


And further deponents salth not.

Delbert Moore
Delbert Moore

Kevin S. Wright
Kevin S. Wright

Sworn to and subscribed before me this 8th day of October 2012

Jacqueline L. Shriver
Notary Public



My commission expires:

March 18, 2020

Permit No. 47-049-00466-P
Well No. 5345

11/09/2012