

STATE OF WEST VIRGINIA  
DEPARTMENT OF ENVIRONMENTAL PROTECTION  
OFFICE OF OIL AND GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPLICATE, one copy mailed to the Department, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm name: TALKINGTON Operator Well No.: 6296B

LOCATION: Elevation: 1181.08' Quadrangle: Wallace, WV 7.5"  
District: Mannington County: Marion  
Latitude: \_\_\_\_\_ Feet South of 39 Deg. 28 Min. 46.50 Sec.  
Longitude: \_\_\_\_\_ Feet West of 80 Deg. 29 Min. 04.0 Sec.

Well Type: OIL \_\_\_\_\_ GAS X

Company Consolidation Coal Co Coal Operator 1 Bridge St  
or Owner Monongah, WV 26554  
Coal Operator \_\_\_\_\_  
Agent David Roddy Coal Operator \_\_\_\_\_  
or Owner \_\_\_\_\_  
Permit Issued Date 04/12/2016

AFFIDAVIT

STATE OF WEST VIRGINIA,  
County of Marion ss:

Delbert E. Moore and Kevin S. Wright being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above named well operator, and participated in the work of plugging and filling the above well say that said work was commenced on the 17th day of August, 2017, and the well was plugged and filled in the following manner:

TYPE	FROM	TO	PIPE REMOVED	LEFT
Thixotropic	1430'	988'		
Expandable	988'	Surface		
10 3/4"	102'	182'	0'	80'
18" Conductor	Surface	32'	0'	32'


Description of monument: 77" of 7" casing with company name, well #, API #, and date cemented. and that the work of plugging and filling said well was completed on the 8th day of September, 2017.

And further deponents saith not. Delbert E. Moore

Kevin S. Wright

Sworn and subscribe before me this 5th day of March, 2018

My commission expires: 06/17/2021 Richard O'Dell  
Notary Public



Affidavit reviewed by the Office of Oil and Gas: Sax Wainwright Title: COG Inspector

RECEIVED  
Office of Oil and Gas

MAR 14 2018

# Plugging Report for MSHA

Well Number: 6296B

Mine: Harrison County Mine

Surface

Permit Number: 47-049-01328

Date Clean Out Started: 8/17/2017

Date Well Bore Plugged: 9/5/2017

Pittsburgh Coal Seam: 1088 ft. To 1094 ft.

**Plugs:**

From	To	Type of Cement
<u>1430'</u>	<u>988'</u>	<u>Thixotropic Cement</u>
<u>988'</u>	<u>Surface</u>	<u>Expandable Cement</u>

Top of 16" Conductor Casing at Surface  
 Bottom of 16" Conductor Casing at 32'  
 Top of 10 3/4" casing at 102'  
 Bottom of 10 3/4" casing at 162'

Expandable Cement

Thixotropic Cement w/ Green Dye

Thixotropic Cement w/ Green Dye

**Casing Remaining in Well Bore**

Thix Top: 988'

	Top	Bottom	Left	Pulled
Sucker Rods				
2 3/8" tubing				
4 1/2" casing				
7" casing				
8 5/8" casing				
10 3/4" casing	<u>102'</u>	<u>162'</u>	<u>60'</u>	<u>0'</u>
16" casing	<u>Surface</u>	<u>32'</u>	<u>32'</u>	<u>0'</u>
Other				

1088' to 1094'

Pittsburgh Coal

**Cement:**

Expandable	<u>425</u>	sacks
Thixotropic	<u>230</u>	sacks
Econofill		sacks
Mud Flush	<u>1000</u>	gal
Other		
Est. Top Thix	<u>988</u>	ft
Did Cement Circ.	<u>Yes</u>	

**Comments:**

Caving: Extreme Moderate Normal  
 Lost Circulation: Extreme Moderate Normal  
 Difficulty in Removing Casing: Extreme Moderate Normal Does Not Apply  
 Debris in Well Bore: Wood Steel Other: \_\_\_\_\_

Thix Bottom / Total Depth: 1430'

Surface Elevation (Surveyed)	<u>1182</u>
Bottom of Coal Structure (Map)	<u>118</u>
Difference	<u>1064</u>

RECEIVED  
Office of Oil and Gas

MAR 14 2018

WV Department of  
Environmental Protection  
03/16/2018

FORM WR-38  
(Affidavit of Plugging)

WEST VIRGINIA  
DEPARTMENT OF ENVIRONMENTAL PROTECTION  
OIL AND GAS WELLS DIVISION

AFFIDAVIT OF PLUGGING AND FILLING WELL.

AFFIDAVIT SHOULD BE MADE IN TRIPLICATE, one copy mailed to the Division, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

CONSOLIDATION COAL CO.  
Coal Operator or Owner  
1 BRIDGE STREET MONONGAH, WV 26554  
Address  
CONSOLIDATION COAL CO.  
Coal Operator or Owner  
1 BRIDGE STREET MONONGAH, WV 26554  
Address  
CONSOLIDATION COAL CO.  
Lease or Property Owner  
1 BRIDGE STREET MONONGAH, WV 26554  
Address

CONSOLIDATION COAL CO.  
Name of Well Operator  
1 BRIDGE STREET MONONGAH, WV 26554  
Complete Address  
WALLACE, WV 7.6"  
Well Location  
MANNINGTON  
District  
MARION  
County  
6298B  
Well No.  
TALKINGTON  
Farm

STATE INSPECTOR SUPERVISING PLUGGING

*S. P. D. [Signature]*

AFFIDAVIT

STATE OF WEST VIRGINIA,  
County of MONONGALIA ss:  
DELBERT E. MOORE and KEVIN S. WRIGHT being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by Consolidation Coal Company well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 17th day of August, 2017 and that the well was plugged in the following manner:

Sand or Zone Record Formation	Filling Material	Casing/Tubing Size	Casing Pulled	Casing Left In
Cleaned hole with 12 1/4" bit from the surface to 102'. Reduced hole to 9 7/8" at 102'. Cleaned 9 7/8" hole from 102' to 1380'. Reduced hole to 7 7/8" at 1380'. Cleaned 7 7/8" hole from 1380' to 1430'. Tagged plug at 1430'. Cleaned 9 7/8" hole through the Pittsburgh Coal Seam (1088' - 1094'). Left 60' of 10 3/4" casing in the hole from 102' to 162'.		10 3/4"  16" Conductor	0'  0'	60'  32'
<b>Cemented from 1430' back to the surface as follows:</b> From 1430' to 988' with 230 sacks of Thixotropic cement with green dye. From 988' to 314' with 270 sacks of Expandable cement. From 314' to the surface with 140 sacks of Expandable cement. Cement did circulate at the surface. A total of 640 sacks of cement was used to cement in wellbore. Left 32' of 16" conductor at the surface from the surface to 32'.				
<b>Coal Seams</b>		<b>Description of Monument</b>		
Pittsburgh	(1088' - 1094')	77' of 7" casing w/ company name, well number, permit number and date cemented stated on 7" casing. Well marker will be attached to cement plug at ground level.		

... and that the work of plugging and filling said well was completed on the 5th day of September, 2017

And further deponents saith not.


*Delbert E. Moore*  
Delbert E. Moore

*Kevin S. Wright*  
Kevin S. Wright

Sworn to and subscribed before me this 5th day of March

*Richard O'Dell*  
Notary Public

My commission expires:  
06/17/2021



Permit No. 47-048-01328-P  
Well No. 6298B  
Latitude: 39° 28' 46.50"N  
Longitude: 80° 29' 04.0"W

RECEIVED  
Office of Oil and Gas

MAR 14 2018