

ORIGINAL

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE MADE IN TRIPPLICATE, one copy mailed to the Division, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

CONSOLIDATION COAL CO.
Coal Operator or Owner
1 BRIDGE STREET MONONGAH, WV 26554
Address
CONSOLIDATION COAL CO.
Coal Operator or Owner
1 BRIDGE STREET MONONGAH, WV 26554
Address
WILLIAM C. LUCAS
Lease or Property Owner
85 EVANS RUN ROAD MANNINGTON, WV 26582
Address

CONSOLIDATION COAL CO.
Name of Well Operator
1 BRIDGE STREET MONONGAH, WV 26554
Complete Address
GLOVER GAP 7.5'
Well Location
MANNINGTON
District
MARION
County
5354
Well No.
LUCAS, WILLIAM C.
Farm

STATE INSPECTOR SUPERVISING PLUGGING *[Signature]*

AFFIDAVIT

STATE OF WEST VIRGINIA,
County of MONONGALIA ss:

DELBERT MOORE and KEVIN WRIGHT being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by Consolidation Coal Company well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 14th day of May, 2013 and that the well was plugged in the following manner:

Sand or Zone Record Formation	Filling Material	Casing/Tubing Size	Casing Pulled	Casing Left In
Removed 605' of 2 3/8" tubing from the hole from the surface to 605'. Cleaned 12 1/4" hole from the surface to 217'. Reduced hole to 9 7/8". Cleaned 9 7/8" hole from 217' to 605'. Tagged top of 2 3/8" tubing and cement at 605'. Drilled 2 3/8" tubing and cement from 605' to 658'. Fished 2" junk from hole from 658' to 730'. Tagged top of 8 5/8" casing at 730'. Cleaned 9 7/8" hole from 658' to 730'. Reduced hole to 7 7/8". Cleaned 7 7/8" hole through 8 5/8" casing to 1414'. Tagged solid plug at 1414'. Pilot Milled 8 5/8" casing from 730' to 786'. Removed 13' of 8 5/8" casing from 786' to 799'. Continued to Pilot Mill 8 5/8" casing from 799' to 920'. Cut remaining 8 5/8" casing at the following depths: 1414', 1313', 1213', 1113', 1050', 1000' and 950'. Cleaned 9 7/8" hole through the Pittsburgh Coal seam from 905' to 913'.		16" Conductor	0'	20'
Cemented hole from 1414' back to surface as follows: From 1414' to 1113' with 59 sacks of SuperLite Cement. From 1113' to 805' with 151 sacks of SuperTropic Cement with white dye. From 805' to surface with 454 sacks of SuperLite Cement. A total of 664 sacks of cement were used to fill the hole from 1414' back to surface. Cement did circulate at the surface.				
Coal Seams		Description of Monument		
<u>Pittsburgh</u>	(905' - 913')	77" of 7" casing w/ company name, well number, permit number and date cemented stated on 7" casing. Well marker will be attached to cement plug at ground level.		

RECEIVED
Office of Oil & Gas
UC 2 2 2013
WV Department of
Environmental Protection

... and that the work of plugging and filling said well was completed on the 26th day of July, 2013

And further deponents saith not.

[Signature]
Delbert Moore

[Signature]
Kevin S. Wright

Sworn to and subscribed before me this 9th day of Sept.

[Signature]
Notary Public

My commission expires:
Feb. 16, 2021



Permit No. 47-049-02255-P
Well No. 5354

10/25/2013