

### west virginia department of environmental protection

Office of Oil and Gas 601 57th Street SE Charleston, WV 25304 (304) 926-0450 (304) 926-0452 fax Earl Ray Tomblin, Governor Randy C. Huffman, Cabinet Secretary www.dep.wv.gov

October 23, 2013

### WELL WORK PERMIT

### Horizontal 6A Well

This permit, API Well Number: 47-4902270, issued to TRANS ENERGY, INC., is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to all conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas inspector.

Please be advised that form WR-35, Well Operators Report of Well Work is to be submitted to this office within 90 days completion of permitted well work, as should form WR-34 Discharge Monitoring Report within 30 days of discharge of pits, if applicable. Failure to abide by all statutory and regulatory provisions governing all duties and operations hereunder may result in suspension or revocation of this permit and, in addition, may result in civil and/or criminal penalties being imposed upon the operators.

In addition to the applicable requirements of this permit, and the statutes and rules governing oil and gas activity in WV, this permit may contain specific conditions which must be followed. Permit conditions are attached to this cover letter.

Per 35CSR-4-5.2.g this permit will expire in two (2) years from the issue date unless permitted well work is commenced. If there are any questions, please feel free to contact me at (304) 926-0499 ext. 1654.

James Martin

Chief

Operator's Well No: SHAVER 2H

Farm Name: SHAVER, CHARLES D. & JUNE

API Well Number: 47-4902270

Permit Type: Horizontal 6A Well

Date Issued: 10/23/2013

API Number: 4902270

### PERMIT CONDITIONS

West Virginia Code § 22-6A-8(d) allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. <u>Failure to adhere to the specified permit</u> conditions may result in enforcement action.

#### CONDITIONS

- This proposed activity may require permit coverage from the United States Army Corps of Engineers (USACOE). Through this permit, you are hereby being advised to consult with USACOE regarding this proposed activity.
- 2. If the operator encounters an unanticipated void, or an anticipated void at an unanticipated depth, the operator shall notify the inspector within 24 hours. Modifications to the casing program may be necessary to comply with W. Va. Code § 22-6A-5a (12), which requires drilling to a minimum depth of thirty feet below the bottom of the void, and installing a minimum of twenty (20) feet of casing. Under no circumstance should the operator drill more than fifty (50) feet below the bottom of the void or install less than twenty (20) feet of casing below the bottom of the void.
- 3. When compacting fills, each lift before compaction shall not be more than 12 inches in height, and the moisture content of the fill material shall be within limits as determined by the Standard Proctor Density test of the actual soils used in specific engineered fill, ASTM D698, Standard Test Method for Laboratory Compaction Characteristics of Soil Using Standard Effort, to achieve 95 % compaction of the optimum density. Each lift shall be tested for compaction, with a minimum of two tests per lift per acre of fill. All test results shall be maintained on site and available for review.
- 4. Operator shall install signage per § 22-6A-8g (6) (B) at all source water locations included in their approved water management plan within 24 hours of water management plan activation.
- 5. Oil and gas water supply wells will be registered with the Office of Oil and Gas and all such wells will be constructed and plugged in accordance with the standards of the Bureau for Public Health set forth in its Legislative rule entitled Water Well Regulations, 64 C.S.R. 19. Operator is to contact the Bureau of Public Health regarding permit requirements. In lieu of plugging, the operator may transfer the well to the surface owner upon agreement of the parties. All drinking water wells within fifteen hundred feet of the water supply well shall be flow tested by the operator upon request of the drinking well owner prior to operating the water supply well.
- Pursuant to the requirements pertaining to the sampling of domestic water supply wells/springs the operator shall, no later than thirty (30) days after receipt of analytical data provide a written copy to the Chief and any of the users who may have requested such analyses.
- 7. If any explosion or other accident causing loss of life or serious personal injury occurs in or about a well or well work on a well, the well operator or its contractor shall give notice, stating the particulars of the explosion or accident, to the oil and gas inspector and the Chief, within 24 hours of said accident.
- 8. During the casing and cementing process, in the event cement does not return to the surface, the oil and gas inspector shall be notified within 24 hours.

WW - 6B (3/13)

# STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS WELL WORK PERMIT APPLICATION

		-			49	4	774
1) Well Operator:	Trans E	Energy Inc.		494481575	Marion	Mannington	Glover Gap
,				Operator ID	County	District	Quadrangle
2) Operator's Well	Number:	Shaver 2H			Well Pad Nar	ne: Shaver	
3 Elevation, curren	t ground:	1427'	Ele	evation, proposed	post-constru	ction: 13	97'
4) Well Type: (a) (	Gas		Oil	Undergroun	nd Storage		
	Other						
(b) I		Shallow		Deep			
		Horizontal		_			
5) Existing Pad? Ye	es or No:	No					
6) Proposed Target  Marcellus Shale - 7200'		n(s), Depth(s	s), Anticipat	ed Thicknesses ar	nd Associated	Pressure(s):	
7) Proposed Total V	ertical De	epth: 72	200'				
8) Formation at Tot	al Vertica	l Depth:	Marcellus Shale	1			
9) Proposed Total N	Aeasured I	Depth:	11,200'				
10) Approximate Fi	resh Water	r Strata Dep	ths: 50	)', 150'			
11) Method to Dete	rmine Fre	sh Water De	epth: w	ater Wells drilled in the Co	ounty, information p	rovided by Health Dep	t.
12) Approximate Sa	altwater D	epths:	1525'				
13) Approximate C	oal Seam	Depths:	900'				
14) Approximate D	epth to Po	ssible Void	(coal mine,	karst, other):	None		
15) Does proposed adjacent to an ad				lirectly overlying ad depth of mine:	Magania	Dixon - this is a	proposed mine
16) Describe propos	sed well w	ork: Drill	and Complete horizo	ntal well in the Marcellus Shale.	. Lateral to be approxim	ately 4000' in length.	.32
<u> </u>						DECEIVED	1000
17) Describe fractu	7				Offi	RECEIVED RECEIVED	013
A water tracture treatment	is proposed a	mixture of sand and	a water will be used	d to stimulate the Marcellus	Snale	OCT TO	ol <sup>3</sup> trophotection
						MA Debut	al Fr
18) Total area to be	disturbed	, including r	oads, stockp	ile area, pits, etc,	(acres):	ENVISOR NO acres	
19) Area to be distu	rbed for w	ell pad only	, less access	road (acres):	7.89 acres		
					-		Page 1 of 3

### 20)

### **CASING AND TUBING PROGRAM**

ТҮРЕ	Size	New or Used	Grade	Weight per ft.	FOOTAGE: For Drilling	INTERVALS: Left in Well	CEMENT: Fill -up (Cu. Ft.)
Conductor	20	new	J-55	94	90'	100'	CTS
Fresh Water	13 3/8	new	J-55	54.5	1000'	1000'	CTS
Coal							
Intermediate	9 5/8	new	J-55	36	3000'	3000'	CTS
Production	5 1/2	new	P-110	20		11,200	CTS
Tubing							
Liners							

WRH 7-05-13

ТҮРЕ	Size	Wellbore Diameter	Wall Thickness	Burst Pressure	Cement Type	Cement Yield
Conductor	20	26	0.438	1530	Type 1	13 cu ft/sk
Fresh Water	13 3/8	17 1/2	0.38	2730	Type 1	1.25 cu ft/sk
Coal						
Intermediate	9 5/8	12 1/2	.352	3520	Type 1	1.26 cu ft/sk
Production	5 1/2	8 3/4	.361	12630	Pos H Class H	1.18 cu ft/sk
Tubing						
Liners						_

### **PACKERS**

Kind:	ived
Sizes:	eive
Depths Set:	
	AUG Cas Protection Office of Oil and Cas Protection Page 2 of 3  WV Dept. of Environmental 10/25/201
	Office of a Office of the Control of
	10/25/201

10/25/2013

Describe centralizer placement for each casing string.	
Fresh water string - 1 centralizer every 160'	
Intermediate string - 1 centralizer every 100' from 3300' to 900'	
Production string - 1 centralizer every 80' from TD to above ROP (7000')	
Describe all assessment additions are sinted with each assessment towns	
Describe all cement additives associated with each cement type.	
Standard Type 1 cement additives associated with each cement type.	
Type 1 + 2% CaC12 + Y4# Flake - Surface Cement mixed @ 15.6 ppg CaC12, Flake (cellohane fl	ake)
Type 1 + 1% CaC12 + Y4# Flake - Intermediate Cement mixed @ 15.6 ppg	
Class H in lateral - retarder and fluid loss and dree water additive	
Proposed borehole conditioning procedures.	
Before cement casing mud will be thinned and all gas will be circulated out of the mud before cement	enting
	<u> </u>

\*Note: Attach additional sheets as needed.

Received

Office of Oil and Gas

WV Dept. of Environmental Protection

Page 3 of 3

## **WELLBORE SCHEMATIC**

Well Name:

Shaver 2H

County:

Marion

Latitude:

39.564562

Longitude:

-80.452719

TVD:

7,200 ft.

TD:

11,200 ft.

wrt 7-25-13

Type Casing	<u>Size</u>	<u>Footage</u>
Conductor	20"	100'
Fresh Water	13-3/8"	1,000'
Intermediate	9-5/8	3,000'
Production	5-1/2"	11.200'

Received

Office of Oil and Gas
WV Dept. of Environmental Protection

AUC - 2 2013

49-000227

WW-9	
(5/13)	

	Page	of
API Number 47 -		
Operator's We	II No. Shaver 2H	N -

# STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION 2 0 0 0 2 2.7 0 OFFICE OF OIL AND GAS

### FLUIDS/ CUTTINGS DISPOSAL & RECLAMATION PLAN

Operator Name_ Trans Energ	y Inc.	OP Code _494481575	
Watershed (HUC 10) Barth	olomew Fork	Quadrangle Glover Gap	
Elevation 1420	County_Marion	District Mannington	
Will a pit be used for drill consider the second of the se	nttings? Yes No _x  be anticipated pit waste: er be used in the pit? Yes  Method For Treated Pit Wastes:  and Application  Inderground Injection ( UIC Permit	lete the proposed well work? Yes _x No  No _x If so, what ml.?  t Number	)
C	ff Site Disposal (Supply form WW		-
Will closed loop system be a	ised? yes		
Additives to be used in drilli Drill cuttings disposal methor -If left in pit and plant	od? Leave in pit, landfill, removed	offsite, etc. All cuttings will be hauled to approved landfill used? (cement, lime, sawdust) No Pit	
on August 1, 2005, by the O provisions of the permit are law or regulation can lead to I certify under per application form and all at obtaining the information, penalties for submitting false.  Company Official Signature	ffice of Oil and Gas of the West Vin enforceable by law. Violations of enforcement action. Halty of law that I have personally trachments thereto and that, based I believe that the information is to be information, including the possibility.	ceulis	that the plicable on this lible for
Company Official (Typed N		Min	-
Company Official Title_VP  Subscribed and sworn before		Dept of Empficial See Notary Puls Debra A. Mar	irginia Lic tin
Debra A Martin  My commission expires 11/2	9/2020	Trans Energy Incompany of the St. Mary's, WY 2 Commission Explicit	et 6170

Trans Energy	Inc.			
Proposed Revegetation	Treatment: Acres Disturbed _	16.70	Prevegeta	tion pH
	Tons/acre or to corn 0-20 or equivalent) 600 90 Bales		cre (500 lbs minimum)	
widicii		_	C Mixtures	
Seed Type Meadow Mix Oats or Rye	Area I lbs/acre 100		Seed Type  Meadow Mix  Oats or Rye	Area II    lbs/acre
Photocopied section of i  Plan Approved by:  Comments:	· ·			
			-	
Title: <u>ENVIROME</u>	utal I ospector	_	Date: 7-25-1	<i>3</i>
Field Reviewed?	() Yes	(	_) No	peceived

## west virginia department of environmental protection



# Water Management Plan: Primary Water Sources



WMP-01382

API/ID Number:

047-049-02270

Operator:

Trans Energy Inc.

Shaver 2H

#### Important:

For each proposed primary water source (including source intakes for purchased water sources) identified in your water management plan, and summarized herein, DEP has made an evaluation concerning water availability over the specified date range. DEP's assessment is based on the following considerations:

- •Statistical analysis of historical USGS stream gauge data (transferred to un-gauged locations as necessary);
- Identification of sensitive aquatic life (endangered species, mussels, etc.);
- Quantification of known existing demands on the water supply (Large Quantity Users);
- •Minimum flows required by the Army Corps of Engineers; and
- Designated stream uses.


Based on these factors, DEP has provided, for each intake location (and origination point for purchased water), a reference gauge location and discharge flow reading which must be surpassed prior to withdrawals. Additionally, DEP has established a minimum passby flow at the withdrawal location which must also be surpassed prior to withdrawals. These thresholds are considered terms of the permit and are enforceable as such.

DEP is aware that some intake points will be used for mutiple wells and well sites. In these cases, the thresholds set by the Water Management Plan are to be interepreted as total withdrawal limits for each location over the specified date range regardless of how many wells are supported by that intake.

For all purchased water intakes, determinations of water availability are made at the original source intake location. It is the responsibility of the Oil and Gas Operator, not the seller, to cease withdrawal of water from the seller when flows are less than the minimum gauge reading at the stream gauge referenced by the Water Management Plan in order to protect stream uses.

Note that the determinations made herein are based on the best available data, but it is impossible to predict water availability in the future. While the DEP has carefully established these minimum withdrawal thresholds, it remains the operator's responsibility to protect aquatic life at all times. Approval to withdrawal is contingent upon permission from the land owner. It is the responsibility of the operator to secure and maintain permission prior to any withdrawals.

The operator is reminded that 24-48 hours prior to withdrawing (or purchasing) water, DEP must be notified by email at DEP.water.use@wv.gov.



### Source Summary

WMP-01382 API Number: 047-049-02270 Operator: Trans Energy Inc.
Shaver 2H

### Stream/River

Source Ohio River @ J&R Excavating
 Marshall Owner: J&R Excavating

Start Date End Date Total Volume (gal) Max. daily purchase (gal) Intake Latitude: Intake Longitude:

5/1/2014 5/1/2015 6,300,000 39.998509 -80.737336

Regulated Stream? Ohio River Min. Flow Ref. Gauge ID: 9999999 Ohio River Station: Willow Island Lock & Dam

Max. Pump rate (gpm): 2,940 Min. Gauge Reading (cfs): 6,468.00 Min. Passby (cfs)

DEP Comments: Refer to the specified station on the National Weather Service's Ohio River forecast

website: http://www.erh.noaa.gov/ohrfc//flows.shtml

Source Big Run @ Postlethwait Withdrawal Site Marion Owner: Carl & Charlotte Postlethwait

Start Date End Date Total Volume (gal) Max. daily purchase (gal) Intake Latitude: Intake Longitude:

5/1/2014 5/1/2015 6,300,000 39.615524 -80.395503

Ref. Gauge ID: 3061500 BUFFALO CREEK AT BARRACKVILLE, WV


Max. Pump rate (gpm): 1,000 Min. Gauge Reading (cfs): 24.73 Min. Passby (cfs) 0.21

**DEP Comments:** 

### Source Detail



Month	Median monthly flow (cfs)	Threshold (+ pump	<u>Available</u> water (cfs)
1	45,700.00	-	
2	49,200.00	-	14
3	65,700.00	-	
4	56,100.00	-	
5	38,700.00		15
6	24,300.00	-	1.5
7	16,000.00	5.	
8	13,400.00		-
9	12,800.00	-	
10	15,500.00		
11	26,300.00		
12	41,300.00	-	1.0



### Water Availability Assessment of Location


Base Threshold (cfs):	
Upstream Demand (cfs):	0.00
Downstream Demand (cfs):	0.00
Pump rate (cfs):	6.55
Headwater Safety (cfs):	0.00
Ungauged Stream Safety (cfs):	0.00
Min. Gauge Reading (cfs):	
Passby at Location (cfs):	-

"Threshold", as depicted in the chart above is meant only to indicate the calculated base threshold at the proposed withdrawal location. This value does not include the proposed pump rate or existing demand on the stream. Refer to the monthly breakdown above for a more complete estimation of water availability by month.

### **Source Detail**

WMP-01382	API/ID Number:	047-049-02270	Operator: Trans	Energy Inc.
	Shave	er 2H		
Source ID: 22443 Source Name	Big Run @ Postlethwait With	drawal Site	Source Latitude: 3	9.615524
	Carl & Charlotte Postlethwait		Source Longitude: -	80.395503
Drainage Area (sq. mi.):  Endangered Species?  M	1.05 County: M ussel Stream? er 3?	arion Ant	cipated withdrawal start date: icipated withdrawal end date: otal Volume from Source (gal): Max. Pump rate (gpm):	5/1/2014 5/1/2015 6,300,000 1,000
Proximate PSD?			Max. Simultane	
Gauged Stream?	FOO DUFFALO CREEK AT DO	ADDACKALLE MAY	Max. Truck pump	rate (gpm)
Reference Gaug 3061  Drainage Area (sq. mi.)	500 BUFFALO CREEK AT B 116.00	AKKACKVILLE, WV	Gauge Threshold (cfs)	: 15

Month	Median monthly flow (cfs)	Threshold (+ pump	<u>Available</u> water (cfs)
1	1.18	2.43	-1.12
2	1.45	2.43	-0.85
3	1.79	2.43	-0.50
4	1.27	2.43	-1.02
5	0.77	2.43	-1.53
6	0.30	2.43	-1.99
7	0.17	2.43	-2.13
8	0.12	2.43	-2.18
9	0.09	2.43	-2.21
10	0.11	2.43	-2.18
11	0.39	2.43	-1.91
12	0.87	2.43	-1.43



Water Availability	Assessment	of	Location
AA affi Wallabille	Maacaaiiiciit	UI	Location

Min. Gauge Reading (cfs): Passby at Location (cfs):	0.20
Min Cours Booding (efc)	24.73
Ungauged Stream Safety (cfs):	0.03
Headwater Safety (cfs):	0.03
Pump rate (cfs):	2.23
Downstream Demand (cfs):	0.00
Upstream Demand (cfs):	0.00
Base Threshold (cfs):	0.14

"Threshold", as depicted in the chart above is meant only to indicate the calculated base threshold at the proposed withdrawal location. This value does not include the proposed pump rate or existing demand on the stream. Refer to the monthly breakdown above for a more complete estimation of water availability by month.

# west virginia department of environmental protection



# Water Management Plan: Secondary Water Sources



WMP-01382

API/ID Number

047-049-02270

Operator:

Trans Energy Inc.

Shaver 2H

#### Important:

For each proposed secondary water source identified in your water management plan (i.e., groundwater well, lake/reservoir, recycled frac water, multi-site impoundment, out-of-state source), DEP makes no estimation of the availability of water. These sources may prove to be unsuitable water supplies. Please review the following notes:

- •For groundwater supply wells, DEP recommends that the operator contact the local health department prior to drilling any new well; and reminds the operator that all drinking water wells within 1,500 feet of a water supply well shall be flow- and quality-tested by the operator at the request of the drinking well owner prior to operation of the water supply well.
- •For each proposed multi-site impoundment water source identified in your water management plan (if applicable), DEP will review the withdrawal limits established in the referenced Water Management Plan for current suitability and provide to the operator these limits for each identified intake. Note that withdrawal limits may be modified as necessary based on changing demands upon that water supply.

## Lake/Reservior

Source ID: 22444 Source Name

Mannington Water Supply Dam (WV04921)

Source start date:

5/1/2014

City of Mannington

Source end date:

5/1/2015

Source Lat:

39.532404

Source Long:

-80.36676

County

Marion

Max. Daily Purchase (gal)

Total Volume from Source (gal):

6,300,000

**DEP Comments:** 

WMP-01382 API/ID Number 047-049-02270 Operator: Trans Energy Inc.

Shaver 2H

### Important:

For each proposed secondary water source identified in your water management plan (i.e., groundwater well, lake/reservoir, recycled frac water, multi-site impoundment, out-of-state source), DEP makes no estimation of the availability of water. These sources may prove to be unsuitable water supplies. Please review the following notes:

- •For groundwater supply wells, DEP recommends that the operator contact the local health department prior to drilling any new well; and reminds the operator that all drinking water wells within 1,500 feet of a water supply well shall be flow- and quality-tested by the operator at the request of the drinking well owner prior to operation of the water supply well.
- •For each proposed multi-site impoundment water source identified in your water management plan (if applicable), DEP will review the withdrawal limits established in the referenced Water Management Plan for current suitability and provide to the operator these limits for each identified intake. Note that withdrawal limits may be modified as necessary based on changing demands upon that water supply.

Source ID: 22445 Source Name Upper Buffalo No. 22 Dam (WV04919) Source start date: 5/1/2014 Source end date: 5/1/2015

Source Lat: 39.603126 Source Long: -80.383809 County Marion

Max. Daily Purchase (gal) Total Volume from Source (gal): 6,300,000

DEP Comments: Permission to withdrawal must be granted by West Virginia Conservation Agency. If no


agreement is reached, withdrawal is not allowable.

Source ID: 22446 Source Name Upper Buffalo No. 16 Dam (WV04928) Source start date: 5/1/2014
Source end date: 5/1/2015

Source Lat: 39.545545 Source Long: -80.387961 County Marion

Max. Daily Purchase (gal) Total Volume from Source (gal): 6,300,000

**DEP Comments:** 



Topo. Water

GLOVER GAP QUADRANGLE

SCALE 1" = 1000'

No Water TRANS ENERGY, INC.

WELL: SHAVER 2H 128.75 ACRE LEASE SHAVER, ET AL

WEST VIRGINIA

Received

AUG - 2 2013

10/25/2013

49-0002270

MANNINGTON DISTRICT

**MARION COUNTY** 

Office of Oil and Gas
W\* Dept. of Environmental Protection

