

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE MADE IN TRIPLICATE, one copy mailed to the Division, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

**CONSOLIDATION COAL CO.**  
Coal Operator or Owner  
**1 BRIDGE ST. MONONGAH WV 26554**  
Address  
**CONSOLIDATION COAL CO.**  
Coal Operator or Owner  
**1 BRIDGE ST. MONONGAH WV 26554**  
Address  
**NEWTON S. BEATY (c/o) DONALD SNIDER**  
Lease or Property Owner  
**169 BUFFALO BRINK RD. MANNINGTON, WV 26582**  
Address

**CONSOLIDATION COAL CO.**  
Name of Well Operator  
**1 BRIDGE ST. MONONGAH, WV 26554**  
Complete Address  
**MANNINGTON 7.5**  
Well Location  
**MANNINGTON**  
District  
**MARION**  
County  
**3955**  
Well No.  
**BEATY, NEWTON S.**  
Farm

STATE INSPECTOR SUPERVISING PLUGGING *[Signature]*  
AFFIDAVIT

STATE OF WEST VIRGINIA,  
County of **MONONGALIA** ss:

**MIKE CAMPBELL** and **KEVIN S. WRIGHT** being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by Consolidation Coal Company well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 12<sup>th</sup> day of May, 2014 and that the well was plugged in the following manner:

Formation	Filling Material	Casing Size & Kind	Casing Pulled	Casing Left In
	Cleaned 12 1/2" hole from Surface to 428'. Reduced hole to 9 7/8". Cleaned 9 7/8" hole from 428' to 1178'. Reduced hole to 7 7/8". Cleaned 7 7/8" hole from 1178' to 1221'. Tagged solid plug at 1221'. Cleaned 9 7/8" hole through the Pittsburgh Coal seam from 706' to 713'. Possible junk through the Pittsburgh Coal seam from 706' to 713'. Left 20' of 16" conductor casing from Surface to 20'.  <u>Cemented hole from 1221' back to the surface as follows:</u> From 1221 to 913' with 115 sacks of Expandable CemenL. From 913' to 806' with 155 sacks of Thixotropic Cement with dye. From 806' to Surface with 350 sacks of Expandable Cement. A total of 620 sacks of cement were used to cement the hole from 5100' back to the Surface. Left 20' of 16" conductor casing in the hole from Surface to 20'.	16" Conductor	0'	20'
<b>Coal Seams</b>		<b>Description of Monument</b>		
<b>PITTSBURGH</b>	706' to 713'	77" of 7" casing w/company name, well number, permit number and date cemented stated on 7" casing. Well marker will be attached to the cement plug at ground level.		
(Name)				
(Name)				
(Name)				

RECEIVED  
Office of Oil and Gas  
JUN 23 2014  
WV Department of  
Environmental Protection

... And that the work of plugging and filling said well was completed on the 22<sup>nd</sup> day of May, 2014.

And further deponents saith not.


*[Signature]*  
Mike Campbell  
*[Signature]*  
Kevin S. Wright

Sworn to and subscribed before me this 5<sup>th</sup> day of June 2014

*[Signature]*  
Notary Public

My commission expires: November 4, 2023

Permit No. **47-49-02305-P**  
Well No. **3955**



06/27/2017