

west virginia department of environmental protection

Office of Oil and Gas 601 57th Street SE Charleston, WV 25304 (304) 926-0450 (304) 926-0452 fax Earl Ray Tomblin, Governor Randy C. Huffman, Cabinet Secretary www.dep.wv.gov

March 13, 2015

WELL WORK PLUGGING PERMIT

Plugging

This permit, API Well Number: 47-4902382, issued to CONSOLIDATION COAL COMPANY, is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to all conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas inspector.

Upon completion of the plugging well work, the above named operator will reclaim the site according to the provisions of WV Code 22-6-30. The above named operator will also file, as required in WV Code 22-6-23, an affidavit on form WR-38 by two experienced persons in the operator's employment and the Oil and Gas inspector that the work authorized under this permit was performed and a description given. Failure to abide by all statutory and regulatory provisions governing all duties and operations here under may result in suspensions or revocation of this permit and in addition may result in civil and/or criminal penalities being imposed upon the operator.

This permit will expire in two (2) years from date of issue. If there are any questions,

please free to contact me at (304) 926-0499 ext. 1654.

James Martin

Chief

Operator's Well No: 5251

Farm Name: MICHAEL, JEFFREY H.

API Well Number: 47-4902382

Permit Type: Plugging
Date Issued: 03/13/2015

Promoting a healthy environment.

PERMIT CONDITIONS

West Virginia Code §22-6-11 allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. <u>Failure to adhere to the specified permit conditions may result in enforcement action.</u>

CONDITIONS

- 1. All pits must be lined with a minimum of 20 mil thickness synthetic liner.
- 2. In the event of an accident or explosion causing loss of life or serious personal injury in or about the well or while working on the well, the well operator or its contractor shall give notice, stating the particulars of the accident or explosion, to the oil and gas inspector and the Chief within twenty-four (24) hours.
- 3. Well work activities shall not constitute a hazard to the safety of persons.

FORM WW-4(B) Rev. 2/01

 Date: 	Oc	tober	19,		. 20	14 .
2.) Operator's	We	II No.		5251		-
3.) API Well	No.	47	7.	49		
		State		County		Permit

STATE OF WEST VIRGINIA DIVISION OF ENVIRONMENTAL PROTECTION OFFICE OF OIL & GAS APPLICATION FOR A PERMIT TO PLUG & ABANDON

4.) WELL TYPE:	Oil X / Gas	/ Liquid injection	/ Wasta disposal	y .	
Control of the Contro	Oil X / Gas (IF "Gas", Production	/ Underground storage	/ Deep	/ Shallow X	
5.) LOCATION:	Elevation:1032.05'	Watershed:Barth	olomew Fork of Buffalo Cr	reek .	
	District: Mannington	County: Marion	Quadrangle: Glo	ver Gap 7.5'	
6.) WELL OPERAT	OR Consolidation Coal Co.		7.) DESIGNATED A	AGENT Ronnie Harsh .	
Address _	1 Bridge St.		Address _	1 Bridge St.	
	Monongah, WV 26554		=	Monongah, WV 26554	
8.) OIL & GAS INSF	PECTOR TO BE NOTIFIED		9.) PLUGGING CO	NTRACTOR	
Name	Bill Hendershot		Name		
Address _	403 James St.		Address	·	
	Mannington, WV 26582	=======================================	_		
10.) WORK O	RDER: The work order for the m	nanner of plugging this well is	as follows:		
		SEE EXHIBIT NO. 1			
		101 C		RECEIVED Office of Oil and Gas	
				JAN 2 6 2015	
			E	WV Department of invironmental Protection	n
		*			
Notification must be g	given to the district oil and gas insp	pector 24 hours before permit	ted work can commence.		
			35		
OK gara	M				
Work order approved	by inspector		Date		

101C

EXHIBIT NO.1

From the experience and technology developed since 1970 in plugging oil and gas wells for mining through, Consolidation Coal's Northern West Virginia Operations will utilize one of the following two methods to plug all future wells.

4 ½ VENT PIPE METHOD

- (a) If active well: clean out to total depth and plug back according to state regulations to a minimum of 200 feet below the lowest minable coal seam.
- (b) If abandoned well: clean out to first plug 200 feet below lowest minable coal seam.
- (c) Run 4 ½ casing from surface to a minimum of 200 feet below lowest minable coal seam and circulate 50/50 poz mix cement followed by expanding cement to surface. The expanding cement shall extend from a minimum of 200 feet below minable coal seam to a point 100 feet above.

The 4 ½ will remain open from surface to a minimum of 80 feet below that minable coal seam.

SOLID PLUG METHOD

- (a) If active well: clean out to total depth and plug back according to state regulations to a minimum of 200 feet below lowest minable coal seam.
- (b) If abandoned well: clean out to first plug 200 feet below lowest minable coal seam.
- (c) Circulate through tubing or drill steel an expanding cement plug from a minimum of 200 feet below minable coal seam to a point 100 feet above minable coal.

Circulate through tubing or drill steel 50/50 poz mix from 100 feet above coal seam to surface.

A monument will be installed with API No. and stating "solid plug".

Received Office of Oil & Gas JAN 2 6 2015 FORM WW-4(A) Revised 6-07

1) Date: _	October 19, 2014	
	r's Well No. 5251	
3) API W	ll No. <u>47 – 49</u> -	
	State County Permit	

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF APPLICATION TO PLUG AND ABANDON A WELL

4) SURFACE OWNER(S) TO BE SERVED (a) Name Jeffrey H. Michael Address P. O. Box 221 Mannington WV 26582 (b) Name Address (c) Name Address (6) INSPECTOR	5)a) COAL OPERATOR Name CONSOLIDATION COAL CO. Address 1 Bridge St. Monongah, WV 26554 (b) COAL OWNER(S) WITH DECLARATION: Name Address (c) COAL LESSEE WITH DECLARATION: Name Received
Address	Address Office of Oil & Gas
Telephone	JAN 2 6 2015
(1) The Application to Plug and Abandon a We parties involved in the work, and describes work order; and (2) The Plat (surveyor's map) showing the well	the well and its location and the plugging location on Form WW-6.
WHICH ARE SUMMARIZED IN THE "INSTRUCTIONS"	IS THAT YOU HAVE RIGHTS REGARDING THE APPLICATION ON THE REVERSE SIDE OF THE COPY OF THE APPLICATION R, YOU ARE NOT REQUIRED TO TAKE ANY ACTION AT ALL.
and Application and accompanying documents for a permit to Virginia Department of Environmental Protection, with respon the attached From WW-6. Copies of this Notice, the Application of the Application o	Code, the undersigned well operator proposes to file or has filed this Notice of plug and abandon a well with the Chief of the Office of Oil and Gas, West eet to the well at the location described on the attached Application and depicted dication, and the plat have been mailed by registered or certified mail or delivery by ain circumstances) on or before the day of mailing or delivery by the Chief.
Romin Hand	WELL OPERATOR Consolidation Coal Company By Ronnie Harsh Its Project Engineer / Agent Address 1 Bridge St. Monongah, West Virginia 26554 Telephone (304) – 534 – 4748
Subscribed and sworn before me this 2/st day of Octob Mariou County, State of Yelest My commission expires	Notary Rubling Public, State of Webt Virginia JANET L LIEVING 199 Broadview Avenue Fairmont, WV 26554 My commission expires June 13, 2024 on, such as name, address and phone number, as a part of our regulatory duties. Your so or third parties in the normal course of business or as needed to comply with statutory or

7	CERTIFIEL	Bervice m R.D MAIL RE	Harvi CEIPT Jus (Coverage Provided)		
1681					
F	15 to 100 to	ation visit our website			
Г	UFF				
93H	Postage	\$,69	7		
	Certified Fee	3.300	2014		
1000	Return Receipt Fee (Endorsement Required)	2.750	Postmark Here		
	Restricted Delivery Fee (Endorsement Required)	ON O	HW.		
1090	Total Postage & Fees	\$ 6.69	8		
ш	Sent To	ffrey H.	Michael		
701	Street, Apt. No.; or PO Box No.	ffrey H.	.[
	City, State, ZIP+4 Mannington, WV 26582				
	PS Form 3800, August 2	006	See Reverse for Instructions		

Received Office of Oil & Gas JAN 2 6 2015 WW-9 Rev. 5/08

Received Office of Oil & Gas JAN 2 6 2015

P	age		of	
API Number <u>47</u>	049	-		
Operator's Well No.	5251	1 111		

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

CONSTRUCTION AND RECLAMATION PLAN AND SITE REGISTRATION APPLICATION FORM GENERAL PERMIT FOR OIL AND GAS PIT WASTE DISCHARGE

Operator Name Consolidation Coal Company OP Code 10950
Watershed Bartholomew Fork of Buffalo Creek Quadrangle Glover Gap
Elevation 1032.05' County Marion District Mannington
Description of anticipated Pit Waste: N/A
Do you anticipate using more than 5,000 bbls of water to complete the proposed well work? Yes NoX
Will a synthetic liner be used in the pit? If so, what mil.?
Proposed Disposal Method For Treated Pit Wastes: Land Application Underground Injection (UIC Permit Number
Drilling medium anticipated for this well? Air, freshwater, oil based, etc. Freshwater If oil based, what type? Synthetic, petroleum, etc.? Additives to be used? Bentonite, Bicarbonate of Soda
Drill cuttings disposal method? Leave in pit, landfill, removed offsite, etc. Reused or Disposed (see attached letter) -If left in pit and plan to solidify what medium will be used? Cement, lime, sawdust -Landfill or offsite name/permit number?
I certify that I understand and agree to the terms and conditions of the GENERAL WATER POLLUTION PERMIT issued on August 1, 2005, by the Office of Oil and Gas of the West Virginia Department of Environmental Protection. I understand that the provisions of the permit are enforceable by law. Violations of any term or condition of the general permit and/or other applicable law or regulation can lead to enforcement action. I certify under penalty of law that I have personally examined and am familiar with the information submitted on this application form and all attachments thereto and that, based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine or imprisonment. Company Official Signature Rower Howell Signature
Company Official (Typed Name) Ronnie Harsh
Company Official Title Project Engineer
Subscribed and sworn before me this 21.st, day of October, 20/4 Sanet S. Rieming Notary Public Official SEAL Notary Public, State of West Virginia JANET L LIEVING 199 Broadview Avenue Feirmont, WV 26554

Consolidation Coal Company Northern West Virginia Operations 1 Bridge Street Monongah, WV 26554

phone: 304-534-4748 304-534-4739

e-mail: ronnieharsh@consolenergy.com

web: www.coalsource.com

*Name: RONNIE HARSH *title: Project Engineer

April. 7, 2014

Department of Environmental Protection Office of Oil and Gas 601 57th Street, SE Charleston, WV 25304-2345 Phone: (304) 926-0499 Fax: (304) 926-0452

To Whom It May Concern:

As per the Department of Environmental Protection, Office of Oil and Gas request, Consolidation Coal Company, Northern West Virginia Operations, submits the following procedures utilizing pit waste.

Upon submitting a well work application (without general permit for Oil and Gas Pit Waste Discharge Application), Consolidation Coal Company, Northern West Virginia Operations, will construct no pits, but instead will use mud tanks to contain all drilling muds.


Once the well is completed, that material (minus the cave material) will be trucked to the next well to be plugged or to DEP impoundment facilities number U-78-83, U-104-83, or U-1011-93.

Sincerely,

Ronnie Harsh **Project Engineer**

Roma Wand

Received Office of Oil & Gas JAN 26 2015



03/13/2015

WW-7 8-30-06 Received
Office of Oil & Gas
JAN 2 6 2015



West Virginia Department of Environmental Protection Office of Oil and Gas WELL LOCATION FORM: GPS

API: 47-049-	VELL NO.: 5251
FARM NAME: J. L. & A. J. Hays	
RESPONSIBLE PARTY NAME: Consolidation	Coal Company
COUNTY: Marion	DISTRICT: Mannington
QUADRANGLE: Glover Gap	
SURFACE OWNER:Jeffrey H. Michael	
ROYALTY OWNER:	
UTM GPS NORTHING: 4,377,343 m	
UTM GPS EASTING: 549,579 m	GPS ELEVATION: 315 m (1032')
The Responsible Party named above has chosen to a preparing a new well location plat for a plugging per above well. The Office of Oil and Gas will not access the following requirements: 1. Datum: NAD 1983, Zone: 17 North, Cook height above mean sea level (MSL) – mode in the properties of Datum – 3.05 meters 3. Data Collection Method: Survey grade GPS: Post Processed Differential Mapping Grade GPS: Post Processed Diffe	ermit or assigned API number on the ept GPS coordinates that do not meet ordinate Units: meters, Altitude: eters. ential l ifferentialX to the best of my knowledge and
October 19, 2014 Date	

