

AFFIDAVIT OF PLUGGING AND FILLING WELL.

AFFIDAVIT SHOULD BE MADE IN TRIPPLICATE, one copy mailed to the Division, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

**CONSOLIDATION COAL CO.**  
Coal Operator or Owner  
1 BRIDGE STREET MONONGAHL, WV 26554  
Address

**CONSOLIDATION COAL CO.**  
Coal Operator or Owner  
1 BRIDGE STREET MONONGAHL, WV 26554  
Address

**MARGARET J. SMITH**  
Lease or Property Owner  
211 Menora Ave. Mannington, WV 26582  
Address

**CONSOLIDATION COAL CO.**  
Name of Well Operator  
1 BRIDGE STREET MONONGAHL, WV 26554  
Complete Address

**MANNINGTON 7.5'**  
Well Location  
**MANNINGTON**

District  
**MARION**  
County  
3937  
Well No.  
**WILSON NAY**  
Farm

**ORIGINAL**

STATE INSPECTOR SUPERVISING PLUGGING S. J. [Signature]

AFFIDAVIT

STATE OF WEST VIRGINIA,  
County of MONONGALIA ss:

**RALPH K. HARMAN** and **KEVIN S. WRIGHT** being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by Consolidation Coal Company well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 18<sup>th</sup> day of May, 2017 and that the well was plugged in the following manner:

Sand or Zone Record Formation	Filling Material	Casing/Tubing Size	Casing Pulled	Casing Left in
Cleaned a 12 1/4' hole from the Surface to 293'. Reduced hole to 9 7/8" at 293'. Cleaned a 9 7/8" hole from 293' to 1114'. Tagged 8 5/8" casing at 1114'. Reduced hole to 7 7/8" at 1114'. Cleaned 7 7/8" hole from 1114' to 1567'. Tagged plug at 1567'. Pulled 72' of 8 5/8" casing in the hole from 1114' to 1186'. Attempts to remove remaining 8 5/8" casing by pulling 150% of string weight were unsuccessful. Left 276' of 8 5/8" casing from 1186' to 1461'. Cleaned 9 7/8" hole through Pittsburgh Coal Seam from (949' to 956'). Left 20' of 16" conductor at in the hole from 20' to surface.		8 5/8"  16" Conductor	72'  0'	276'  20'
<b>Cemented hole from 1667' back to Surface as follows:</b> From 1567' to 1156' with 120 sacks of Expandable Cement. From 1156' to 849' with 165 sacks of Thixotropic Cement with green dye. From 849' back to the Surface with 376 sacks of Expandable Cement. A total of 610 sacks of Expandable Cement were used to cement hole. Cement did circulate at the Surface.				
Coal Seams		Description of Monument		
Pittsburgh	(849' - 956')	77' of 7" casing w/ company name, well number, permit number and date cemented stated on 7" casing. Well marker will be attached to cement plug at ground level.		

... and that the work of plugging and filling said well was completed on the 7<sup>th</sup> day of June, 2017

And further deponents saith not.

Ralph K. Harman  
Ralph K. Harman

Kevin S. Wright  
Kevin S. Wright

Sworn to and subscribed before me this 27<sup>th</sup> day of Sep 2017

Carol A. Mayhew  
Notary Public

My commission expires: 9-15-22

Permit No. 47-049-02448-P  
Well No. 3937

