



New Location
 Drill Deeper
 Abandonment

Company The Interstate Pipe & Supply Co.
 Address Box 611 Marietta Ohio
 Farm Wm. Snyder
 Tract _____ Acres 132 Lease No. _____
 Co. Nos 617 & 618
 Well (Farm) No. one & two Serial No. _____
 Elevation (Spirit Level) 1182.0 & 1112.0
 Quadrangle Mannington
 County Marion District Mannington
 Engineer C.O. Herwig
 Engineer's Registration No. 811
 File No. _____ Drawing No. _____
 Date Nov. 30 1940 Scale 1" = 500'

STATE OF WEST VIRGINIA
 DEPARTMENT OF MINES
 OIL AND GAS DIVISION
 CHARLESTON

WELL LOCATION MAP
 FILE NO. MAR-299A-305A
618 617

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.
 - Denotes one inch spaces on border line of original tracing.

WM SNYDER MS. 1 (617) & 2 (618) - THE INTERSTATE PIPE & SUPPLY CO. - MAR-305-A MAR-299-A

Mannington District, Marion County, W. Va.
 By The Interstate Pipe & Supply Co., Marietta, Ohio.
 Abandoned under permit Mar-.....-A1
 On 1 1/2 acres.
 Elevation.....' l.
 Surface owned by Goldie Post, Hundred, W. Va., and minerals by
 Koppers Coal Co., Grant Town, W. Va.
 Drilling commenced March 13, 1909; completed, April 4, 1909.
 Well shot Jan. 27, 1917, with 60 qts.
 60 bbls., production per week.
 Well closed out November, 1925, was not shot, but pocket was
 drilled, making total depth 2992'.
 Conductor, 15'; 10" casing, 187'; 8", 1856'; 6", 2067'; 5", 2888';
 all left in.
 Coal was encountered at 836-839 and 942-949'.
 Oil well. Abandonment reported to Dept. of Mines April 9, 1941.
 Record to RST from Mrs. Griffith April 12, 1941. Old File No. 382.

	Top.	Bottom.
Charlottesville Coal	836	839
Pittsburgh Coal	942	949
Big Bankard Sand	1410	1450
Gas Sand	1670	1800
1st Salt Sand	1840	1930
2nd Salt Sand	1936	1986
Murton Sand (gas at 2069-2067')	2064	2144
Little Line	2144	2154
Pencil Cove	2154	2157
Big Line	2157	2220
Big Injun Sand	2220	2300
Slate	2300	2673
50-Ft. Sand	2673	2912
Slate	2912	2954
10-Ft. Sand (oil at 2956-2958')	2954	2972
Total depth		2992

STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION

382

MAR-299-A

WELL RECORD

Permit No. _____ Oil or Gas Well Oil
(KIND)

Company The Interstate Pipe & Supply Company
 Address Marietta, Ohio
 Farm Wm. Snider Acres 132
 Location (waters) _____
 Well No. 618 Elev. _____
 District Mannington County Marion
 The surface of tract is owned in fee by Goldie Yost
 Address Hundred, W. Va.
 Mineral rights are owned by Koppers Coal Company
 Address Grant Town, W. Va.
 Drilling commenced March 13, 1909
 Drilling completed April 4, 1909
 Date shot _____ Depth of shot _____
 Open Flow _____ /10ths Water in _____ Inch
 _____ /10ths Merc. in _____ Inch
 Volume _____ Cu. Ft.
 Rock Pressure _____ lbs. _____ hrs.
 Oil _____ bbls., 1st 24 hrs.
 Fresh water _____ feet _____ feet
 Salt water _____ feet _____ feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			
Conductor	15	15	Kind of Packer
18			
10	187	187	Size of
8 1/4	1456	1456	
6 5/8	2067	2067	Depth set
5 3/16		2888	
3			Perf. top
2			Perf. bottom
Liners Used			Perf. top
			Perf. bottom

CASING CEMENTED _____ SIZE _____ No. Ft. _____ Date _____
 COAL WAS ENCOUNTERED AT 836 FEET 36 INCHES
942 FEET 84 INCHES FEET _____ INCHES
 _____ FEET _____ INCHES FEET _____ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Mapletown Coal			836	839			
Pittsburgh Coal			942	949			
Big Dunkard Sand			1410	1456			
Gas Sand			1630	1800			
1st Salt Sand			1840	1930			
2nd Salt Sand			1936	1986			
Marion Sand			2064	2144	Gas at 2039-2087		
Little Lime			2144	2154			
Pencil Cave			2154	2157			
Big Lime			2157	2220			
Big Injun Sand			2220	2530			
Slate			2330	2373			
50 Ft. Sand			2373	2912			
Slate			2912	2954			
30 Ft. Sand			2954	2972	Oil at 2956 - 2958		
Total Depth			2992				
Well shot January 27, 1917, with 60 qts. 50 bbls. production per week							
Well cleaned out November, 1925, was not shot, but pocket was drilled, making total depth 2992'.							



APR 12 1911

STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION

391

WELL RECORD

Permit No. 305-A Oil or Gas Well Oil
(KIND)

Company The Interstate Pipe & Supply Company
Address Marietta, Ohio
Farm Wm. Snyder Acres 132
Location (waters) _____
Well No. 617 Elev. 1187
District Mannington County Marion
The surface of tract is owned in fee by Goldie Yost
Address Hundred, W. Va.
Mineral rights are owned by Koppers Coal Company
Address Grant Town, W. Va.
Drilling commenced December 4, 1908
Drilling completed January 9, 1909
Date shot _____ Depth of shot 895
Open Flow /10ths Water in _____ Inch
/10ths Merc. in _____ Inch
Volume _____ Cu. Ft.
Rock Pressure _____ lbs. _____ hrs.
Oil _____ bbls., 1st 24 hrs.
Fresh water _____ feet _____ feet
Salt water _____ feet _____ feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			
16 Conductor	12	12	Kind of Packer.....
13			
10	240	240	Size of.....
8 1/4	1490	1490	
6 5/8		2240	Depth set.....
5 3/16		2920	
3			Perf. top.....
2			Perf. bottom.....
Liners Used.....			Perf. top.....
			Perf. bottom.....

CASING CEMENTED..... SIZE..... No. Ft..... Date.....
COAL WAS ENCOUNTERED AT 895 FEET..... INCHES
995 FEET..... INCHES..... FEET..... INCHES
..... FEET..... INCHES..... FEET..... INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Mapletown Coal			895				
Pittsburgh Coal			995				
Little Dunkard			1415	1445			
Big Dunkard			1490	1530			
Gas Sand			1600	1660			
Salt Sand			1795	2025			
Red Rock			2075				
Maxon Sand			2114				
Total Depth			2150				
Drilled deeper August 9, 1917, from 2150' to 3052'							
Commenced at			2150	2196			
Little Line			2196	2206			
Pencil Cave			2206	2210			
Big Line			2210	2272			
Big Injun Sand			2272	2540			
Sand			2570	2580			
Line & Shells			2610	2670			
Sand			2789	2792			
Sand & Shells			2819	2856			
Line			2896	2914			
50 Foot Sand			2920	2932			
Sandy Shale			3000	3012			
30 Foot Sand			3028	3048			
Total Depth			3052				
					Gas at 2120 to 2130		
					Oil at 3030		
							Shot in 30 Foot sand

