

New Location
 Drill Deeper
 Abandonment

Company PITTSBURGH & W.VA. GAS CO.
 Address CLARKSBURG, W.VA.
 Farm J. C. NAY
 Tract _____ Acres 65 Lease No. 7718
 Well (Farm) No. ONE Serial No. 2283
 Elevation (Spirit Level) 1234' L.
 Quadrangle CLARKSBURG N.E. 23
 County MARION District LINCOLN
 Engineer F. S. Matthews
 Engineer's Registration No. 1022
 File No. V-126.P-88 Drawing No. _____
 Date FEB. 19, 1944. Scale 1"=300'

STATE OF WEST VIRGINIA
 DEPARTMENT OF MINES
 OIL AND GAS DIVISION
 CHARLESTON

WELL LOCATION MAP
 FILE NO. MAR-396-A

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.

- Denotes one inch spaces on border line of original tracing.



STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION

473

WELL RECORD


Permit No. Ab 296 A Oil or Gas Well "GAS"
(RIND)

Company Pittsburgh & West Va Gas Company
Address Clarksburg, West Va.,
J. C. Nay Acres 65
Farm Clarksburg N/E. 2-3
Location (waters) Clarksburg N/E. 2-3
Well No. 2283 Elev. 1234' L
District Lincoln County Marion
The surface of tract is owned in fee by Pete Yerkarich
Four States, W.Va.,
Address Georgia Nay Janes et al.
Mineral rights are owned by 200 Front Street
Address Monongah, West Va.,
Drilling commenced September 28, 1909
Drilling completed December 3, 1909
Date Shot From To
With
Open Flow /10ths Water in. In. In. In.
/10ths Merc. in. In. In. In.
Volume Cu. Ft.
Rock Pressure lbs. hrs.
Oil bbls., 1st 24 hrs.
Fresh water feet feet
Salt water feet feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			Kind of Packer
16			
13			
10	190'	190'	Size of
8 1/4	917'	917'	
6 1/2	1522'	1522'	Depth set
5 3/16	2420'	2420'	
3			Perf. top
2			Perf. bottom
Liners Used			Perf. top
			Perf. bottom

CASING CEMENTED SIZE No. Ft. Date
COAL WAS ENCOUNTERED AT 30 FEET 24 INCHES
440 FEET 60 INCHES FEET INCHES
FEET INCHES FEET INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Mud	Yellow	Soft	0	16			
Slate	Black	"	16	30			
Coal	"	"	30	32			
Slate	"	"	32	40			
Sand	White	Hard	40	90			
Slate	Black	Soft	90	160			
Lime	White	Hard	160	180			
Slate	Black	Soft	180	230			
Lime	White	Hard	230	320			
Slate	Black	Soft	320	330			
Lime	White	Hard	330	355			
Slate	"	Soft	355	375			
Lime	"	Hard	375	425			
Slate	Black	Soft	425	440			
Pgh. Coal	"	"	440	445			
Slate	"	"	445	478			
Lime	White	Hard	478	525			
Slate	"	Soft	525	545			
Lime	"	Hard	545	560			
Sand	"	"	560	580			
Slate	"	Soft	580	620			
Lime	"	Hard	620	630			
Sand	"	"	630	650			
Red Rock	Red	Soft	650	660			
Slate	White	"	660	700			
Lime	"	Hard	700	715			
Slate	Black	Soft	715	750			
Red Rock	Red	"	750	775			
Little Dunkard	White	Hard	775	795			
Slate	"	Soft	795	825			
Sand	"	Hard	825	835			
Slate	"	Soft	835	860			
Sand	"	Hard	860	890			
Slate	"	Soft	890	909			
Big Dunkard	"	Hard	909	980			
Slate	"	Soft	980	995			
Sand	"	Hard	995	1030			
Slate	Black	Soft	1030	1053			
Sand	White	Hard	1053	1077			



AUG 17 1944

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Slate	White	Soft	1077	1100			
Sand	"	Hard	1100	1115			
Slate	"	Soft	1115	1150			
Gas Sand	"	Hard	1150	1200			
Slate	Black	Soft	1200	1230			
1st. Salt Sd.	White	Hard	1230	1300			
Slate	Black	Soft	1300	1340			
2nd. Salt Sand	White	Hard	1340	1410	Water	1375'	
Slate	White	Soft	1410	1427			
3rd. Salt Sand	"	Hard	1427	1522			
Slate	Black	Soft	1522	1567			
Lime	White	Hard	1567	1622			
Red Rock	Red	Soft	1622	1750			
Big Lime	White	Hard	1750	1820			
Big Injun	"	"	1820	1903			
Slate&Shells	"	Soft	1903	2250			
Upper 30 Ft. Sand	White	Hard	2250	2276			
Slate&Shells	White	Soft	2276	2300			
Sandy Lime	"	Hard	2300	2365			
Slate	Black	Soft	2365	2375			
50 Ft. Sand	White	Hard	2375	2435			
Red Rock	Red	"	2435	2440			
Thirty Foot Sd.	White	"	2440	2485			
Red Rock	Red	Soft	2485	2500			
Lower 30 Ft. Sd.	White	Hard	2500	2536	Gas	2523'	
Red Rock	Red	Soft	2536	2607			
Sand	White	Hard	2607	2620			
Red Rock	Red	Soft	2620	2628			
Sand	White	Hard	2628	2635			
Slate	Red	Soft	2635	2641			
Gordon Sand	White	Hard	2641	2664			
Slate	"	Soft	2664	2689			
4th. Sand	"	Hard	2689	2711			
Slate&Shells	"	Soft	2711	2828			
5th. Sand	"	Hard	2828	2840	Gas	2838'	
Un-recorded			2840	2861			
Total Depth				2861			

Date February 21, 1944

194

PITTSBURGH & WEST VA GAS COMPANY

APPROVED

Owner

By

W. C. McMaster
W. C. McMaster
(Title)

(Title)

Record of Well No. 2283 Located on J. P. Ray Farm 19
Lucas District Marion County West Va State
 Division A District No. 11 Drilled under well Order 995
 Rig built by John Craig Began 19 Completed 19
 Well drilled by Wm. Baruchart Began Oct 4 1907 Completed Dec 2 1909
 Depth of Well 2861 feet Size of Hole 5 3/16 Producing Gas
Elev 1234 g.l.

CASED WITH			REMARKS
AMOUNT	SIZE	KIND	
90'	10"	Bed	
480'	8 1/2"	"	
437'	"	New	
1527'	6 5/8"	Bed	
2420'	5 3/16"	"	
2861'	2"		

COAL VEINS Light 440 - 445

FORMATIONS					
FORMATION	COLOR	OPEN OR CLOSE HARD OR SOFT	TOP	BOTTOM	REMARKS GAS-OIL-WATER (THICKNESS OF PAY)
<u>Little Dunbar</u>			<u>775</u>	<u>775</u>	
<u>Big "</u>			<u>909</u>	<u>980</u>	
<u>Med Sand</u>			<u>1150</u>	<u>1200</u>	
<u>"</u>			<u>1230</u>	<u>1300</u>	
<u>"</u>			<u>1427</u>	<u>1522</u>	
<u>Big Lime</u>			<u>1950</u>	<u>1820</u>	
<u>Big Sand</u>			<u>1820</u>	<u>1980</u>	
<u>W. of Root</u>			<u>2375</u>	<u>2455</u>	
<u>Thinly Root</u>			<u>2440</u>	<u>2480</u>	<u>2480/2</u>
<u>"</u>			<u>2520</u>	<u>2536</u>	<u>25-2.5</u>
<u>Woodrow Hwy</u>			<u>2628</u>	<u>2635</u>	
<u>" Sand</u>			<u>2641</u>	<u>2664</u>	
<u>North "</u>			<u>2687</u>	<u>2711</u>	
<u>St. John "</u>			<u>2826</u>	<u>2840</u>	<u>Gas 2855</u>
<u>Total Depth (State)</u>					

(064) Farmington

