

ABANDONMENT

COMPANY PITTSBURGH & W. VA. GAS CO.  
 ADDRESS CLARKSBURG, W. VA.  
 FARM D. G. HILDRETH  
 TRACT ACRES 36 3/4 LEASE NO. 7250  
 WELL (FARM) NO. 1 SERIAL NO. 1838  
 ELEVATION (SPIRIT LEVEL) 1141.4 V.A.  
 QUADRANGLE CLARKSBURG N.E. 1  
 COUNTY MARION DISTRICT LINCOLN  
 ENGINEER AMERT JEFFRIES  
 ENGINEER'S REG. NO. 1084  
 FILE NO. 157/55 DRAWING NO.  
 DATE 5/4/48 SCALE 1" = 1300'

STATE OF WEST VIRGINIA  
 DEPARTMENT OF MINES  
 OIL AND GAS DIVISION  
 CHARLESTON

WELL LOCATION MAP

FILE NO. MAR 515 A

+ DENOTES LOCATION OF WELL ON U.S. TOPOGRAPHIC MAPS, SCALE 1" TO 62,500'. LATITUDE AND LONGITUDE LINES BEING REPRESENTED BY BORDER LINES AS SHOWN.

- DENOTES ONE INCH SPACES ON BORDER LINE OF ORIGINAL TRACING.



593

STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION

WELL RECORD

Oil or Gas Well "GAS"  
(KIND)

Permit No. 575-A


Company Pittsburgh & West Va Gas Company.  
 Address Clarksburg, West Va.  
 Farm D. G. Haldreth Acres 36  
 Location (waters) Clarksburg N/E. 1-4  
 Well No. 1538 Elev. 1141' VA  
 District Lincoln County Marion  
 The surface of tract is owned in fee by James Haldreth  
 Address Shinnston, W. Va.  
 Mineral rights are owned by James Haldreth  
 Address Shinnston, W. Va.  
 Drilling commenced June 23rd, 1905  
 Drilling completed August 7th, 1905  
 Date Shot \_\_\_\_\_ From \_\_\_\_\_ To \_\_\_\_\_  
 With \_\_\_\_\_  
 Open Flow \_\_\_\_\_ /10ths Water in \_\_\_\_\_ Inch  
 \_\_\_\_\_ /10ths Merc. in \_\_\_\_\_ Inch  
 Volume \_\_\_\_\_ Cu. Ft.  
 Rock Pressure \_\_\_\_\_ lbs. \_\_\_\_\_ hrs.  
 Oil \_\_\_\_\_ bbls., 1st 24 hrs.  
 Fresh water \_\_\_\_\_ feet \_\_\_\_\_ feet  
 Salt water \_\_\_\_\_ feet \_\_\_\_\_ feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			Kind of Packer
16			
18			
10	206'	None.	Size of
8 1/2	764'	764'	
6 5/8	1542'	1542'	Depth set
5 3/16			
3			Perf. top
2			Perf. bottom
Liners Used			Perf. top
			Perf. bottom

CASING CEMENTED \_\_\_\_\_ SIZE \_\_\_\_\_ No. Ft. \_\_\_\_\_ Date \_\_\_\_\_

COAL WAS ENCOUNTERED AT 158 FEET 48 INCHES  
245 FEET 24 INCHES 268 FEET 96 INCHES  
512 FEET 24 INCHES \_\_\_\_\_ FEET \_\_\_\_\_ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Plate Shells			0	70			
Lime	White	Hard	70	150			
Plate	Black	Soft	150	158			
L.T. Coal	Black	"	158	162			
Plate	"	"	162	177			
Lime	White	Hard	177	245			
Coal	Black	Soft	245	247			
Plate Shells	"	"	247	268			
gh. Coal	"	"	268	276			
Plate Shells			276	350			
Sand			350	360			
Plate Shells			360	410			
Lime	White	Hard	410	420			
Red Rock	Red	Soft	420	464			
Lime	White	Hard	464	469			
Plate	White	Soft	469	474			
Red Rock		"	474	502			
Sand	White	Hard	502	512			
Coal			512	514			
Plate	Black	Soft	514	570			
Red Rock	Red	Soft	570	590			
Sand	White	Hard	590	605			
Plate	"	Soft	605	615			
Red Rock	Red	"	615	625			
Lime	Dark	Open	625	650			
Plate	Black	Soft	650	700			
Plate Shells			700	735			
Bankard Sand	White	Open	735	800			
Plate Shells			800	910			
Gas Sand	White	Hard	910	1140	Water	1110'	
Plate	Black	Soft	1140	1180			
Salt Sand	White	Hard	1180	1356	Gas	1200'	
Sand	Black	Open	1256	1371	Water	1205'	
Plate	Black	Soft	1371	1415			
Red Rock	Red	"	1415	1496			
Maxon Sand	White	Hard	1496	1526			
Lime	Dark	Open	1526	1540			
Pencil Cave	Black	Soft	1540	1544			
Big Lime	Dark	Hard	1544	1682			



Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Red Rock	Red	Soft	1682	1685			
Mg Injun	White	Hard	1685	1761	Gas	1716'	
Slate	"	Soft	1761	1771			
quaw Sand	"	Hard	1771	1791			
Slate&Shells		Soft	1791	1831			
Shells		Hard	1831	1851			
Slate	White	Soft	1851	1881			
Shells & Lime		Hard	1881	1921			
Shells & Slate			1921	1946			
Slate	White	Soft	1946	1991			
Slate	"	"	1991	2021			
Shells&Lime		Hard	2021	2041			
Slate	Dark	Soft	2041	2071			
Shells		Hard	2071	2111			
Slate	Dark	Soft	2111	2130			
and Shells		Hard	2130	2160			
Slate	White	Soft	2160	2180			
Shells & Slate		Hard	2180	2210			
30 Ft. Sand	Dark	"	2210	2265			
Sand	Red	Hard	2265	2270			
Sand	Gray	"	2270	2350			
Red Rock		Soft	2350	2368			
Sand	Gray	Hard	2368	2398			
Slate	White	Soft	2398	2420			
Red Rock			2420	2430			
Sand&Shells		Hard	2430	2465			
London Sand	White	"	2465	2495			
Slate&Shells			2495	2516			
th. Sand	White	Hard	2516	2529			
Slate	"	Soft	2529	2534			
Sand	"	Hard	2534	2541			
Slate	"	Soft	2541	2571			
Sand	Gray	Hard	2571	2578			
Slate&Shells		"	2578	2600			
Slate&Shells		Soft	2600	2659			
th. Sand	Dark	Hard	2659	2674	Gas	2661-2665'	
Un-recorded			2674	2825			
Total Depth.....				2825			

October 28, 1947

Date \_\_\_\_\_, 19\_\_\_\_

FITTSBURGH & WEST VA GAS COMPANY.

APPROVED \_\_\_\_\_

Owner

By W. J. Master  
(Title)

Record of Well No. 1838 Located on D. H. Melbeth Farm April 31 1906  
Lincoln District Marion County West Va State  
 Division A District No. 11 Drilled under well Order 576  
 Rig built by John Craig Began May 20 1906 Completed May 25 1906  
 Well drilled by Barriore Hartness Began June 23 1906 Completed Aug 7 1906  
 Depth of Well 2825 feet Size of Hole 6 1/8 Producing Oil  
 Elev. 1141 G.L.

CASED WITH			REMARKS
AMOUNT	SIZE	KIND	
16'	13 1/2"	wood	
<del>286'</del>	<del>10"</del>	<del>iron</del>	Reclaimed 286 ft of 10"
764'	8 1/4"	"	
1042'	6 3/4"	"	
2825'	2"	"	

COAL VEINS Maplewood 108-162 Opal 276

FORMATIONS					
FORMATION	COLOR	OPEN OR CLOSE HARD OR SOFT	TOP	BOTTOM	REMARKS GAS-OIL-WATER (THICKNESS OF PAY)
<u>Little Dunkard</u>			590	605	
<u>Big "</u>			735	820	
<u>Gas sand</u>			940	1140	
<u>Soft "</u>			1180	1356	<u>See</u>
<u>Big Lanes</u>			1320	1686	<u>1100/1200</u>
<u>Big Lanes</u>			1686	1761	
<u>Spindle</u>			1761	1790	
<u>Big Rock</u>			2210	2265	
<u>Shale</u>			2465	2495	
<u>Hard sand</u>			2576	2641	
<u>Soft "</u>			2537	2679	" 2662
<u>Hard Oil (Plate)</u>				2825	" 2665. Steel Pipe measurement

(064) Farmington

FIRST PRESSURE TEST IN 6 3/8 CASING

REMARKS

30 Sec.	<u>25</u>	lbs.
1 Min.	<u>30</u>	"
2 "	<u>60</u>	"
5 "	<u>110</u>	"
10 "	<u>165</u>	"
15 "	<u>215</u>	"
30 "	<u>265</u>	"
Rock Pressure	<u>745</u>	" in <u>5</u> lbs.
Taken	<u>Aug 7</u>	<u>1908</u>
By		

*June 1918 - 2 1/2" - 67392 - 135 - 48 hrs.*

WELL TUBED AND PACKED June 29 1918

VIZ: 2825 ft. of 2" Tubing  
1-6 3/8 x 2 Anchor Catches  
14 ft. 341 ft. of Anchor  
1-2 " G. & L.

FIRST PRESSURE TEST IN 2 TUBING

REMARKS

30 Sec.	<u>2</u>	lbs.
1 Min.	<u>4</u>	"
2 "	<u>6</u>	"
5 "	<u>12</u>	"
10 "	<u>20</u>	"
15 "		"
30 "	<u>40</u>	"
Rock Pressure	<u>135</u>	" in <u>42</u> lbs.
Taken	<u>June 29</u>	<u>1918</u>
By	<u>J. D. Morris</u>	

MATERIAL FOR THIS WELL RECEIVED FROM FOLLOWING SOURCES: