

561A

Fairmont District, Marion County, W. Va.

By Pittsburgh & W. Va. Gas Co., Clarksburg, W. Va.

Abandoned under permit No.-A1

on 150 acres; Fairmont N/W 1-2.

Elevation, 1190' ±.

Surface owned by J. E. Willis, R. R., Fairmont, W. Va., and minerals by

Harry Shannon Brumage, R. R. No. 1, Fairmont, W. Va.

Drilling commenced May 1, 1917; completed June 17, 1919.

10' casing, 450' (cemented); 8", 1398'; 6", 1720'; all left in.

Coal was encountered at 295-301 and 421-423'.

Gas well. Abandonment reported to Dept. of Mines July 3, 1948.

Record to GCF from Wm. Griffith April 13, 1949. Old file No. 608.

	Top.	Bottom.
Lime, white, hard	0	36
Slate, white, soft	36	96
Lime and shells, dark, hard	96	295
Wheaton (Hewittley) Coal, soft	295	301
Lime and slate, dark, hard and soft	301	421
Pittsburgh Coal, soft	421	423
Slate and shells, hard and soft	423	450
Lime, white, hard	450	500
Slate and shells, hard and soft	500	600
Slate and shells, hard and soft	600	680
Lime, white, hard	680	720
Slate and shells, dark, hard and soft	720	850
Lime, pink, hard	850	890
Slate, dark, soft	890	940
Little Bankard Sand, white, hard	940	985
Slate, white, soft	985	995
Big Bankard Sand, white, hard	995	1090
Slate and shells, dark, hard and soft	1090	1120
Slate and shells, white, hard and soft	1120	1220
Gas Sand, pink, hard	1220	1260
Slate and shells, white, hard and soft	1260	1300
Salt Sand, white, hard (water, 1304') (water, 1310')	1300	1440
Slate, dark, soft	1440	1455
Lime and sand, dark, hard	1455	1530
Red rock and shells, soft and hard	1530	1675
Waxton Sand, dark, hard	1675	1705
Slate, white, soft	1705	1708
Little Lime, white, hard	1708	1720
Wencil Cove, dark, soft	1720	1722
Big Lime, light, hard	1722	1776
Big Injun Sand, white and dark, hard (gas, 1787')	1776	1827
Slate and shells, dark, hard	1827	1855
Total depth		1855



STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION

665

WELL RECORD

"GAS"

Oil or Gas Well

(KIND)

Permit No. 561-A

Company Pittsburgh & West Va Gas Company.
Address Clarksburg, West Va.
Farm Jacob Brumage Acres 150
Location (waters) Fairmont N/W. 1-2
Well No. 3052 Elev. 1150'
District Fairmont County Marion
The surface of tract is owned in fee by J. E. Willis
R.D. Fairmont, W. Va. Address
Mineral rights are owned by Harry Thurman Brumage
H.O. #1 Address Fairmont, W. Va.
Drilling commenced May 1st, 1913
Drilling completed June 13th, 1913
Date Shot From To
With

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			
16			Kind of Packer
13			
10 (Cemented)	450'	450'	Size of
8 1/4	1398'	1398'	
6 5/8	1728'	1728'	Depth set
5 3/16			
3			Perf. top
2			Perf. bottom
Liners Used			Perf. top
			Perf. bottom

Open Flow /10ths Water in _____ Inch
/10ths Merc. in _____ Inch
Volume _____ Cu. Ft.
Rock Pressure _____ lbs. _____ hrs.
Oil _____ bbls., 1st 24 hrs.
Fresh water _____ feet _____ feet
Salt water _____ feet _____ feet

CASING CEMENTED _____ SIZE _____ No. Ft. _____ Date _____
COAL WAS ENCOUNTERED AT 295 FEET 72 INCHES
421 FEET 84 INCHES FEET INCHES
FEET INCHES FEET INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
lime	White	Hard	0	56			
late	"	Soft	56	96			
late&Shells	Dark	Hard	96	295			
l. F. Coal		Soft	295	301			
late&Slate	Dark	H.&S.	301	421			
gh. Coal		Soft	421	428			
late&Shells		H.S.	428	460			
lime	White	Hard	460	500			
late&Shells		H.&S.	500	620			
" "		"	620	680			
lime	White	Hard	680	720			
late&Shells	Dark	H.&S.	720	850			
lime	Pink	Hard	850	890			
late	Dark	Soft	890	940			
little Dunkard	White	Hard	940	985			
late	White	Soft	985	995			
big Dunkard	"	Hard	995	1050			
late&Shells	Dark	H.&S.	1050	1120			
" "	White	H.&S.	1120	1220			
as Sand	Pink	Hard	1220	1260			
late&Shells	White	H.&S.	1260	1300			
alt Sand	White	Hard	1300	1440	Water	1324'	
late	Dark	Soft	1440	1455	Water	1380'	
lime and Sand	"	Hard	1455	1530			
ed Rock&Shells	Red	S.&H.	1530	1675			
axson Sand	Dark	Hard	1675	1705			
late	White	Soft	1705	1708			
ittle Lime	"	Hard	1708	1720			
encil Cave	Dark	Soft	1720	1722			
ig Lime	Light	Hard	1722	1776			
ig Injun	W.&D.	"	1776	1827	Gas	1787'	
late&Shells	Dark	"	1827	1855			
otal Depth.....				1855			

Record of Well No. 5052 Located on Jacob Runnige Farm Mar 15 1913
Farmington District Marion County West Va State
 Division Q District No. 11 Drilled under well Order 615
 Rig built by Phil Craig Began April 18 1913 Completed April 26 1913
 Well drilled by S. W. McCall Began May 1 1913 Completed June 13 1913
 Depth of Well 1855 feet Size of Hole 6 5/8 Producing Gas
Dev. 1150' G.L.

CASED WITH			REMARKS
AMOUNT	SIZE	KIND	
<u>16'</u>	<u>16"</u>	<u>wood</u>	
<u>450'</u>	<u>10"</u>	<u>iron</u>	<u>Cemented</u>
<u>1398'</u>	<u>8 1/2"</u>	<u>"</u>	
<u>1928'</u>	<u>6 5/8"</u>	<u>"</u>	
<u>1856'</u>	<u>3"</u>	<u>"</u>	

COAL VEINS Mapletown 301 ^{295'} 301 ^{426'} 301 ^{432'} 301

FORMATION	COLOR	OPEN OR CLOSE HARD OR SOFT	TOP	BOTTOM	REMARKS GAS-OIL-WATER (THICKNESS OF PAY)
<u>Little Dunbar</u>			<u>940</u>	<u>985</u>	
<u>Big</u>			<u>975</u>	<u>1050</u>	
<u>Gas sand</u>			<u>1220</u>	<u>1260</u>	
<u>wt. salt sand</u>			<u>1300</u>	<u>1440</u>	<u>Water 1324</u>
<u>Mapletown</u>			<u>1695</u>	<u>1705</u>	
<u>Little Limer</u>			<u>1705</u>	<u>1740</u>	
<u>Big Limer</u>			<u>1722</u>	<u>1746</u>	
<u>Big Limer</u>			<u>1776</u>	<u>1827</u>	<u>Gas 1787</u>
<u>Mapletown</u>				<u>1855</u>	

(064) Farmington

