



534

Hamington District, Marion County, W. Va.  
 By Russell Furber, Bononi Ave., Fairmont, W. Va.  
 Abandoned under permit No. ....-A?  
 On 113<sup>1</sup>/<sub>2</sub> acres.  
 (Elevation, 1143.77' (ground); 1150.43' (S.S.))  
 Surface owned by Mary M. Valnich, S. F. No. 7, Hamington, W. Va.,  
 and ~~W. L. ...~~ by G. L. Dudley, Jr., Parkersburg, W. Va.  
 Drilling completed Aug. 4, 1919.  
 Shot Aug. 12, 1919, (top) at 2055', with 10 lbs. glycerine.  
 8" casing, 1937'; 6", 1947'; all left in.  
 Coal was encountered at 620-626'.  
 Oil well. Record to Dept. of Mines stamped Oct. 15, 1948.  
 Record to DEP from W. Va. Griffith Jan. 5, 1949. Old File No. 620.

	Top.	Bottom.
Pittsburgh Coal	620	626
Little Harford Sand	1060	1066
Big Harford Sand	1100	1202
Gas Sand	1310	1425
1st Salt Sand	1440	1480
2nd Salt Sand (water, 1350')	1540	1790
Newton Sand	1730	1770
Little Mine	1864	1876
Pencil Cove	1876	1887
Big Mine	1887	1952
Big Injun Sand (oil, 2055-2060')	1952	....
Total depth		2069



STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION

620

WELL RECORD

Permit No. 569-A

Oil or Gas Well \_\_\_\_\_ (KIND)

Company Russell Furbee  
Address Benoni Ave. Fairmont, W. Va.  
Farm E. A. Blackshere Acres 410 3/4  
Location (waters) \_\_\_\_\_ F-1150.43  
Well No. 16 Elev. 6-1148.73  
District Mannington County Marion  
The surface of tract is owned in fee by Mary h. Helmick  
R. F. D. No. 3 Address Mannington, W. Va.  
Mineral rights are owned by Coal-G. L. Dudley Jr.  
Parkersburg Address W. Va.  
Drilling commenced No Record  
Drilling completed Aug. 4, 1919  
Date Shot 8/12/19 From Top 2055  
With 10 qts. Glycerine  
Open Flow \_\_\_\_\_ /10ths Water in \_\_\_\_\_ Inch  
\_\_\_\_\_ /10ths Merc. in \_\_\_\_\_ Inch  
Volume \_\_\_\_\_ Cu. Ft.  
Rock Pressure \_\_\_\_\_ lbs. \_\_\_\_\_ hrs.  
Oil \_\_\_\_\_ bbls., 1st 24 hrs.  
Fresh water \_\_\_\_\_ feet \_\_\_\_\_ feet  
Salt water \_\_\_\_\_ feet \_\_\_\_\_ feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			
16			Kind of Packer
13			
10			Size of
8 1/4	1587	1587	
6 3/4	1947	1947	Depth set
5 3/16			
3			Perf. top
2			Perf. bottom
Liners Used			Perf. top
			Perf. bottom

CASING CEMENTED \_\_\_\_\_ SIZE \_\_\_\_\_ No. Ft. \_\_\_\_\_ Date \_\_\_\_\_  
COAL WAS ENCOUNTERED AT 620 FEET 72 INCHES  
\_\_\_\_\_ FEET \_\_\_\_\_ INCHES FEET \_\_\_\_\_ INCHES  
\_\_\_\_\_ FEET \_\_\_\_\_ INCHES FEET \_\_\_\_\_ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Pittsburgh Coal			620	626			
L. Dunkard			1040	1060			
B. Dunkard			1100	1202			
Gas Sand			1310	1425			
1st Salt			1440	1480			
2nd Salt			1540	1590	Water	1550	
Maxon Sand			1730	1770			
Little Lime			1864	1876			
Pencil Cave			1876	1883			
Big Lime			1883	1952			
Big Injun			1952		Oil	2055-2063	
Total Depth				2069			

