


LATITUDE 39 32 30

LONGITUDE 80 22 30



2.775
1.22W

7'5 OGIS topo location

7.5' loc _____ 15' loc _____
(calc.) _____

Company _____

Farm H W STEPHEN HRS

Quad GLOVER GAP

County MARION

District MANNINGTON

WELL LOCATION MAP

File No. 30581

STEPHENS HAINS NO. 2 WELL.

582

Nannington District, Marion County, W. Va.
 By Russell Furber, John Lewis, Nannington, W. Va.
 Abandoned under permit Mar-.....-??

On 125 acres.

Elevation, 1100' L.

Drilling completed July 10, 1925.

6" casing, 1981'; 5" casing, 2615'; all left in.

Coal was encountered at 654-662'.

Oil well. Record to Dept. of Mines not dated or stamped.

Record to ROT from Mrs. Griffith May 21, 1949. Old File No. 685.

	Top.	Bottom.
Pittsburgh Coal	654	662
Little Buckard Sand	1067	1115
Big Buckard Sand	1192	1240
Gas Sand	1345	1438
1st Salt Sand	1625	1705
Little Line	1910	1918
Pencil Cove	1918	1924
Big Injun Sand (gas, 2065') (gas, 2082')	1924	2150
Gantz Sand	2445	2495
Fifty-foot Sand	2592	2662
Thirty-foot Sand (oil, 2672')	2667	2700
Total depth		3210

This well was drilled to the
 Bayard, 3210'. Plugged back to
 Thirty-foot at the time it was drilled.

Present total depth 2700



STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION

685

WELL RECORD

Permit No. 581-A

Oil or Gas Well X (KIND)

Company Russell Furbee
Address % John Lawlis- Mannington, W. Va.
Farm Stephens Hoirs Acres 125
Location (waters) _____
Well No. 2 Elev. 1160
District Mannington County Marion
The surface of tract is owned in fee by Henry Stephens Hoirs
Mannington Address W. Va.
Mineral rights are owned by _____
Address _____

Drilling commenced No Record
Drilling completed July 10, 1925
Date Shot _____ From _____ To _____
With _____

Open Flow _____ /10ths Water in _____ Inch
_____ /10ths Merc. in _____ Inch
Volume _____ Cu. Ft.
Rock Pressure _____ lbs. _____ hrs.
Oil _____ bbls., 1st 24 hrs.
Fresh water _____ feet _____ feet
Salt water _____ feet _____ feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			
16			Kind of Packer _____
13			Size of _____
10			Depth set _____
8 3/4			Perf. top _____
6 5/8	1981	1981	Perf. bottom _____
5 3/16	2615	2615	Perf. top _____
3			Perf. bottom _____
2			
Liners Used			

CASING CEMENTED _____ SIZE _____ No. Ft. _____ Date _____

COAL WAS ENCOUNTERED AT 654 FEET 96 INCHES
_____ FEET _____ INCHES _____ FEET _____ INCHES
_____ FEET _____ INCHES _____ FEET _____ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Pittsburgh Coal			654	662			
Little Dunkard			1067	1115			
Big Dunkard			1192	1240			
Gas Sand			1345	1438			
1st Salt Sand			1625	1705			
Little Lime			1910	1918			
Pencil Cave			1918	1924			
Big Sand			1924				
Big Injun			1924	2150			
Gantz Sand			2445	2495	Gas	2065	
Fifty Foot			2592	2662	Gas	2082	
Thirty Foot			2667	2700	Oil	2672	
Total Depth				2700			

This well was drilled to the Bayard 3210. Plugged back to thirty foot at the time it was drilled.